Primary Logo (Crest) 02 **SECONDARY MARKS**

Wordmark Manx Cat Wordmark & Cat Tow'd 03 BRAND COLORS

Primary Palette Color Usage 04 TYPOGRAPHY

Primary Font Secindary Font 05 ARTIFACTS

Official Plate Badges Registration Badge Labels Manx Bar Usage

03.28.2022

BRAND GUIDELINES_FINAL DESIGN



Primary Logo (Crest) 02 SECONDARY MARKS

Wordmark Manx Cat Wordmark & Cat Tow'd 03 BRAND COLORS

Primary Palette Color Usage 04 TYPOGRAPHY

Primary Font Secindary Font 05 ARTIFACTS

Official Plate Badges Registration Badge Labels Manx Bar Usage

1 Master Logo

- 1. The primary logo as a crest design.
- **2.** This design is the hood badge artwork from the original Meyers Manx.
- 3. The line weight of the crest shall not be adjusted unless approved by Art Director.



1. The Primary Logo used on both light and dark grounds.







CLEAR SPACE

01

The master logo should have clear space on all sides the height of the "X Height.

X Height = Height of the letters in "Meyers Manx"



The master logo should not be any smaller than to distort the artwork on the face.



Primary Logo (Crest) 02 SECONDARY MARKS

Wordmark Manx Cat Wordmark & Cat Tow'd 03 BRAND COLORS

Primary Palette Color Usage 04 TYPOGRAPHY

Primary Font Secindary Font 05 ARTIFACTS


Official Plate Badges Registration Badge Labels Manx Bar Usage


 The wordmark used on both light and dark grounds.

meyers manx



1. The Manx Cat used on both light and dark grounds.





- 1. The conbination of the Meyer Manx Wordmark and the Max cat.
- 2. The spacing of the Meyer Manx Wordmark and the Max cat is cannot be adjusted.
- **3**. The 2 elements CAN be used seperatly.



 The Manx Cat used on both light and dark grounds.









TOW'D

02

1. Official Tow'd Logo





Primary Logo (Crest) 02 SECONDARY MARKS

Wordmark Manx Cat Wordmark & Cat Tow'd 03 BRAND COLORS

Primary Palette Color Usage 04 TYPOGRAPHY

Primary Font Secindary Font 05 ARTIFACTS

Official Plate Badges Registration Badge Labels Manx Bar Usage

03 Colors

PRIMARY PALETTE

03

The primary Meyers Manx color palette consits of Bahama Yellow, Manx Black, Silt White.



BAHAMA YELLOW

PMS: 130 c HEX: F1AB00

CMYK: 0 / 37 / 100 / 0 RGB: 241 / 171 / 0



MANX BLACK

PMS: 426 c HEX: 25282A

CMYK: 81 / 67 / 55 / 83 RGB: 37 / 40 / 42



SILT WHITE

COOL WHITE 1C @ 30%

HEX: FFFFFF

CMYK: 3.69 / 2.95 / 3.17 / 0 RGB: 242 / 241 / 240















IMPROPPER USAGE: THE CAT CANNOT BE FILLED IN WITH COLOR



Primary Logo (Crest) 02 SECONDARY MARKS

Wordmark Manx Cat Wordmark & Cat Tow'd 03 BRAND COLORS

Primary Palette Color Usage 04 TYPOGRAPHY

Primary Font Secindary Font 05 ARTIFACTS

Official Plate Badges Registration Badge Labels Manx Bar Usage PRIMARY FONTS

N4

1.

TYPOGRAPHY

DIN CONDENSED BOLD **ABCDEFGHIJKLMNO** PQRSTUVWXZ 0123456789

DIN LIGHT

ABCDEFGHIJKLMNO ABCDEFGHIJKLMNO PQRSTUVWXZ PQRSTUVWXZ 0123456789

DIN REGULAR

0123456789

DIN CONDENSSBOLD **ABCDEFGHIJKLMNO** PORSTUVWX7 0123456789

SECONDARY FONTS

04

1.Only to be used for special occasions.

TYPOGRAPHY

AINSDALE MEDIUM PORSTUVWWW PORSTUVWWW D123456789

MEDIUM ITALIC ABCDEFGHIJKIMAO PQRSTUVWKZ 0123456789 BOLD ABCDEFGHIJKIMNO PORSTUVWKZ 0123456789 BOLD ITALIC

ARCDEFGHIJKIMNO

PORSTUVWKZ

0123456789

Primary Logo (Crest) 02 SECONDARY MARKS

Wordmark Manx Cat Wordmark & Cat Tow'd 03 BRAND COLORS

Primary Palette Color Usage 04 TYPOGRAPHY

Primary Font Secindary Font 05 ARTIFACTS

Official Plate Badges Registration Badge Labels Manx Bar Usage

S Artifacts

05

1. ARTWORK AT 100%

BODY PLATE FINAL ARTWORK

72 MM



37 MM

REGISTRATION PLATE FINAL ARTWORK

53 MM



24 MM

05

- 1. The Bar starts at either the top, side or bottom of the edge of the medium. The website is a good example of the bar going all the way to the edge.
- 2. The Bar is always Bahama Yellow 130c with the Crest 426c



