

General  
Motors LLC

2025

This Vehicle Identification Numbering Standard is in compliance with U.S. Federal Motor Vehicle Safety Regulation Part 565 (FMVSR 565) and with Canada Motor Vehicle Safety Standard 115 (CMVSS 115)

Vehicle Identification  
Numbering  
Standard

May 9, 2024



Table of Contents

Revision History ..... 4

Purpose ..... 5

Maintenance & Operating Responsibilities ..... 5

Organization and Description of VIN Positions ..... 6

Check Digit ..... 7

Passenger Car Vehicle Identification Numbering System ..... 9

Cadillac CT4 ..... 10

Cadillac CT5 ..... 11

Chevrolet Malibu ..... 12

Light Duty Trucks, MPV, & Incomplete Vehicle Identification Numbering System ..... 13

Buick Encore GX ..... 14

Buick Envision ..... 15

Buick Envista ..... 16

Cadillac XT4 ..... 17

Cadillac XT5 ..... 18

Cadillac XT6 ..... 19

Chevrolet Equinox ..... 20



Table of Contents (Continued)

Chevrolet Express ..... 21

Chevrolet Silverado ..... 22

Chevrolet Silverado HD ..... 23

Chevrolet Trailblazer ..... 24

Chevrolet Trax ..... 25

GMC Savana ..... 26

GMC Sierra ..... 27

GMC Sierra HD ..... 28

EV Light Duty Trucks, MPV, & Incomplete Vehicle Identification Numbering System ..... 29

Cadillac Escalade IQ ..... 30

Medium Duty Trucks & Incomplete Vehicle Identification Numbering System ..... 31

Chevrolet Low Cab Forward ..... 32



**Revision History:**

Rev #	Revisions
-------	-----------



## Purpose

The purpose of this standard is to define the uniform composition of Vehicle Identification Numbers (VIN) applied to GM vehicles marketed in the United States, U.S. Territories, Canada and vehicles manufactured in US, Canada, and Mexico. This GM Standard has been promulgated in compliance with U.S. Federal Motor Vehicle Safety Regulation Part 565 (FMVSR 565) administered by the National Highway Traffic Safety Administration (NHTSA) and with Canada Motor Vehicle Safety Standard 115 (CMVSS 115) administered by Transport Canada.

Certain vehicles manufactured by GM for titling and registration elsewhere in the world may have other requirements with which they must comply, thus precluding the use of this VIN Standard. However, the VIN described herein does comply with the vehicle identification numbering standard of the International Organization for Standardization (ISO), and should be acceptable in many countries around the world.

## Maintenance & Operating Responsibilities

Responsibility for updating the code tables contained herein has been established, and is shown on each table. As information or revisions to existing tables become known, the updated tables of codes for the coming model years(s) should be submitted by the authorized activity to North American Product Engineering. Mail Code 480-210-2G1 30001 Van Dyke Ave, Warren MI 48090-9020. Product Engineering has responsibility for publication and dissemination of the updated hardcopy model year tables of VIN data throughout General Motors.

A copy of the updated materials is sent to Global Safety Center (GSC), which has responsibility for review and approval of the coding tables specified. The GSC has the responsibility for submitting these tables of VIN data, and any revisions thereto, to the National Highway Traffic Safety Administration (NHTSA).

Requests for any changes or refinements to the information content (not coding tables) of these Standards shall be directed to Engineering. The revision request must provide a comprehensive explanation for the requested change. VIN Engineering is responsible to review revision requests and make appropriate modifications before issuing revised pages to the Standards. Upon approval of proposed revisions by involved Divisions and Staffs, revisions to the Standards are incorporated into the text of revised pages and are distributed and posted to the Labels, Literature & VIN website.

The Engine RPO and corresponding VIN Codes for Passenger Cars, Light-Duty Trucks (LDT), and Multi-Passenger Vehicles (MPV) that are published in this standard are also updated in the Production Order Management Systems (POMS) and the Integrated Scheduling Project (ISP) by VIN Engineering.

VIN DREs of GM regions will be responsible for distribution of this Standard to persons or activities of their Unit or Region who are affected by or have a need for this information.

The code\* definitions contained in the tables of interpretive data that follow provide for translation of the characters comprising any GM VIN, while at the same time they provide the information needed to compose the correct VIN for a GM vehicle. The tables of interpretive data are organized in Sections, and are described as follows:

\*Only Arabic numerals and English alphabetic capital letters are permitted in GM VINs. However, I, O (oh), and Q, and special characters are not allowed as stated in FMVSR 565 and/or CMVSS 115 and/or ISO Standards.



## Organization and Description of VIN Positions

### VIN Positions 1~3

Positions 1~3 in the VIN are designated for the World Make/Manufacturer Identifiers (WMI). WMIs are assigned to General Motors by the Society of Automotive Engineers (SAE). This indicates the country of origin, the make/manufacturer, and type/brand of vehicle.

### VIN Position 4 – Passenger Car

Position 4 designates the vehicle line. This is most commonly, but not always, the same as the book number. In the instance a book number has two characters, the second character is used to indicate the vehicle line.

### VIN Position 4 – MPV, Light Duty Truck & Incomplete Vehicles

Position 4 designates the Gross Vehicle Weight Rating (GVWR), brake system and body style.

### VIN Position 5 – Passenger Car

Position 5 designates the car series. This includes the various trim levels and badges for a vehicle line.

### VIN Position 5 – MPV, Light Duty Truck & Incomplete Vehicles

Position 5 designates the chassis of the vehicle. If a vehicle is equipped with either two wheel drive or four wheel drive, the 5<sup>th</sup> position will reflect which drive train is installed on the vehicle. Some vehicles however will have a 5<sup>th</sup> position similar to that of a passenger car, where the book number is used. In the instance the book number has two characters, the second character is used to indicate the vehicle chassis.

### VIN Position 6 – Passenger Car

Position 6 designates the body styles for each vehicle.

### VIN Position 6 - MPV, Light Duty Truck & Incomplete Vehicles

Position 6 designates the series of the vehicle. Like position 5 for passenger car, this includes the various trim levels and badges for a vehicle line.

### VIN Position 7

Position 7 is an alpha only character, which designates the restraint system used in the vehicle.

### VIN Position 8

Position 8 is an alpha/numeric character which designates the engine used in the vehicle.

### VIN Position 9

Position 9 designates the Check Digit. The Check Digit is an alpha/numeric character which is calculated by the composition of the VIN.

See the Check Digit section for an explanation on the calculation of the check digit, and an example.

### VIN Position 10

Position 10 designates the model year of the vehicle.

### VIN Position 11

Position 11 designates the plant code the vehicle was built.

### VIN Positions 12~17

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



## Check Digit

A check digit shall be provided as part of each vehicle identification number. The check digit shall occupy the ninth position in the

The check digit is determined by carrying out the mathematical computation as follows:

- (1) Assign to each number in the vehicle identification number its actual mathematical value, and assign to each letter the

**Table 1: Alpha Numeric Conversion Factor**

A=1	J=1	T=3
B=2	K=2	U=4
C=3	L=3	V=5
D=4	M=4	W=6
E=5	N=5	X=7
F=6	P=7	Y=8
G=7	R=9	Z=9
H=8	S=2	

- (2) Multiply the assigned value for each position in the vehicle identification number by the weight factor specified in the

**Table 2: Position and Weight Factor**

1st	8	10th	9
2nd	7	11th	8
3rd	6	12th	7
4th	5	13th	6
5th	4	14th	5
6th	3	15th	4
7th	2	16th	3
8th	10	17th	2
9th	0		

- (3) Add the resulting products and divide the total by 11.
- (4) The remainder is the check digit, which will be inserted in the ninth position. If the remainder is 0-9, the check digit is

Check Digit (continued)EXAMPLE:

VIN Position     1   2   3   4   5   6   7   8   9   10   11   12   13   14   15   16   17

VIN Example     1   G   2   N   G   1   2   E   X   2   M   9   2   3   4   5   6

## ASSIGNED

VALUE            1   7   2   5   7   1   2   5   X   2   4   9   2   3   4   5   6

MULTIPLY  
BY WEIGHT

                    x   x   x   x   x   x   x   x   X   x   x   x   x   x   x   x   x

FACTOR

8   7   6   5   4   3   2   10   X   9   8   7   6   5   4   3   2

## ADD

PRODUCTS       8+49            + 12 + 25 + 28 + 3 + 4 + 50     X            +18+32+63+12+15+16+15+12 = 362

## DIVIDE

BY 11            362/11 = 32 + 10/11, remainder = 10

Therefore



CHECK DIGIT is: X     (It will appear as the character in the 9th position of the VIN)

**Table 3: Ninth Position Check Digit Values**

Fractional	0	1/11	2/11	3/11	4/11	5/11	6/11	7/11	8/11	9/11	10/11
Decimal	0	0.091	0.182	0.273	0.364	0.455	0.545	0.636	0.727	0.818	0.909
Equivalent											
Check Digit	0	1	2	3	4	5	6	7	8	9	X




## Passenger Car Vehicle Identification Numbering System





## Cadillac CT4



## 1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

## 1: Region of Build

1: United States

## 2: Manufacturer

G: General Motors

## 3: Vehicle Brand/Type

6: Cadillac Passenger Car

## 4~5: VEHICLE LINE/SERIES

## Book D

D	A:	Cadillac CT4 Luxury RWD
D	B:	Cadillac CT4 Premium Luxury RWD
D	C:	Cadillac CT4 Sport RWD
D	D:	Cadillac CT4 V-Series RWD
D	E:	Cadillac CT4 Luxury AWD
D	F:	Cadillac CT4 Premium Luxury AWD
D	G:	Cadillac CT4 Sport AWD
D	H:	Cadillac CT4 V-Series AWD
D	J:	Cadillac CT4 Luxury+ RWD
D	K:	Cadillac CT4 Luxury+ AWD
D	6:	Cadillac CT4 V-Blackwing Manual RWD
D	7:	Cadillac CT4 V-Blackwing Auto RWD
D	9:	Cadillac CT4 (Non-US, Non-Canada)

## 6: BODY STYLE

5: 69 - Sedan, 4 - Door, 4 Window, Notchback

## 7: RESTRAINT SYSTEM

R: AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee(s) (1st row)

## 8: ENGINE TYPE

L: L3B - ENGINE GAS, 4 CYL, L4, 2.7L, SIDI, VVT, TURBO, DOHC, ALUM  
K: LSY - ENGINE GAS, 4 CYL, L4, 2.0L, SIDI, DOHC, VVT, ALUM, TURBO, VAR 3  
P: LF4 - ENGINE GAS, 6 CYL, 3.6L, GEN 1+, V6, SIDI, DOHC, VVT, ALUM, TWIN TURBO

## 9: CHECK DIGIT

0~9, X - Calculated by POMS

## 10: MODEL YEAR

S: 2025

## 11: PLANT LOCATION

When VIN position 1 is "1" (USA):


0: Lansing - Grand River

## 12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



## Cadillac CT5



## 1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

## 1: Region of Build

1: United States

## 2: Manufacturer

G: General Motors

## 3: Vehicle Brand/Type

6: Cadillac Passenger Car

## 4~5: VEHICLE LINE/SERIES

## Book D

D	M:	Cadillac CT5 Luxury RWD
D	N:	Cadillac CT5 Premium Luxury RWD
D	P:	Cadillac CT5 Sport RWD
D	R:	Cadillac CT5 V-Series RWD
D	S:	Cadillac CT5 Luxury AWD
D	T:	Cadillac CT5 Premium Luxury AWD
D	U:	Cadillac CT5 Sport AWD
D	V:	Cadillac CT5 V-Series AWD
D	W:	Cadillac CT5 Luxury+ RWD
D	X:	Cadillac CT5 Luxury+ AWD
D	2:	Cadillac CT5 V-Blackwing Manual RWD
D	3:	Cadillac CT5 V-Blackwing Auto RWD
D	8:	Cadillac (Non-US, Non-Canada)

## 6: BODY STYLE

5: 79 - Sedan, 4 - Door, 4 Window, Notchback Extended

## 7: RESTRAINT SYSTEM

R: AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee(s) (1st row)

## 8: ENGINE TYPE

K: LSY - ENGINE GAS, 4 CYL, L4, 2.0L, SIDI, DOHC, VVT, ALUM, TURBO, VAR 3  
W: LGY - ENGINE GAS, 6 CYL, 3.0L, V6, DI, DOHC, VVT, ALUM, TWIN TURBO, GEN 2, VAR 2  
6: LT4 - ENGINE GAS, 8 CYL, 6.2L, DI, SC, AFM, VVT, ALUM, GMNA

## 9: CHECK DIGIT

0~9, X - Calculated by POMS

## 10: MODEL YEAR

S: 2025

## 11: PLANT LOCATION

When VIN position 1 is "1" (USA):


0: Lansing - Grand River

## 12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



## Chevrolet Malibu



## 1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

## 1: Region of Build

1: United States

## 2: Manufacturer

G: General Motors

## 3: Vehicle Brand/Type

1: Chevrolet Passenger Car

## 4~5: VEHICLE LINE/SERIES

## Book Z

- Z B: Chevrolet Malibu LS (1LS)
- Z C: Chevrolet Malibu LS (1FL)
- Z D: Chevrolet Malibu LT (1LT)
- Z E: Chevrolet Malibu Premier (2LT)
- Z G: Chevrolet Malibu RS (1SP)
- Z 9: Chevrolet Malibu, (Non-US, Non-Canada)

## 6: BODY STYLE

5: 69 - Sedan, 4 - Door, 4 Window, Notchback

## 7: RESTRAINT SYSTEM

S: AYP - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

## 8: ENGINE TYPE

T: LFV - ENGINE GAS, 4 CYL, L4, 1.5L, DI, DOHC, VVT, TURBO, GEN 1  
GMNA

## 9: CHECK DIGIT

0~9, X - Calculated by POMS

## 10: MODEL YEAR

S: 2025

## 11: PLANT LOCATION

When VIN position 1 is "1" (United States):



F: Fairfax


## 12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



## Light Duty Trucks, MPV & Incomplete Vehicle Identification Numbering System



**Buick Encore GX****1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)**

- 1: Region of Build**  
K: South Korea
- 2: Manufacturer**  
L: GM Korea
- 3: Vehicle Brand/Type**  
4: Buick MPV

**7: RESTRAINT SYSTEM**

- S:** AYP - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

**8: ENGINE TYPE**

- L:** L3T - ENGINE GAS, 3 CYL, L3, 1.3L, SIDI, DOHC, VVT, ALUM, TURBO
- P:** LBP - ENGINE GAS, 3 CYL, L3, 1.2L, DI, DOHC, DVCP, TURBO, E15-E85, GEN 1
- 2:** LIH - ENGINE GAS (E0-15), 3 CYL, 1.2L, DI, L3, DOHC, VVT, TURBO ALUM, CSS PRIME

**9: CHECK DIGIT**

0~9, X - Calculated by POMS

**10: MODEL YEAR**

**S:** 2025

**11: PLANT LOCATION**

When VIN position 1 is "K" (S. Korea):

**B:** Bupyeong

**12~17: SEQUENCE NUMBER**

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

**4: GVWR/BRAKE SYSTEM/BODY STYLE**


GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class C: 4,001-5,000	Hyd.	A

**5~6: CHASSIS/SERIES****Book T**

- M A:** Buick Encore GX FWD
- M B:** Buick Encore GX Preferred FWD
- M C:** Buick Encore GX Preferred AWD
- M D:** Buick Encore GX Select FWD
- M E:** Buick Encore GX Select AWD
- M F:** Buick Encore GX Essence FWD
- M G:** Buick Encore GX Essence AWD



Buick Envision



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)	
1: Region of Build	L: People's Republic of China
2: Manufacturer	R: SAIC GM
3: Vehicle Brand/Type	B: Buick MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE		
GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class C: 4,001-5,000	Hyd.	A
Class D: 5,001-6,000	Hyd.	F

5~6: CHASSIS/SERIES	
Book Z	
Z M:	Buick Envision Preferred, AWD
Z P:	Buick Envision Sport Touring, AWD
Z S:	Buick Envision Avenir, AWD

7: RESTRAINT SYSTEM	
R:	AYX - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE	
4:	LSY - ENGINE GAS, 4 CYL, L4, 2.0L, SIDI, DOHC, VVT, ALUM, TURBO, VAR 3

9: CHECK DIGIT	
0~9, X -	Calculated by POMS


10: MODEL YEAR	
S:	2025

11: PLANT LOCATION	
D:	Dong Yue

12~17: SEQUENCE NUMBER	
Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.	



## Buick Envista



### 1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**  
K: South Korea
- 2: Manufacturer**  
L: GM Korea
- 3: Vehicle Brand/Type**  
4: Buick MPV

### 4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		58 - Four (4) Door Utility
Class C: 4,001-5,000	Hyd.	7

### 5~6: CHASSIS/SERIES

Book T	
L	A: Buick Envista Preferred FWD
L	B: Buick Envista Select FWD
L	C: Buick Envista Avenir FWD

### 7: RESTRAINT SYSTEM

E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
---

### 8: ENGINE TYPE

- P: LBP - ENGINE GAS, 3 CYL, L3, 1.2L, DI, DOHC, DVCP, TURBO, E15-E85, GEN 1
- 2: LIH - ENGINE GAS (E0-15), 3 CYL, 1.2L, DI, L3, DOHC, VVT, TURBO ALUM, CSS PRIME

### 9: CHECK DIGIT

0~9, X - Calculated by POMS

### 10: MODEL YEAR

S: 2025

### 11: PLANT LOCATION


When VIN position 1 is "K" (S. Korea):  
B: Bupyeong

### 12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



## Cadillac XT4



## 1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

## 1: Region of Build

1: United States

## 2: Manufacturer

G: General Motors

## 3: Vehicle Brand/Type

Y: Cadillac MPV

## 4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class C: 4001-5000	Hyd.	A
Class D: 5,001-6,000	Hyd.	F

## 5~6: CHASSIS/SERIES

## Book Z

Z	A:	Cadillac XT4 Luxury FWD
Z	B:	Cadillac XT4 Luxury AWD
Z	C:	Cadillac XT4 Premium Luxury FWD
Z	D:	Cadillac XT4 Premium Luxury AWD
Z	E:	Cadillac XT4 Sport FWD
Z	F:	Cadillac XT4 Sport AWD
Z	9:	Cadillac XT4 (Non-US, Non-Canada)

## 7: RESTRAINT SYSTEM

R: AYX - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee(s) (1st row)

## 8: ENGINE TYPE

2:	LSQ - ENGINE DIESEL, 4 CYL, 2.0L, L4, DI, TURBO, DOHC, VGT, VAR 2
4:	LSY - ENGINE GAS, 4 CYL, L4, 2.0L, SIDI, DOHC, VVT, ALUM, TURBO, VAR 3

## 9: CHECK DIGIT

0~9, X - Calculated by POMS

## 10: MODEL YEAR

S: 2025

## 11: PLANT LOCATION

When VIN position 1 is "1" (USA):


F: Fairfax

## 12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



## Cadillac XT5



## 1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

## 1: Region of Build

1: United States

## 2: Manufacturer

G: General Motors

## 3: Vehicle Brand/Type

E: Cadillac Incomplete

Y: Cadillac MPV

## 7: RESTRAINT SYSTEM

R: AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee(s) (1st row)

## 8: ENGINE TYPE

S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN 2

4: LSY - ENGINE GAS, 4 CYL, L4, 2.0L, SIDI, DOHC, VVT, ALUM, TURBO, VAR 3

## 9: CHECK DIGIT

0~9, X - Calculated by POMS

## 10: MODEL YEAR

S: 2025

## 11: PLANT LOCATION

When VIN position 1 is "1" (USA):

Z: Springhill

## 12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

## 4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class D: 5,001-6,000	Hyd.	F
Class E: 6001-7000	Hyd.	K


## 5~6: CHASSIS/SERIES

## Book N

N	A:	Cadillac XT5 Luxury FWD
N	B:	Cadillac XT5 Luxury AWD
N	C:	Cadillac XT5 Premium Luxury FWD
N	D:	Cadillac XT5 Premium Luxury AWD
N	E:	Cadillac XT5 Platinum Premium Luxury FWD
N	F:	Cadillac XT5 Platinum Premium Luxury AWD
N	G:	Cadillac XT5 Sport AWD
N	H:	Cadillac XT5 Platinum Sport/Sport AWD
N	9:	Cadillac XT5 (Non-US, Non-Canada)



## Cadillac XT6



## 1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

## 1: Region of Build

1: United States

## 2: Manufacturer

G: General Motors

## 3: Vehicle Brand/Type

Y: Cadillac MPV

## 4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class D: 5,001-6,000	Hyd.	F
Class E: 6,001-7,000	Hyd.	K

## 5~6: CHASSIS/SERIES

## Book N

P	A:	Cadillac XT6 Luxury FWD
P	B:	Cadillac XT6 Luxury AWD
P	C:	Cadillac XT6 Premium Luxury FWD
P	D:	Cadillac XT6 Premium Luxury AWD
P	E:	Cadillac XT6 Premium Luxury Platinum FWD
P	F:	Cadillac XT6 Premium Luxury Platinum AWD
P	G:	Cadillac XT6 Sport AWD
P	H:	Cadillac XT6 Sport Platinum AWD
P	9:	Cadillac XT6 (Non-US, Non-Canada)

## 7: RESTRAINT SYSTEM

R: AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee(s) (1st row)

## 8: ENGINE TYPE

S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN 2  
4: LSY - ENGINE GAS, 4 CYL, L4, 2.0L, SIDI, DOHC, VVT, ALUM, TURBO, VAR 3

## 9: CHECK DIGIT

0~9, X - Calculated by POMS

## 10: MODEL YEAR

S: 2025

## 11: PLANT LOCATION

When VIN position 1 is "1" (USA):


Z: Springhill

## 12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



## Chevrolet Equinox



### 1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

#### 1: Region of Build

3: Mexico

#### 2: Manufacturer

G: General Motors

#### 3: Vehicle Brand/Type

N: Chevrolet MPV

### 4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class C: 4,001-5,000	Hyd.	A

### 5~6: CHASSIS/SERIES

#### Book P

X	F:	Chevrolet Equinox 1LS FWD
X	G:	Chevrolet Equinox 3LS FWD
X	H:	Chevrolet Equinox 1LT FWD
X	J:	Chevrolet Equinox 3LT FWD
X	K:	Chevrolet Equinox ACTIVE FWD
X	L:	Chevrolet Equinox RS FWD
X	M:	Chevrolet Equinox 1LS AWD
X	N:	Chevrolet Equinox 3LS AWD
X	P:	Chevrolet Equinox 1LT AWD
X	R:	Chevrolet Equinox 3LT AWD
X	S:	Chevrolet Equinox ACTIVE AWD
X	T:	Chevrolet Equinox RS AWD
X	9:	Chevrolet Equinox (Non-US, Non-Canada)

### 7: RESTRAINT SYSTEM

E: AYH - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

### 8: ENGINE TYPE

B: LBD - ENGINE GAS, E22, 4 CYL, L4, 1.5L, SIDI, DOHC, DVVT, FGT, TURBO, GEN1, ALUM

G: LSD - ENGINE GAS, 4 CYL, L4, 1.5L, DI, DOHC, DVVT, ALUM, TURBO, GEN 1, GMNA

### 9: CHECK DIGIT

0~9, X - Calculated by POMS

### 10: MODEL YEAR

S: 2025

### 11: PLANT LOCATION

When VIN position 1 is "3" (Mexico):


S: Ramos Arizpe

### 12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



## Chevrolet Express



## 1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GA
2: Manufacturer	1GB
G: General Motors	1GC
H: Navistar Inc.	1HA (Navistar Only)
3: Vehicle Brand/Type	
A: Chevrolet Bus (Non School Bus)	
B: Chevrolet Incomplete	
C: Chevrolet Truck	
A: Chevrolet Incomplete (Navistar Only)	

## 7: RESTRAINT SYSTEM

B:	AJ3 - Active Manual Belts, Airbag - Driver only - Front
C:	AK5 - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)
F:	(AK5&ASF) - Active Manual Belts, Airbags-Driver & Passenger - Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)
H:	(AJ3&ASF) -Active Manual Belts, Airbag - Driver only - Front, Front Seat Side (1st row), Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)

## 4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs) / Brake System		Body Style	
		05/06 - Cargo Van/Four (4) Door Cab/Utility, Passenger Van	03 - Commercial Special Cutaway, Two (2) Door Cab pick-up, Motor Home Chassis
Class G: 8,001-9,000	Hyd.	W	Y
Class H: 9,001-10,000	Hyd.	Z	0
Class 3: 10,001-14,000	Hyd.		3
Class 4: 14,001-16,000	Hyd.		6

## 8: ENGINE TYPE

P:	LV1 - ENGINE GAS, 6 CYL, 4.3L, GEN 5, SIDI, V6, VVT, OHV, ALUM
1:	LWN - ENGINE DIESEL, 2.8L, DI, L4, DOHC, TURBO, XLDE
7:	L8T - ENGINE GAS, 8 CYL, 6.6L, SIDI, VVT, CAST IRON

## 9: CHECK DIGIT

0~9, X - Calculated by POMS

## 10: MODEL YEAR

S: 2025

## 11: PLANT LOCATION

When VIN position 1 is "1" (USA):

1:	Wentzville
N:	Springfield (Navistar)

## 12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.


## 5~6: CHASSIS/SERIES

## Book 8

G	A:	Chevrolet Express, 2500 Cargo
G	B:	Chevrolet Express, 2500 Cargo Ext
G	E:	Chevrolet Express, 2500 Passenger LS
G	F:	Chevrolet Express, 2500 Passenger LT
G	G:	Chevrolet Express, 3500 Cargo
G	H:	Chevrolet Express, 3500 Cargo Ext
G	L:	Chevrolet Express, 3500 Passenger LS
G	M:	Chevrolet Express, 3500 Passenger LT
G	N:	Chevrolet Express, 3500 Passenger LS Ext
G	P:	Chevrolet Express, 3500 Passenger LT Ext
G	R:	Chevrolet Express, 3500 Cutaway 139" Wheelbase
G	S:	Chevrolet Express, 3500 Cutaway 159" Wheelbase
G	T:	Chevrolet Express, 3500 Cutaway 177" Wheelbase
G	U:	Chevrolet Express, 4500 Cutaway 159" Wheelbase
G	V:	Chevrolet Express, 4500 Cutaway 177" Wheelbase
G	9:	Chevrolet Express, (Non-US, Non-Canada)



## Chevrolet Silverado



## 1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GB
2: Canada	1GC
3: Mexico	2GC
2: Manufacturer	3GB
G: General Motors	3GC
3: Vehicle Brand/Type	
B: Chevrolet Incomplete	
C: Chevrolet Truck	

## 7: RESTRAINT SYSTEM

E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

## 8: ENGINE TYPE

D: L84 - ENGINE GAS, 8 CYL, 5.3L, DI, DFM, ALUM, GEN 5, VAR 2  
K: L3B - ENGINE GAS, 4 CYL, L4, 2.7L, SIDI, VVT, TURBO, DOHC, ALUM  
L: L87 - ENGINE GAS, 8 CYL, V8, 6.2L, DI DFM, ALUM, GEN 5  
8: LZ0 - DIESEL, 6 CYL, 3.0L, CRI, L6, DOHC, TURBO, VGT, ALUM, CSS50V, VAR. 2

## 4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style		
		03	43	53
Class E: 6,001-7,000	Hyd.	N	P	R
Class F: 7,001-8,000	Hyd.		U	V

## 9: CHECK DIGIT

0~9, X - Calculated by POMS

## 10: MODEL YEAR

S: 2025

## 5~6: CHASSIS/SERIES

## Book 1

A	A:	4x2, 1500 Chevrolet Silverado Work Truck
A	B:	4x2, 1500 Chevrolet Silverado Custom
A	C:	4x2, 1500 Chevrolet Silverado LT
A	D:	4x2, 1500 Chevrolet Silverado RST
A	E:	4x2, 1500 Chevrolet Silverado LTZ
A	F:	4x2, 1500 Chevrolet Silverado High Country
A	4:	4x2, 1500 Chevrolet Silverado SSV
A	9:	4x2, Chevrolet Silverado (Non-US, Non-Canada)
K	A:	4x4, 1500 Chevrolet Silverado Work Truck
K	B:	4x4, 1500 Chevrolet Silverado Custom
K	C:	4x4, 1500 Chevrolet Silverado Trail Boss Custom
K	D:	4x4, 1500 Chevrolet Silverado LT
K	E:	4x4, 1500 Chevrolet Silverado RST
K	F:	4x4, 1500 Chevrolet Silverado Trail Boss - LT
K	G:	4x4, 1500 Chevrolet Silverado LTZ
K	H:	4x4, 1500 Chevrolet Silverado ZR2
K	J:	4x4, 1500 Chevrolet Silverado High Country
K	K:	4x4, 1500 Chevrolet Silverado LT-L
K	4:	4x4, 1500 Chevrolet Silverado SSV
K	9:	4x4, Chevrolet Silverado (Non-US, Non-Canada)

## 11: PLANT LOCATION

When VIN position 1 is "1" (USA):

Z: Fort Wayne

When VIN position 1 is "2" (Canada):

1: Oshawa

When VIN position 1 is "3" (Mexico):


G: Silao

## 12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



## Chevrolet Silverado HD



## 1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GB
2: Canada	1GC
2: Manufacturer	2GC
G: General Motors	
3: Vehicle Brand/Type	
B: Chevrolet Incomplete	
C: Chevrolet Truck	

## 7: RESTRAINT SYSTEM

**E:** AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

## 8: ENGINE TYPE

**Y:** L5P - ENGINE DIESEL, 8 CYL, 6.6L, DI, V8, TURBO, DURAMAX, GEN 5 VAR. 1  
**7:** L8T - ENGINE GAS, 8 CYL, 6.6L, SIDI, VVT, CAST IRON

## 9: CHECK DIGIT

0~9, X - Calculated by POMS

## 10: MODEL YEAR

**S:** 2025

## 11: PLANT LOCATION

When VIN position 1 is "1" (USA):

**F:** Flint

When VIN position 1 is "2" (Canada):

**1:** Oshawa

## 12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

## 4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style		
		03	43	53
Class H: 9,001-10,000	Hyd.	0	1	2
Class 3: 10,001-14,000	Hyd.	3	4	5


## 5~6: CHASSIS/SERIES

## Book 1

A	L:	4x2, 2500 Chevrolet Silverado Work Truck
A	M:	4x2, 2500 Chevrolet Silverado Custom
A	N:	4x2, 2500 Chevrolet Silverado LT
A	P:	4x2, 2500 Chevrolet Silverado LTZ
A	R:	4x2, 3500 Chevrolet Silverado Work Truck
A	S:	4x2, 3500 Chevrolet Silverado LT
A	T:	4x2, 3500 Chevrolet Silverado LTZ
A	9:	4x2, Chevrolet Silverado (Non-US, Non-Canada)
K	L:	4x4, 2500 Chevrolet Silverado Work Truck 4WD
K	M:	4x4, 2500 Chevrolet Silverado Custom 4WD
K	N:	4x4, 2500 Chevrolet Silverado LT 4WD
K	P:	4x4, 2500 Chevrolet Silverado LTZ 4WD
K	R:	4x4, 2500 Chevrolet Silverado High Country 4WD
K	S:	4x4, 3500 Chevrolet Silverado Work Truck 4WD
K	T:	4x4, 3500 Chevrolet Silverado LT 4WD
K	U:	4x4, 3500 Chevrolet Silverado LTZ 4WD
K	V:	4x4, 3500 Chevrolet Silverado High Country 4WD
K	9:	4x4, Chevrolet Silverado (Non-US, Non-Canada)



## Chevrolet Trailblazer



## 1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**  
K: South Korea
- 2: Manufacturer**  
L: GM Korea
- 3: Vehicle Brand/Type**  
7: Chevrolet MPV

## 4: GVWR/BRAKE SYSTEM/BODY STYLE

GVWR (Lbs)/ Brake System		Body Style
Class C: 4,001-5,000		56 - Four (4) Door Cab/Utility Extended
Hyd.		9

## 5~6: CHASSIS/SERIES

Book T	
M	L: Chevrolet Trailblazer L FWD
M	M: Chevrolet Trailblazer LS FWD
M	N: Chevrolet Trailblazer LS AWD
M	P: Chevrolet Trailblazer LT FWD
M	R: Chevrolet Trailblazer LT AWD
M	S: Chevrolet Trailblazer ACTIV AWD
M	T: Chevrolet Trailblazer RS FWD
M	U: Chevrolet Trailblazer RS AWD
M	V: Chevrolet Trailblazer ACTIV FWD

## 7: RESTRAINT SYSTEM

- S:** AYP - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

## 8: ENGINE TYPE

- L:** L3T - ENGINE GAS, 3 CYL, L3, 1.3L, SIDI, DOHC, VVT, ALUM, TURBO
- P:** LBP - ENGINE GAS, 3 CYL, L3, 1.2L, DI, DOHC, DVCP, TURBO, E15-E85, GEN 1
- 2:** LIH - ENGINE GAS (E0-15), 3 CYL, 1.2L, DI, L3, DOHC, VVT, TURBO ALUM, CSS PRIME

## 9: CHECK DIGIT

0~9, X - Calculated by POMS

## 10: MODEL YEAR

**S:** 2025

## 11: PLANT LOCATION

When VIN position 1 is "K" (S. Korea):


**B:** Bupyeong

## 12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



## Chevrolet Trax



### 1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
  - K:** South Korea
- 2: Manufacturer**
  - L:** GM Korea
- 3: Vehicle Brand/Type**
  - 7:** Chevrolet MPV (Korea)

### 4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		58 - Four (4) Door Utility
Class C: 4,001-5,000	Hyd.	7

### 5~6: CHASSIS/SERIES

#### Book T

- L F:** Chevrolet Trax LS FWD
- L G:** Chevrolet Trax 1RS FWD
- L H:** Chevrolet Trax 1LT FWD
- L J:** Chevrolet Trax 2RS FWD
- L K:** Chevrolet Trax Activ FWD

### 7: RESTRAINT SYSTEM

- E:** AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

### 8: ENGINE TYPE

- P:** LBP - ENGINE GAS, 3 CYL, L3, 1.2L, DI, DOHC, DVCP, TURBO, E15-E85, GEN 1
- 2:** LIH - ENGINE GAS (E0-15), 3 CYL, 1.2L, DI, L3, DOHC, VVT, TURBO ALUM, CSS PRIME

### 9: CHECK DIGIT

0~9, X - Calculated by POMS

### 10: MODEL YEAR

**S:** 2025

### 11: PLANT LOCATION


When VIN position 1 is "K" (S. Korea):  
**C:** Changwon

### 12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



## GMC Sierra



## 1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GT
2: Canada	1GD
3: Mexico	2GT
2: Manufacturer	3GT
G: General Motors	3GD
3: Vehicle Brand/Type	
T: GMC Truck	
D: GMC Incomplete	

## 7: RESTRAINT SYSTEM

E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
---

## 8: ENGINE TYPE

D: L84 - ENGINE GAS, 8 CYL, 5.3L, DI, DFM, ALUM, GEN 5, VAR 2
K: L3B - ENGINE GAS, 4 CYL, L4, 2.7L, SIDI, VVT, TURBO, DOHC, ALUM
L: L87 - ENGINE GAS, 8 CYL, V8, 6.2L, DI DFM, ALUM, GEN 5
8: LZ0 - DIESEL, 6 CYL, 3.0L, CRI, L6, DOHC, TURBO, VGT, ALUM, CSS50V, VAR. 2

## 4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style		
		03	43	53
Class E: 6,001-7,000	Hyd.	N	P	R
Class F: 7,001-8,000	Hyd.		U	V

## 9: CHECK DIGIT

0~9, X - Calculated by POMS
-----------------------------

## 10: MODEL YEAR

S: 2025
---------

## 5~6: CHASSIS/SERIES

<b>Book 1</b>	
H A:	GMC Sierra 1500 Fleet/Base 2WD
H B:	GMC Sierra 1500 SLE 2WD
H C:	GMC Sierra 1500 Elevation 2WD
H D:	GMC Sierra 1500 SLT 2WD
H G:	GMC Sierra 1500 Denali 2WD
H 4:	GMC Sierra 1500 SSV 2WD
H 9:	GMC Sierra 2WD, (Non-US, Non-Canada)
U A:	GMC Sierra 1500 Fleet/Base 4WD
U B:	GMC Sierra 1500 SLE 4WD
U C:	GMC Sierra 1500 Elevation 4WD
U D:	GMC Sierra 1500 SLT 4WD
U E:	GMC Sierra 1500 AT4 4WD
U F:	GMC Sierra 1500 AT4X 4WD
U G:	GMC Sierra 1500 Denali 4WD
U H:	GMC Sierra 1500 Denali Ultimate 4WD
U J:	GMC Sierra 1500 Elevation-L 4WD
U 4:	GMC Sierra 1500 SSV 4WD
U 9:	GMC Sierra 4WD, (Non-US, Non-Canada)

## 11: PLANT LOCATION


When VIN position 1 is "1" (USA):
Z: Fort Wayne
When VIN position 1 is "2" (Canada):
1: Oshawa
When VIN position 1 is "3" (Mexico):
G: Silao

## 12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.
---



## GMC Sierra HD



## 1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GT
2: Canada	1GD
2: Manufacturer	2GT
G: General Motors	
3: Vehicle Brand/Type	
T: GMC Truck	
D: GMC Incomplete	

## 7: RESTRAINT SYSTEM

E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
---

## 8: ENGINE TYPE

Y: L5P - ENGINE DIESEL, 8 CYL, 6.6L, DI, V8, TURBO, DURAMAX, GEN 5 VAR. 1
7: L8T - ENGINE GAS, 8 CYL, 6.6L, SIDI, VVT, CAST IRON

## 9: CHECK DIGIT

0~9, X - Calculated by POMS

## 10: MODEL YEAR

S: 2025

## 11: PLANT LOCATION

When VIN position 1 is "1" (USA):

F: Flint

## 12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

## 4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style		
		03	43	53
Class H: 9,001-10,000	Hyd.	0	1	2
Class 3: 10,001-14,000	Hyd.	3	4	5


## 5~6: CHASSIS/SERIES

## Book 1

H	L:	GMC Sierra 2500 Fleet/Base 2WD
H	M:	GMC Sierra 2500 SLE 2WD
H	N:	GMC Sierra 2500 SLT 2WD
H	P:	GMC Sierra 3500 Fleet/Base 2WD
H	R:	GMC Sierra 3500 SLE 2WD
H	S:	GMC Sierra 3500 SLT 2WD
H	9:	GMC Sierra 2WD, (Non-US, Non-Canada)
U	L:	GMC Sierra 2500 Fleet/Base 4WD
U	M:	GMC Sierra 2500 SLE 4WD
U	N:	GMC Sierra 2500 SLT 4WD
U	P:	GMC Sierra 2500 AT4 4WD
U	R:	GMC Sierra 2500 Denali 4WD
U	S:	GMC Sierra 3500 Fleet/Base 4WD
U	T:	GMC Sierra 3500 SLE 4WD
U	U:	GMC Sierra 3500 SLT 4WD
U	V:	GMC Sierra 3500 AT4 SRW 4WD
U	W:	GMC Sierra 3500 Denali 4WD
U	X:	GMC Sierra 2500 Denali Ultimate 4WD
U	Y:	GMC Sierra 3500 Denali Ultimate 4WD
U	Z:	GMC Sierra 2500 AT4X AWD
U	9:	GMC Sierra 4WD, (Non-US, Non-Canada)



## GMC Savana



## 1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GD
7: United States	1GJ
2: Manufacturer	1GT
G: General Motors	7GZ (Navistar Only)
G: Navistar Inc.	
3: Vehicle Brand/Type	
D: GMC Incomplete	
J: GMC Bus (Non School Bus)	
T: GMC Truck	
Z: GMC Incomplete (Navistar Only)	

## 7: RESTRAINT SYSTEM

B:	AJ3 - Active Manual Belts, Airbag - Driver only - Front
C:	AK5 - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)
F:	(AK5&ASF) - Active Manual Belts, Airbags-Driver & Passenger - Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)
H:	(AJ3&ASF) -Active Manual Belts, Airbag - Driver only - Front, Front Seat Side (1st row), Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)

## 4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style	
		05/06 - Cargo Van/Four (4) Door Cab/Utility, Passenger Van	03 - Commercial Special Cutaway, Two (2) Door Cab pick-up, Motor Home Chassis
Class G: 8,001-9,000	Hyd.	W	Y
Class H: 9,001-10,000	Hyd.	Z	0
Class 3: 10,001-14,000	Hyd.		3
Class 4: 14,001-16,000	Hyd.		6

## 8: ENGINE TYPE

P:	LV1 - ENGINE GAS, 6 CYL, 4.3L, GEN 5, SIDI, V6, VVT, OHV, ALUM
1:	LWN - ENGINE DIESEL, 2.8L, DI, L4, DOHC, TURBO, XLDE
7:	L8T - ENGINE GAS, 8 CYL, 6.6L, SIDI, VVT, CAST IRON

## 9: CHECK DIGIT

0~9, X - Calculated by POMS

## 10: MODEL YEAR

S: 2025

## 5~6: CHASSIS/SERIES

## Book 8

7	A:	GMC Savana 2500 Cargo
7	B:	GMC Savana 2500 Cargo Ext
7	E:	GMC Savana 2500 Passenger LS
7	F:	GMC Savana 2500 Passenger LT
7	G:	GMC Savana 3500 Cargo
7	H:	GMC Savana 3500 Cargo Ext
7	L:	GMC Savana 3500 Passenger LS
7	M:	GMC Savana 3500 Passenger LT
7	N:	GMC Savana 3500 Passenger LS Ext
7	P:	GMC Savana 3500 Passenger LT Ext
7	R:	GMC Savana 3500 Cutaway 139" Wheelbase
7	S:	GMC Savana 3500 Cutaway 159" Wheelbase
7	T:	GMC Savana 3500 Cutaway 177" Wheelbase
7	U:	GMC Savana 4500 Cutaway 159" Wheelbase
7	V:	GMC Savana 4500 Cutaway 177" Wheelbase
7	9:	GMC Savana, (Non-US, Non-Canada)

## 11: PLANT LOCATION

When VIN position 1 is "1" (USA):

1: Wentzville

When VIN position 1 is "7" (USA):



N: Springfield (Navistar)

## 12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.




## EV Light Duty Trucks, MPV & Incomplete Vehicle Identification Numbering System





## Cadillac Escalade IQ



## 1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**  
1: United States
- 2: Manufacturer**  
G: General Motors
- 3: Vehicle Brand/Type**  
Y: Cadillac MPV

## 4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26
Class 3: 10,001-14,000	Hyd.	T

## 5~6: CHASSIS/SERIES

## Book 2

- E A: Cadillac Escalade IQ Lux-0
- E B: Cadillac Escalade IQ Sport 0
- E C: Cadillac Escalade IQ Lux-1
- E D: Cadillac Escalade IQ Lux-2
- E E: Cadillac Escalade IQ Sport-1
- E F: Cadillac Escalade IQ Sport -2
- E 8: Cadillac Escalade IQ Export

## 7: RESTRAINT SYSTEM

- K: ASD - ACTIVE MANUAL BELTS, AIRBAG - DRIVER & PASSENGER - FRONT (1ST ROW), FRONT SEAT SIDE (1ST ROW), FRONT INBOARD SEAT SIDE (1ST ROW), ROOF SIDE (ALL SEATING ROWS)

## 8: ENGINE TYPE

- L: XRJ + ETN - ELECTRIC, BET, EAWD, 2-MOTOR SYSTEM 24-MOD

## 9: CHECK DIGIT

- 0~9, X - Calculated by POMS

## 10: MODEL YEAR

- S: 2025

## 11: PLANT LOCATION

When VIN position 1 is "1" (USA):



- U: Detroit Hamtramck

## 12~17: SEQUENCE NUMBER


Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



## Medium Duty Trucks & Incomplete Vehicle Identification Numbering System



## Chevrolet Low Cab Forward



### 1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
J: Japan	JAL
5: United States	54D
2: Manufacturer	
A: Isuzu Motors Ltd.	
4: The Shyft Group Inc	
3: Vehicle Brand/Type	
L: Incomplete Vehicle	
D: Incomplete Vehicle	

### 4: GVWR/BRAKE SYSTEM

GVWR (Lbs)/ Brake System		
Class 3: 10,001-14,000	Hyd.	B
Class 4: 14,001-16,000	Hyd.	C
Class 5: 16,001 - 19,500	Hyd.	E
Class 6: 19,501 - 26,000	Air	K
Class 7: 26,001 - 33,000	Air	M

### 5: MAKE/SERIES

D: GM Chevrolet 3500HG / 4500HG / 4500HD / 4500XD
E: GM Chevrolet 5500HG / 5500 XG / 5500HD / 5500XD
F: GM Chevrolet 6500XD/7500XD

### 6: LINE/CAB TYPE

J: Non-Tilt Cab, BBC = 110 Inches (Crew Cab)
S: Tilt Cab, BBC = 81 Inches
W: Tilt Cab, BBC = 71 Inches

### 7: CHASSIS TYPE

1: 4x2, 2 Axles, 1 Driving
----------------------------

### 8: ENGINE TYPE

D: L8T - ENGINE GAS, 8 CYL, 6.6L, SIDI, VVT, CAST IRON
F: LCB- ENGINE DIESEL, 6 CYL, 6.7L, DI, L6, OHV, VVT, TURBO, CAM IN BLK, GEN 1, CUMMINS
6: I1B - ENGINE DIESEL, 4 CYL, 5.2L, 4HK1TC 215HP

### 9: CHECK DIGIT

0~9, X - Calculated by Manufacturer
-------------------------------------

### 10: MODEL YEAR

S: 2025
---------

### 11: PLANT LOCATION

S: Charlotte, Michigan
7: Fujisawa, Japan

### 12: MODEL COMBINATION

A: 6500XD/LCDBDiesel/25,950lbs
B: 7500XD/LCDBDiesel/25,950 & 33,000lbs
K: 4500XD/4HK1 Diesel/16,000lbs
R: 5500XG/L8T Gas/19,500lbs
0: 4500HD/4HK1 Diesel/14,500lbs
2: 3500HG & 4500HG/L8T Gas/12,000lbs & 14,500lbs
3: 5500XD/4HK1 Diesel/19,500lbs
5: 5500HG/L8T Gas/17,950lbs
9: 5500HD/4HK1 Diesel/17,950lbs

### 13~17: SEQUENCE NUMBER

Positions 13 through 17 represent the number sequentially assigned by the manufacturer in the production process.