



GENERAL MOTORS LLC
Global Vehicle Safety

June 13, 2019
USG 4698 Part 7

The Honorable Heidi King
Deputy Administrator
National Highway Traffic Safety Administration
1200 New Jersey Avenue, SE
Washington, DC 20590

Subject: Revision to General Motors' Vehicle Identification Number decoding for 2019 Model Year

Dear Ms. King:

A revision to General Motors' Vehicle Identification Numbering (VIN) Standard for the 2019 Model Year dated June 5, 2019, is submitted per the VIN reporting requirements of 49 CFR Part 565.16(c).

For additional copies of any of the material submitted to the NHTSA for consideration at this time, any additional information regarding items herein, or if further discussion of this matter will be of assistance to the agency during its consideration of this petition, please contact me at the following address:

Brian Latouf, Executive Director
Global Safety and Field Investigations, Regulations and Certification
General Motors LLC, North America
GM Global Technical Center
29427 Louis Chevrolet Rd
VEC Podium / Floor 02 / Office 2F6-04
Warren, Michigan 48093-2350

Questions may also be directed to either Ms. Lucia Propst, Safety Regulations and Certification, in GM's Warren office; or Mr. Matthew Jerinsky, of GM's Washington D.C. office.

Sincerely,

Brian Latouf, Executive Director
Global Safety and Field Investigations

Attachment

cc: Office of Executive Secretariat
Rosalind Proctor, Division Chief, Consumer Programs Division



General
Motors LLC

2019

This Vehicle Identification Numbering Standard is in
compliance with Federal Motor Vehicle Safety
Regulation 565

Vehicle Identification
Numbering
Standard

June 6, 2019



Table of Contents

Revision History	4
Purpose	5
Maintenance & Operating Responsibilities	5
Organization and Description of VIN Positions	6
Check Digit	7
Passenger Car Vehicle Identification Numbering System	9
Buick Cascada	10
Buick LaCrosse	11
Buick Regal	12
Buick Regal TourX	13
Cadillac ATS	14
Cadillac CT6	15
Cadillac CTS	16
Cadillac XTS	17
Chevrolet Bolt	18
Chevrolet Camaro	19
Chevrolet Corvette	20
Chevrolet Cruze	21
Chevrolet Impala	22
Chevrolet Malibu	23
Chevrolet Sonic	24
Chevrolet Spark	25
Chevrolet Volt	26
Opel Ampera E	27



Table of Contents (Continued)

Light Duty Trucks, MPV & Incomplete Vehicle Identification Numbering System	28
Buick Enclave	29
Buick Encore	30
Buick Envision	31
Cadillac Escalade	32
Cadillac XT4	33
Cadillac XT5	34
Cadillac Stretch Limousine, Funeral Coach, Armored Vehicle	35
Chevrolet Blazer	36
Chevrolet Bolt Incomplete	37
Chevrolet Colorado	38
Chevrolet Equinox	39
Chevrolet Express	40
Chevrolet Low Cab Forward	41
Chevrolet Silverado	42
Chevrolet Silverado HD	43
Chevrolet Silverado LD	44
Chevrolet Silverado Medium Duty	45
Chevrolet Suburban	46
Chevrolet Tahoe	47
Chevrolet Traverse	48
Chevrolet Trax/Tracker	49
GMC Acadia	50
GMC Canyon	51
GMC Savana	52
GMC Sierra	53
GMC Sierra HD	54
GMC Sierra Limited	55
GMC Terrain	56
GMC Yukon	57
Holden Acadia	58
Holden Equinox	59

**Revision History:**

Revision #	Revisions
1.0	Addition of Product Pages: Cadillac XT4 - Page 33, Chevrolet Bolt Incomplete - Page 36, Chevrolet Silverado - Page 40, Chevrolet Silverado HD - Page 41, Chevrolet Silverado Medium Duty - Page 43, GMC Sierra - Page 51, GMC Sierra HD- Page 52 Removal from Product Page: Cadillac CT6 - Page 15: VEHICLE LINE/SERIES "KF - Cadillac CT6 3.0TT Luxury AWD" Addition to Product Pages: GMC Yukon - Page 55: CHASSIS/SERIES "1D 4x2 GMC Yukon SLT Standard Edition", "1J 4x2 GMC Yukon XL SLT Standard Edition", "2D 4x4 GMC Yukon SLT Standard Edition", "2J 4x4, GMC Yukon XL SLT Standard Edition"
1.1	Addition to Product Pages: Chevrolet Silverado - Page 40/GMC Sierra - Page 51: 8 ENGINE TYPE "F L82 - ENGINE GAS, 8 CYL, 5.3L, DI, AFM, ALUM, GEN 5, VAR 1", "H LV3 - ENGINE GAS, 6 CYL, 4.3L, GEN 5, SIDI, V6, VVT, OHV, E85 MAX, ALUM", "K L3B - ENGINE GAS, 4 CYL, L4, 2.7L, SIDI, VVT, TURBO, DOHC, ALUM", "T LM2 - ENGINE DIESEL, 6 CYL, 3.0L, CRI, L6, DOHC, TURBO, VGT, ALUM, CSS50V" Cadillac CT6 - Page 15: VEHICLE LINE/SERIES "KA Cadillac CT6 2.0T", "KC Cadillac CT6 2.0T Luxury", "KE Cadillac CT6 3.6L Luxury AWD (CSAV)", "KG Cadillac CT6 3.0TT Luxury AWD (CSAV)", "KH Cadillac CT6 4.2TT Luxury AWD", "KJ Cadillac CT6 4.2TT Luxury AWD (CSAV)", "KL Cadillac CT6 3.6L Sport AWD", "KM Cadillac CT6 3.6L Sport AWD (CSAV)", "KN Cadillac CT6 3.0TT Sport AWD", "KP Cadillac CT6 3.0TT Sport AWD (CSAV)", "KU Cadillac CT6 4.2TT Platinum AWD", "KV Cadillac CT6 4.2TT Platinum AWD (CSAV)", "KW Cadillac CT6 4.2TT V-Sport AWD ENGINE TYPE: "J LTA - ENGINE GAS, 8 CYL, 4.2L, V8, SIDI, VVT, DOHC, TWIN TURBO, ALUM" "K LSY - ENGINE GAS, 4 CYL, L4, 2.0L, SIDI, DOHC, VVT, ALUM, TURBO, VAR 3" Chevrolet Traverse - Page 46: VEHICLE LINE/SERIES "VJ Chevrolet Traverse High Country/RS AWD" Change to Product Pages: Buick Encore Page 30/Chevrolet Trax - Page 47: 11: PLANT LOCATION From "D Dong Yue" to "Y Dong Yue South"
1.2	Addition of Product Pages: Chevrolet Blazer - Page 36, Chevrolet Low Cab Forward - Page 41 Addition to Product Pages: Buick Regal - Page 12: VEHICLE LINE/SERIES "GW Buick Regal Avenir" Change to Product Page: GMC Sierra - Page 53: "8C 4x4 GMC Sierra 1500 Elevation"
1.3	Addition to Product Pages: Chevrolet Silverado LD - Page 44: VEHICLE LINE/SERIES "CM 4x2 Chevrolet Silverado LD 1500 Custom", "KM 4x4 Chevrolet Silverado LD 1500 Custom" Chevrolet Bolt Incomplete - Page 37, RESTRAINT SYSTEM "G - AYG" Chevrolet Malibu - Page 23, VEHICLE LINE/SERIES "ZG Chevrolet Malibu RS" Cadillac CT6 - Page 15: VEHICLE LINE/SERIES "KA Cadillac CT6 2.0T Luxury", "KC Cadillac CT6 2.0T Premium Luxury"
1.4	Change to Product Pages: Chevrolet Blazer - Page 36: Change From Body Style 26 To 26- Four (4) Door Cab/Utility Chevrolet Bolt Incomplete - Page 37: Change From Body Style 48 To 48 - Sedan, 4 - Door, 4 Window, H/Back
1.5	Chevrolet Traverse - Page 48: VEHICLE LINE/SERIES "RN Chevrolet Traverse High Country FWD" Updated Restraint Descriptions



Purpose

The purpose of this standard is to define the uniform composition of Vehicle Identification Numbers (VIN) applied to GM vehicles marketed in the United States, U.S. Territories, Canada and vehicles manufactured in US, Canada, and Mexico. This GM Standard has been promulgated in compliance with U.S. Federal Motor Vehicle Safety Regulation Part 565 (FMVSR 565) administered by the National Highway Traffic Safety Administration (NHTSA) and with Canada Motor Vehicle Safety Standard 115 (CMVSS 115) administered by Transport Canada.

Certain vehicles manufactured by GM for titling and registration elsewhere in the world may have other requirements with which they must comply, thus precluding the use of this VIN Standard. However, the VIN described herein does comply with the vehicle identification numbering standard of the International Organization for Standardization (ISO), and should be acceptable in many countries around the world.

Maintenance & Operating Responsibilities

Responsibility for updating the code tables contained herein has been established, and is shown on each table. As information or revisions to existing tables become known, the updated tables of codes for the coming model years(s) should be submitted by the authorized activity to North American Product Engineering. Mail Code 480-210-2G1 30001 Van Dyke Ave, Warren MI 48090-9020. Product Engineering has responsibility for publication and dissemination of the updated hardcopy model year tables of VIN data throughout General Motors.

A copy of the updated materials is sent to Global Safety Center (GSC), which has responsibility for review and approval of the coding tables specified. The GSC has the responsibility for submitting these tables of VIN data, and any revisions thereto, to the National Highway Traffic Safety Administration (NHTSA).

Requests for any changes or refinements to the information content (not coding tables) of these Standards shall be directed to Engineering. The revision request must provide a comprehensive explanation for the requested change. VIN Engineering is responsible to review revision requests and make appropriate modifications before issuing revised pages to the Standards. Upon approval of proposed revisions by involved Divisions and Staffs, revisions to the Standards are incorporated into the text of revised pages and are distributed and posted to the Labels, Literature & VIN website.

The Engine RPO and corresponding VIN Codes for Passenger Cars, Light-Duty Trucks (LDT), and Multi-Passenger Vehicles (MPV) that are published in this standard are also updated in the Production Order Management Systems (POMS) and the Integrated Scheduling Project (ISP) by VIN Engineering.

VIN DREs of GM regions will be responsible for distribution of this Standard to persons or activities of their Unit or Region who are affected by or have a need for this information.

The code* definitions contained in the tables of interpretive data that follow provide for translation of the characters comprising any GM VIN, while at the same time they provide the information needed to compose the correct VIN for a GM vehicle. The tables of interpretive data are organized in Sections, and are described as follows:

*Only Arabic numerals and English alphabetic capital letters are permitted in GM VINs. However, I, O (oh), and Q, and special characters are not allowed as stated in FMVSR 565 and/or CMVSS 115 and/or ISO Standards.



Organization and Description of VIN Positions

VIN Positions 1~3

Positions 1~3 in the VIN are designated for the World Make/Manufacturer Identifiers (WMI). WMIs are assigned to General Motors by the Society of Automotive Engineers (SAE). This indicates the country of origin, the make/manufacturer, and type/brand of vehicle.

VIN Position 4 – Passenger Car

Position 4 designates the vehicle line. This is most commonly, but not always, the same as the book number. In the instance a book number has two characters, the second character is used to indicate the vehicle line.

VIN Position 4 – MPV, Light Duty Truck & Incomplete Vehicles

Position 4 designates the Gross Vehicle Weight Rating (GVWR), brake system and body style.

VIN Position 5 – Passenger Car

Position 5 designates the car series. This includes the various trim levels and badges for a vehicle line.

VIN Position 5 – MPV, Light Duty Truck & Incomplete Vehicles

Position 5 designates the chassis of the vehicle. If a vehicle is equipped with either two wheel drive or four wheel drive, the 5th position will reflect which drive train is installed on the vehicle. Some vehicles however will have a 5th position similar to that of a passenger car, where the book number is used. In the instance the book number has two characters, the second character is used to indicate the vehicle chassis.

VIN Position 6 – Passenger Car

Position 6 designates the body styles for each vehicle.

VIN Position 6 - MPV, Light Duty Truck & Incomplete Vehicles

Position 6 designates the series of the vehicle. Like position 5 for passenger car, this includes the various trim levels and badges for a vehicle line.

VIN Position 7

Position 7 is an alpha only character, which designates the restraint system used in the vehicle.

VIN Position 8

Position 8 is an alpha/numeric character which designates the engine used in the vehicle.

VIN Position 9

Position 9 designates the Check Digit. The Check Digit is an alpha/numeric character which is calculated by the composition of the VIN.

See the Check Digit section for an explanation on the calculation of the check digit, and an example.

VIN Position 10

Position 10 designates the model year of the vehicle.

VIN Position 11

Position 11 designates the plant code the vehicle was built.

VIN Positions 12~17

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Check Digit

A check digit shall be provided as part of each vehicle identification number. The check digit shall occupy the ninth position in the

The check digit is determined by carrying out the mathematical computation as follows:

- (1) Assign to each number in the vehicle identification number its actual mathematical value, and assign to each letter the

Table 1: Alpha Numeric Conversion Factor

A=1	J=1	T=3
B=2	K=2	U=4
C=3	L=3	V=5
D=4	M=4	W=6
E=5	N=5	X=7
F=6	P=7	Y=8
G=7	R=9	Z=9
H=8	S=2	

- (2) Multiply the assigned value for each position in the vehicle identification number by the weight factor specified in the

Table 2: Position and Weight Factor

1st	8	10th	9
2nd	7	11th	8
3rd	6	12th	7
4th	5	13th	6
5th	4	14th	5
6th	3	15th	4
7th	2	16th	3
8th	10	17th	2
9th	0		

- (3) Add the resulting products and divide the total by 11.
- (4) The remainder is the check digit, which will be inserted in the ninth position. If the remainder is 0-9, the check digit is

Check Digit (continued)EXAMPLE:

VIN Position 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17

VIN Example 1 G 2 N G 1 2 E X 2 M 9 2 3 4 5 6

ASSIGNED

VALUE 1 7 2 5 7 1 2 5 X 2 4 9 2 3 4 5 6

MULTIPLY
BY WEIGHT

 x x x x x x x x X x x x x x x x x

FACTOR

8 7 6 5 4 3 2 10 X 9 8 7 6 5 4 3 2

ADD

PRODUCTS 8+49 + 12 + 25 + 28 + 3 + 4 + 50 X +18+32+63+12+15+16+15+12 = 362

DIVIDE

BY 11 362/11 = 32 + 10/11, remainder = 10

Therefore


CHECK DIGIT is: X (It will appear as the character in the 9th position of the VIN)

Table 3: Ninth Position Check Digit Values

Fractional	0	1/11	2/11	3/11	4/11	5/11	6/11	7/11	8/11	9/11	10/11
Decimal Equivalent	0	0.091	0.182	0.273	0.364	0.455	0.545	0.636	0.727	0.818	0.909
Check Digit	0	1	2	3	4	5	6	7	8	9	X




TYPICAL VIN	1	G	1	B	A	5	S	M	X	K	7	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
	WMI											SEQUENCE NUMBER					
	VEHICLE LINE											PLANT LOCATION					
	SERIES											MODEL YEAR					
												CHECK DIGIT					
												ENGINE TYPE					
												RESTRAINT SYSTEM					





Buick Cascada



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
W: Europe
- 2: Manufacturer**
0: Adam Opel GmbH
- 3: Vehicle Brand/Type**
4: Buick Passenger Car

4~5: VEHICLE LINE/SERIES

Book 0W

- W G: Buick Cascada 1SV
- W H: Buick Cascada Premium Group
- W J: Buick Cascada Sport Touring Group

6: BODY STYLE

- 3: 67 - Coupe, 2 - Door, Convertible

7: RESTRAINT SYSTEM

- N: AYL - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), & Front Seat Side (1st row), Knee(s) (1st row)

8: ENGINE TYPE

- 5: LWC - ENGINE GAS, 4 CYL, 1.6L, SIDI, TURBO, DOHC, VVT, HO, FAM 1, GEN 4, GME

9: CHECK DIGIT

- 0~9, X - According to 49 CFR 565

10: MODEL YEAR

- K: 2019

11: PLANT LOCATION


- When VIN position 1 is "W" (Europe):
G: Gliwice

12~17: SEQUENCE NUMBER

- Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Buick LaCrosse



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

4: Buick Passenger Car

4~5: VEHICLE LINE/SERIES

Book Z

Z	M:	Buick LaCrosse
Z	N:	Buick LaCrosse Preferred
Z	P:	Buick LaCrosse Essence Group
Z	R:	Buick LaCrosse Essence AWD Group
Z	S:	Buick LaCrosse Premium Group
Z	T:	Buick LaCrosse Premium AWD Group
Z	U:	Buick LaCrosse Avenir FWD
Z	V:	Buick LaCrosse Avenir AWD
Z	W:	Buick LaCrosse Sport Touring
Z	8:	Buick Buick Lacrosse (Non-US, Non-Canada)

6: BODY STYLE

5: 79 - Sedan, 4 - Door, 4 Window, Notchback Extended

7: RESTRAINT SYSTEM

S: AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN 2
Z: LHN - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, VVT, BAS, GEN 3 ALUM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


U: Detroit Hamtramck

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Buick Regal



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

W: Germany

2: Manufacturer

0: Adam Opel GmbH

3: Vehicle Brand/Type

4: Buick Passenger Car

4~5: VEHICLE LINE/SERIES

Book Z

G K: Buick Regal
G L: Buick Regal Preferred
G M: Buick Regal Preferred II FWD
G N: Buick Regal Preferred II AWD
G P: Buick Regal Essence FWD
G R: Buick Regal Essence AWD
G S: Buick Regal GS AWD
G W: Buick Regal Avenir
G 8: Buick Regal (Non-US, Non-Canada)

6: BODY STYLE

6: 68 - Sedan, 4 -Door, 6 Window, Plain Back, (H/Back)

7: RESTRAINT SYSTEM

S: AYF- Active Manual Belts, Airbags- Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN2
X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, TURBO E85 MAX

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019


11: PLANT LOCATION

When VIN position 1 is "W" (Germany):

1: Russelsheim

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

**Buick Regal TourX****1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)**

- 1: Region of Build**
W: Germany
- 2: Manufacturer**
O: Adam Opel GmbH
- 3: Vehicle Brand/Type**
4: Buick Passenger Car

4~5: VEHICLE LINE/SERIES**Book Z**

- G T:** Regal TourX
- G U:** Regal TourX Preferred
- G V:** Regal TourX Essence

6: BODY STYLE

- 8:** 35 - Station Wagon, 4 - Door

7: RESTRAINT SYSTEM

- S:** AYP- Active Manual Belts, Airbags- Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

- X:** LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, TURBO E85 MAX

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- K:** 2019

11: PLANT LOCATION

When VIN position 1 is "W" (Germany):


- 1:** Russelsheim

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Cadillac ATS



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
 - 1: United States
- 2: Manufacturer**
 - G: General Motors
- 3: Vehicle Brand/Type**
 - 6: Cadillac Passenger Car

4~5: VEHICLE LINE/SERIES

Book A

- A A: Cadillac ATS
- A B: Cadillac ATS Luxury
- A C: Cadillac ATS Premium Luxury
- A D: Cadillac ATS Premium Performance
- A E: Cadillac ATS AWD
- A F: Cadillac ATS Luxury AWD
- A G: Cadillac ATS Premium Luxury AWD
- A H: Cadillac ATS Premium Luxury W/ Driver Assist PKG
- A J: Cadillac ATS Premium Performance W/ Driver Assist PKG
- A K: Cadillac ATS Premium Luxury AWD W/ Driver Assist PKG
- A L: Cadillac ATS V-Series
- A 9: Cadillac ATS (Non-US, Non-Canada)

6: BODY STYLE

- 1: 47 - Coupe, 2 - Door, Notchback Special

7: RESTRAINT SYSTEM

- R:** AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee(s) (1st row)
- S:** AYG - Active Manual Belts, Airbags- Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

- S:** LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN2
- X:** LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM
- Y:** LF4 - ENGINE GAS, 6 CYL, 3.6L, GEN1+, V6, SIDI, DOHC, VVT, ALUM, TWIN TURBO

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


0: Lansing - Grand River

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Cadillac CT6



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1G6
L: China	LRE

2: Manufacturer

When VIN position 1 is "1" (USA):

G: General Motors

When VIN position 1 is "L" (China):

R: SAIC GM

3: Vehicle Brand/Type

When VIN position 1 is "1" (USA):

6: Cadillac Passenger Car

When VIN position 1 is "L" (China):

E: Cadillac Passenger Car

4~5: VEHICLE LINE/SERIES

Book K

K	A:	Cadillac CT6 2.0T Luxury
K	B:	Cadillac CT6 3.6L Luxury AWD
K	C:	Cadillac CT6 2.0T Premium Luxury
K	D:	Cadillac CT6 3.6L Premium Luxury AWD
K	E:	Cadillac CT6 3.6L Premium Luxury AWD (CSAV)
K	H:	Cadillac CT6 4.2TT Premium Luxury AWD
K	J:	Cadillac CT6 4.2TT Premium Luxury AWD (CSAV)
K	N:	Cadillac CT6 3.0TT Sport AWD
K	P:	Cadillac CT6 3.0TT Sport AWD (CSAV)
K	R:	Cadillac CT6 2.0T PLUG-IN
K	S:	Cadillac CT6 3.0TT Platinum AWD
K	T:	Cadillac CT6 3.0TT Platinum AWD (CSAV)
K	U:	Cadillac CT6 4.2TT Platinum AWD
K	V:	Cadillac CT6 4.2TT Platinum AWD (CSAV)
K	W:	Cadillac CT6 4.2TT V-Series AWD
K	9:	Cadillac CT6 (Non-US, Non-Canada)

6: BODY STYLE

5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

R: AYX - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

J: LTA - ENGINE GAS, 8 CYL, 4.2L, V8, SIDI, VVT, DOHC, TWIN TURBO, ALUM
K: LSY - ENGINE GAS, 4 CYL, L4, 2.0L, SIDI, DOHC, VVT, ALUM, TURBO, VAR 3
S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN 2
X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM
6: LGW - ENGINE GAS, 6 CYL, 3.0L, V6, DI, DOHC, VVT, ALUM, TWIN TURBO, GEN 2

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

U: Detroit Hamtramck

When VIN position 1 is "L" (China):


A: Jinqiao East

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Cadillac CTS



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
6: Cadillac Passenger Car

4~5: VEHICLE LINE/SERIES

Book A

- A P: Cadillac CTS,
A R: Cadillac CTS, Luxury
A S: Cadillac CTS, Premium Luxury
A U: Cadillac CTS, V-sport
A V: Cadillac CTS, V-sport Premium Luxury
A W: Cadillac CTS, (AWD)
A X: Cadillac CTS, Luxury (AWD)
A Y: Cadillac CTS, Premium Luxury (AWD)
A 1: Cadillac CTS, V-Series
A 8: Cadillac CTS (Non-US, Non-Canada)

6: BODY STYLE

- 5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

- S: AYP - Active Manual Belts, Airbags- Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

- S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN2
X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM
6: LT4 - ENGINE GAS, 8 CYL, 6.2L, DI, SC, AFM, VVT, ALUM, GMNA
8: LF3 - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, ALUM, TWIN TURBO, GM

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


- 0: Lansing - Grand River

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Cadillac XTS



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
 - 2: Canada
- 2: Manufacturer**
 - G: General Motors
- 3: Vehicle Brand/Type**
 - 6: Cadillac Passenger Car

4~5: VEHICLE LINE/SERIES

Book 0G

- 1 L: Cadillac XTS FWD
- 1 M: Cadillac XTS Luxury FWD
- 1 N: Cadillac XTS Luxury AWD
- 1 P: Cadillac XTS Premium Luxury FWD
- 1 R: Cadillac XTS Premium Luxury AWD
- 1 S: Cadillac XTS Platinum FWD
- 1 T: Cadillac XTS Platinum AWD
- 1 U: Cadillac XTS Livery (W20)
- 1 W: Cadillac XTS V-Sport Platinum AWD
- 1 8: Cadillac XTS (Non-US, Non-Canada)

6: BODY STYLE

- 5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

- S: AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

- 3: LFX - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX, ALUM GM
- 8: LF3 - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, ALUM, TWIN TURBO, GM

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- K: 2019

11: PLANT LOCATION


- When VIN position 1 is "2" (Canada):
 - 9: Oshawa #1 (OSH)

12~17: SEQUENCE NUMBER

- Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Bolt EV



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

1: Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book F

F W: Chevrolet Bolt EV, LT
F X: Chevrolet Bolt EV, Premier
F Y: Chevrolet Bolt EV, LT W/ DC Fast Charging
F Z: Chevrolet Bolt EV, Premier W/ DC Fast Charging
F 7: Chevrolet Bolt EV, (Non-US, Non-Canada)

6: BODY STYLE

6: 48 - Sedan, 4 - Door, 4 Window, H/Back

7: RESTRAINT SYSTEM

E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
S: AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

0: EN0 - ENGINE NONE

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


4: Orion

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Camaro



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
1: Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book A

- F A: Chevrolet Camaro 1LS/1LT (Manual)
F B: Chevrolet Camaro 1LS/ 1LT (Automatic)
F C: Chevrolet Camaro 2LT/3LT (Manual)
F D: Chevrolet Camaro 2LT/3LT (Automatic)
F E: Chevrolet Camaro 1SS (Manual)
F F: Chevrolet Camaro 1SS (Automatic)
F G: Chevrolet Camaro 2SS (Manual)
F H: Chevrolet Camaro 2SS (Automatic)
F J: Chevrolet Camaro ZL1 (Manual)
F K: Chevrolet Camaro ZL1 (Automatic)
F 9: Chevrolet Camaro (Non-US, Non-Canada)

6: BODY STYLE

- 1: 37 - Coupe, 2 - Door, Notchback
3: 67 - Coupe, 2 - Door, Convertible

7: RESTRAINT SYSTEM

- D: AJ9 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), & Front Seat Side (1st row)
R: AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

- S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN2
X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM
6: LT4 - ENGINE GAS, 8 CYL, 6.2L, DI, SC, AFM, VVT, ALUM, GMNA
7: LT1 - ENGINE GAS, 8 CYL, 6.2L, DI, AFM, VVT, HO, ALUM, GMNA

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


0: Lansing - Grand River

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Corvette



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
1: Chevrolet Passenger Car

6: BODY STYLE

- 2: 07 - Coupe, 2 - Door, Plain Back
- 3: 67 - Coupe, 2 - Door, Convertible

7: RESTRAINT SYSTEM

- D: AJ7 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), & Front Seat Side (1st row)

4~5: VEHICLE LINE/SERIES

Book Y

- Y A: Chevrolet Corvette Stingray Standard 1LT (Manual)
- Y B: Chevrolet Corvette Stingray Standard 1LT (Automatic)
- Y C: Chevrolet Corvette Stingray Preferred 2LT (Manual)
- Y D: Chevrolet Corvette Stingray Preferred 2LT (Automatic)
- Y E: Chevrolet Corvette Stingray Premium 3LT (Manual)
- Y F: Chevrolet Corvette Stingray Premium 3LT (Automatic)
- Y G: Chevrolet Corvette Stingray Standard 1LT (Manual) with Z51
- Y H: Chevrolet Corvette Stingray Standard 1LT (Automatic) with Z51
- Y J: Chevrolet Corvette Stingray Preferred 2LT (Manual) with Z51
- Y K: Chevrolet Corvette Stingray Preferred 2LT (Automatic) with Z51
- Y L: Chevrolet Corvette Stingray Premium 3LT (Manual) with Z51
- Y M: Chevrolet Corvette Stingray Premium 3LT (Automatic) with Z51
- Y N: Chevrolet Corvette Z06 Standard 1LZ (Manual)
- Y P: Chevrolet Corvette Z06 Standard 1LZ (Automatic)
- Y R: Chevrolet Corvette Z06 Preferred 2LZ (Manual)
- Y S: Chevrolet Corvette Z06 Preferred 2LZ (Automatic)
- Y T: Chevrolet Corvette Z06 Premium 3LZ (Manual)
- Y U: Chevrolet Corvette Z06 Premium 3LZ (Automatic)
- Y V: Chevrolet Corvette Grand Sport Standard 1LT (Manual)
- Y W: Chevrolet Corvette Grand Sport Standard 1LT (Automatic)
- Y X: Chevrolet Corvette Grand Sport Preferred 2LT (Manual)
- Y Y: Chevrolet Corvette Grand Sport Preferred 2LT (Automatic)
- Y Z: Chevrolet Corvette Grand Sport Premium 3LT (Manual)
- Y 1: Chevrolet Corvette Grand Sport Premium 3LT (Automatic)
- Y 2: Chevrolet Corvette ZR1 Standard 1ZR (Manual)
- Y 3: Chevrolet Corvette ZR1 Standard 1ZR (Automatic)
- Y 4: Chevrolet Corvette ZR1 Premium 3ZR (Manual)
- Y 5: Chevrolet Corvette ZR1 Premium 3ZR (Automatic)
- Y 9: Chevrolet Corvette (Non-US, Non-Canada)

8: ENGINE TYPE

- 6: LT4 - ENGINE GAS, 8 CYL, 6.2L, DI, SC, AFM, VVT, ALUM, GMNA
- 7: LT1 - ENGINE GAS, 8 CYL, 6.2L, DI, AFM, VVT, HO, ALUM, GMNA
- 9: LT5 - ENGINE GAS 8 CYL, 6.2L, SIDI, SC, VVT, ALUM, GM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


5: Bowling Green

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Cruze



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1G1
3: Mexico	3G1

2: Manufacturer
G: General Motors

3: Vehicle Brand/Type
1: Chevrolet Passenger Car

8: ENGINE TYPE

D:	L3G - ENGINE GAS, 4 CYL, 1.5L, DI, L4, DOHC, VVT, GEN 1, GMNA
E:	LH7 - ENGINE DIESEL, UREA, 4 CYL, 1.6L, L4, CRI, DOHC, VGT, ALUM
M:	LE2 - ENGINE GAS, 4 CYL, L4, 1.4L, DI, DOHC, VVT, TURBO, ALUM, GEN 1, GMNA
V:	LFE - ENGINE GAS/CNG, 4 CYL, L4, 1.4L, DI, DOHC, VVT, ALUM, TURBO, GEN 1

4~5: VEHICLE LINE/SERIES

Book B

B	A:	Chevrolet Cruze L (Automatic)
B	C:	Chevrolet Cruze LS (Automatic)
B	E:	Chevrolet Cruze LT (Automatic)
B	F:	Chevrolet Cruze Premier (Automatic)
B	H:	Chevrolet Cruze Diesel (Automatic)
B	J:	Chevrolet Cruze (CVT)
B	8:	Chevrolet Cruze (Non-US, Non-Canada)

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (United States):

7: Lordstown

When VIN position 1 is "3" (Mexico):

S: Ramos Arizpe

6: BODY STYLE

5:	69 - Sedan, 4 - Door, 4 Window, Notchback
6:	68 - Sedan, 4 - Door, 6 Window, Plain Back, (H/Back)

12~17: SEQUENCE NUMBER


Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

7: RESTRAINT SYSTEM

D:	AJG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), & Front Seat Side (1st row)
E:	AYC - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
S:	AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)



Chevrolet Impala



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1G1
2: Canada	2G1

2: Manufacturer
G: General Motors

3: Vehicle Brand/Type
1: Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book 0G

1	X:	Chevrolet Impala LS (1FL)
1	Y:	Chevrolet Impala LS (1LS)
1	Z:	Chevrolet Impala LT (1LT)
1	0:	Chevrolet Impala Premier (2LZ)
1	3:	Chevrolet Impala, (Non-US, Non-Canada)

6: BODY STYLE

5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

S: AYP - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

A: LCV - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85 MAX, E0-E100, ALUM
3: LFX - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX, ALUM GM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (United States):

U: Detroit Hamtramck

When VIN position 1 is "2" (Canada):


9: Oshawa #1 (OSH)

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Malibu



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
1: Chevrolet Passenger Car

8: ENGINE TYPE

- T:** LFV - ENGINE GAS, 4 CYL, L4, 1.5L, DI, DOHC, VVT, TURBO, GEN 1 GMNA
- U:** LKN - ENGINE GAS, 4 CYL, 1.8L, SIDI, DOHC, VVT, HYBRID, FAM 1 GEN 4, GME
- X:** LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM

4~5: VEHICLE LINE/SERIES

Book Z

- Z A:** Chevrolet Malibu L (1VL)
- Z B:** Chevrolet Malibu LS (1LS)
- Z C:** Chevrolet Malibu LS (1FL)
- Z D:** Chevrolet Malibu LT (1LT)
- Z E:** Chevrolet Malibu Premier (2LZ)
- Z F:** Chevrolet Malibu Hybrid
- Z G:** Chevrolet Malibu RS
- Z 9:** Chevrolet Malibu, (Non-US, Non-Canada)

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (United States):

F: Fairfax

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

6: BODY STYLE


5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

S: AYP - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)



Chevrolet Sonic



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
 - 1: United States
- 2: Manufacturer**
 - G: General Motors
- 3: Vehicle Brand/Type**
 - 1: Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book I

- J A: Chevrolet Sonic LS (Manual)
- J B: Chevrolet Sonic LS (Automatic)
- J C: Chevrolet Sonic LT (Manual)
- J D: Chevrolet Sonic LT (Automatic)
- J E: Chevrolet Sonic Premier (Manual)
- J F: Chevrolet Sonic Premier (Automatic)
- J G: Chevrolet Sonic FL (Automatic)
- J 8: Chevrolet Sonic (Non-US, Non-Canada)

6: BODY STYLE

- 5: 69 - Sedan, 4 - Door, 4 Window, Notchback
- 6: 48 - Sedan, 4 - Door, 4 Window, Hatchback

7: RESTRAINT SYSTEM

- S: AYP - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

- B: LUV - ENGINE GAS, 4 CYL, 1.4L, MFI, DOHC, TURBO, VVT, ALUM, GME E85 MAX

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- K: 2019

11: PLANT LOCATION


- When VIN position 1 is "1" (USA):
- 4: Orion

12~17: SEQUENCE NUMBER

- Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Spark



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

K: Korea

2: Manufacturer

L: GM Korea

3: Vehicle Brand/Type

8: Chevrolet Passenger Car

7: RESTRAINT SYSTEM

S: AYP - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

A: LV7 - ENGINE GAS, 4 CYL, L4, 1.4L, MFI, DOHC, VVT, ALUM, GEN 1 VAR 1

4~5: VEHICLE LINE/SERIES

Book CD

C A: Chevrolet Spark LS (Manual) (LS)
C B: Chevrolet Spark LS (Automatic) (LS)
C C: Chevrolet Spark 1LT (Manual) (LT)
C D: Chevrolet Spark 1LT (Automatic) (LT)
C E: Chevrolet Spark 2LT (Manual) (LT)
C F: Chevrolet Spark 2LT(Automatic) (LT)
C G: Chevrolet Spark ACTIV (Manual) (ACTIV)
C H: Chevrolet Spark ACTIV (Automatic) (ACTIV)
C 9: Chevrolet Spark (Non-US, Non-Canada)

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "K" (Korea):

C: Changwon

12~17: SEQUENCE NUMBER


Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

6: BODY STYLE

6: 48 - Sedan, 4 - Door, 4 Window, Hatchback



Chevrolet Volt



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
1: Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book R

- R A: Chevrolet Volt, LT w/ Standard Emissions
- R B: Chevrolet Volt, Premier w/ Standard Emissions
- R C: Chevrolet Volt, LT w/Low Emissions Package
- R D: Chevrolet Volt, Premier w/Low Emissions Package
- R 9: Chevrolet Volt (Non-US, Non-Canada)

6: BODY STYLE

- 6: 68 - Sedan, 4 - Door, 6 Window, Plain Back, (H/Back)

7: RESTRAINT SYSTEM

- S: AYP - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

- 5: L3A - ENGINE GAS, 4 CYL, 1.5L, DI, DOHC, VVT, HYBRID, GEN 1

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


- U: Detroit Hamtramck

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Opel Ampera-E EV



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

W: United States

2: Manufacturer

0: General Motors

3: Vehicle Brand/Type

V: Opel Passenger Car

4~5: VEHICLE LINE/SERIES

Book F

F 8: Opel Ampera-E EV, (Non-US, Non-Canada)

6: BODY STYLE

6: 48 - Sedan, 4 - Door, 4 Window, H/Back

7: RESTRAINT SYSTEM

E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

0: EN0 - ENGINE NONE

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):



4: Orion

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.




Light Duty Trucks, MPV & Incomplete Vehicle Identification Numbering System





Buick Enclave



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
5: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
A: Buick MPV

7: RESTRAINT SYSTEM

K: AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row), Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

W: LFY-ENGINE GAS, 6CYL, V6, 3.6L, SIDI, DOHC, ATSS, GEN 1

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "5" (USA):

J: Lansing - Delta Township

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.


4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
Class E: 6,001-7,000		56 - Four (4) Door Cab/Utility Extended
Hyd.		E

5~6: CHASSIS/SERIES

Book N:

- R A:** Buick Enclave - FWD
R B: Buick Enclave - FWD Essence
R C: Buick Enclave - FWD Premium
R D: Buick Enclave - FWD Avenir
R 7: Buick Enclave FWD, (Non-US, Non-Canada)
V A: Buick Enclave - AWD Essence
V B: Buick Enclave - AWD Premium
V C: Buick Enclave - AWD Avenir
V 7: Buick Enclave AWD, (Non-US, Non-Canada)

**Buick Encore****1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)****1: Region of Build**

K: South Korea	KL4
L: People's Republic of China	LRB

2: Manufacturer

When VIN position 1 is "K" (S. Korea):

L: GM Korea

When VIN position 1 is "L" (China):

R: SAIC GM**3: Vehicle Brand/Type**

When VIN position 1 is "K" (S. Korea):

4: Buick MPV

When VIN position 1 is "L" (China):

B: Buick MPV**7: RESTRAINT SYSTEM**

- E:** AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
- S:** AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

- B:** LUV - ENGINE GAS, 4 CYL, 1.4L, MFI, DOHC, TURBO, VVT, ALUM, GME E85 MAX
- M:** LE2 - ENGINE GAS, 4 CYL, L4, 1.4L, DI, DOHC, VVT, TURBO, ALUM GEN 1, GMNA

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR**K:** 2019**11: PLANT LOCATION**

When VIN position 1 is "K" (S. Korea):

B: Bupyeong

When VIN position 1 is "L" (China):

Y: Dong Yue South**12~17: SEQUENCE NUMBER**


Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		76 - Four (4) Door Utility
Class C: 4,001-5,000	Hyd.	C

5~6: CHASSIS/SERIES**Book 1**

J	3:	Buick Encore FWD
J	A:	Buick Encore Preferred FWD
J	B:	Buick Encore Preferred II FWD
J	C:	Buick Encore Essence FWD
J	D:	Buick Encore Premium FWD
J	E:	Buick Encore Preferred AWD
J	F:	Buick Encore Preferred II AWD
J	G:	Buick Encore Essence AWD
J	H:	Buick Encore Premium - AWD
J	1:	Buick Encore Sport Touring FWD
J	2:	Buick Encore Sport Touring AWD

**Buick Envision****1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)****1: Region of Build**

L: People's Republic of China

2: Manufacturer

R: SAIC GM

3: Vehicle Brand/Type

B: Buick MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class D: 5,001-6,000	Hyd.	F

5~6: CHASSIS/SERIES**Book X**

X	A:	Buick Envision, FWD
X	B:	Buick Envision, Preferred, FWD
X	C:	Buick Envision, Essence, FWD
X	1:	Buick Envision, Preferred, AWD
X	2:	Buick Envision, Essence, AWD
X	3:	Buick Envision, Premium Package, AWD
X	4:	Buick Envision, Premium II Package, AWD
X	8:	Buick Envision, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

S: AUJ - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

A: LCV - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85 MAX, E0-E100, ALUM
X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "L" (China):


D: Dong Yue North

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Cadillac Escalade



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

Y: Cadillac MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		06- Four (4) Door Cab/Utility
Class E: 6,001-7,000	Hyd.	L
Class F: 7,001-8,000	Hyd.	S

5~6: CHASSIS/SERIES

Book 6

3	A:	Cadillac Escalade 2WD
3	B:	Cadillac Escalade Luxury 2WD
3	C:	Cadillac Escalade Premium Luxury 2WD
3	D:	Cadillac Escalade Platinum 2WD
3	7:	Cadillac Escalade 2WD (Non-US, Non-Canada)
3	G:	Cadillac Escalade ESV 2WD
3	H:	Cadillac Escalade ESV Luxury 2WD
3	J:	Cadillac Escalade ESV Premium Luxury 2WD
3	K:	Cadillac Escalade ESV Platinum 2WD
3	8:	Cadillac Escalade ESV 2WD (Non-US, Non-Canada)
4	A:	Cadillac Escalade 4WD
4	B:	Cadillac Escalade Luxury 4WD
4	C:	Cadillac Escalade Premium Luxury 4WD
4	D:	Cadillac Escalade Platinum-4WD
4	7:	Cadillac Escalade 4WD (Non-US, Non-Canada)
4	G:	Cadillac Escalade ESV 4WD
4	H:	Cadillac Escalade ESV Luxury 4WD
4	J:	Cadillac Escalade ESV Premium Luxury 4WD
4	K:	Cadillac Escalade ESV Platinum 4WD
4	8:	Cadillac Escalade ESV 4WD (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

E: AY0 - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows)

K: AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row), Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

J: L86 - ENGINE GAS, 8 CYL, 6.2L, SIDI VVT, AFM, E85 MAX, ALUM, GM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


R: Arlington

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Cadillac XT4



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

Y: Cadillac MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class C: 4001-5000	Hyd.	A
Class D: 5,001-6,000	Hyd.	F

5~6: CHASSIS/SERIES

Book Z

Z	A:	Cadillac XT4 Luxury FWD
Z	B:	Cadillac XT4 Luxury AWD
Z	C:	Cadillac XT4 Premium Luxury FWD
Z	D:	Cadillac XT4 Premium Luxury AWD
Z	E:	Cadillac XT4 Sport FWD
Z	F:	Cadillac XT4 Sport AWD
Z	9:	Cadillac XT4 (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

R: AYY - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

4: LSY - ENGINE GAS, 4 CYL, L4, 2.0L, SIDI, DOHC, VVT, ALUM, TURBO, VAR 3

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


F: Fairfax

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Cadillac XT5



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
Y: Cadillac MPV

7: RESTRAINT SYSTEM

R: AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN 2

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

Z: Springhill

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.


4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class D: 5,001-6,000	Hyd.	F
Class E: 6001-7000	Hyd.	K

5~6: CHASSIS/SERIES

Book N

- N A:** Cadillac XT5 FWD
- N B:** Cadillac XT5 AWD
- N C:** Cadillac XT5 Luxury FWD
- N D:** Cadillac XT5 Luxury AWD
- N E:** Cadillac XT5 Premium Luxury FWD
- N F:** Cadillac XT5 Premium Luxury AWD
- N G:** Cadillac XT5 Platinum AWD
- N 9:** Cadillac XT5 (Non-US, Non-Canada)

Cadillac Stretch Limousine, Funeral Coach, Armored Vehicle**1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)**

- 1: Region of Build**
2: Canada
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
E: Cadillac Incomplete

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		69 - Sedan 4 - Door, 4 Window, Notchback
Class E: 6,001-7,000	Hyd.	X

5~6: CHASSIS/SERIES

Book 0G	
G	6: Cadillac XTS Stretch Limousine (W30/V4U)
G	7: Cadillac XTS Hearse
G	8: Cadillac XTS Armored Vehicle

7: RESTRAINT SYSTEM

U: ANH - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Front Roof Side (1st row), Knee (s) (1st row)

8: ENGINE TYPE

3: LFX - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX, ALUM GM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "2" (Canada):


9: Oshawa #1 (OSH)

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Blazer



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

3: Mexico

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

N: Chevrolet MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class E: 6,001-7,000	Hyd.	K

5~6: CHASSIS/SERIES

Book N:

B	A:	Chevrolet Blazer L FWD
B	B:	Chevrolet Blazer 1LT FWD
B	C:	Chevrolet Blazer 2LT FWD
B	D:	Chevrolet Blazer 3LT FWD
B	E:	Chevrolet Blazer RS FWD
B	F:	Chevrolet Blazer Premier FWD
B	G:	Chevrolet Blazer 2LT AWD
B	H:	Chevrolet Blazer 3LT AWD
B	J:	Chevrolet Blazer RS AWD
B	K:	Chevrolet Blazer Premier AWD
B	8:	Chevrolet Blazer (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

R: AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee (s) (1st row)

8: ENGINE TYPE

A: LCV - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85
MAX, E0-E100, ALUM
S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN 2

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "3" (MEX):


S: Ramos Arizpe

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Bolt Incomplete



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

B: Chevrolet Incomplete

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
Class C: 4,001-5,000		48 - Sedan, 4 - Door, 4 Window, H/Back
Hyd.		J

5~6: CHASSIS/SERIES

Book F

F 1: Chevrolet Bolt (Rear Seat Delete)

7: RESTRAINT SYSTEM

G: AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

0: EN0 - ENGINE NONE

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


4: Orion

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Colorado



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GB
2: Manufacturer	1GC
G: General Motors	
3: Vehicle Brand/Type	
B: Chevrolet Incomplete	
C: Chevrolet Truck	

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style	
		43 - Four (4) Door Crew Cab/Utility	53 - Extended Cab
Class D: 5,001-6,000	Hyd.	G	H
Class E: 6,001-7,000	Hyd.	P	R

5~6: CHASSIS/SERIES

Book 52

S	A:	Chevrolet Colorado, Base 2WD
S	B:	Chevrolet Colorado, Work Truck 2WD
S	C:	Chevrolet Colorado, LT 2WD
S	D:	Chevrolet Colorado, Z71 2WD
S	9:	Chevrolet Colorado 2WD, (Non-US, Non-Canada)
T	B:	Chevrolet Colorado, Work Truck 4WD
T	C:	Chevrolet Colorado, LT 4WD
T	D:	Chevrolet Colorado, Z71 4WD
T	E:	Chevrolet Colorado ZR2 4WD
T	9:	Chevrolet Colorado 4WD, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

E:	AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
----	--

8: ENGINE TYPE

A:	LCV - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85 MAX, E0-E100, ALUM
N:	LGZ - ENGINE GAS, 6CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, VAR2, GEN 2
1:	LWN - ENGINE DIESEL, 2.8L, DI, L4, DOHC, TURBO, XLDE

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


1: Wentzville

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Equinox



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
2: Canada	2GN
3: Mexico	3GN
2: Manufacturer	
G: General Motors	
3: Vehicle Brand/Type	
N: Chevrolet MPV	

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System	Body Style
	26- Four (4) Door Cab/Utility
Class C: 4,001-5,000 Hyd.	A

5~6: CHASSIS/SERIES

Book X

X	G:	Chevrolet Equinox L FWD
X	H:	Chevrolet Equinox LS FWD
X	J:	Chevrolet Equinox LT FWD (2FL)
X	K:	Chevrolet Equinox LT FWD (1LT)
X	L:	Chevrolet Equinox LT FWD (2LT)
X	M:	Chevrolet Equinox LT FWD (3LT)
X	N:	Chevrolet Equinox Premier FWD (1LZ)
X	P:	Chevrolet Equinox Premier FWD (2LZ)
X	R:	Chevrolet Equinox Premier FWD (3LZ)
X	S:	Chevrolet Equinox LS AWD
X	T:	Chevrolet Equinox LT AWD (2FL)
X	U:	Chevrolet Equinox LT AWD (1LT)
X	V:	Chevrolet Equinox LT AWD (2LT)
X	W:	Chevrolet Equinox LT AWD (3LT)
X	X:	Chevrolet Equinox Premier AWD (1LZ)
X	Y:	Chevrolet Equinox Premier AWD (2LZ)
X	Z:	Chevrolet Equinox Premier AWD (3LZ)
X	9:	Chevrolet Equinox (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

D:	AJG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), & Front Seat Side (1st row)
E:	AY0/AYC - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

U:	LH7 - ENGINE DIESEL, UREA, 4 CYL, 1.6L, L4, CRI, DOHC, VGT, ALUM
V:	LYX - ENGINE GAS, 4 CYL, L4, 1.5L, DI, DOHC, VVT, FGT, TURBO, ALUM, GEN 1
X:	LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM
8:	LVL - ENGINE DIESEL, 4 CYL, 1.6L, CRI, DOHC, VGT, 103KW
9:	LWW - ENGINE DIESEL, 4 CYL, 1.6L, L4, VGT, DOHC, ALUM, A16DTH GEN 1

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "2" (Canada):

6: CAMI

When VIN position 1 is "3" (Mexico):

L: San Luis Potosi


S: Ramos Arizpe

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Express



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GA
2: Manufacturer	1GB
G: General Motors	1GC
H: Navistar Inc.	1HA (Navistar Only)
3: Vehicle Brand/Type	
A: Chevrolet Bus (Non School Bus)	
B: Chevrolet Incomplete	
C: Chevrolet Truck	
A: Chevrolet Incomplete Truck (Navistar Only)	

7: RESTRAINT SYSTEM

B:	AJ3 - Active Manual Belts, Airbag - Driver only - Front
C:	AK5 - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)
F:	(AK5&ASF) - Active Manual Belts, Airbags-Driver & Passenger - Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)
H:	(AJ3&ASF) -Active Manual Belts, Airbag - Driver only - Front, Front Seat Side (1st row), Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs) / Brake System		Body Style	
		05/06 - Cargo Van/Four (4) Door Cab/Utility, Passenger Van	03 - Commercial Special Cutaway, Two (2) Door Cab pick-up, Motor Home Chassis
Class G: 8,001-9,000	Hyd.	W	Y
Class H: 9,001-10,000	Hyd.	Z	0
Class 3: 10,001-14,000	Hyd.		3
Class 4: 14,001-16,000	Hyd.		6

8: ENGINE TYPE

B:	LC8 - ENGINE FLEXIBLE FUEL, (LPG/CNG), 8 CYL, V8, 6.0L, SFI, GEN 1, GMNA
G:	L96 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 6.0L, SFI IRON, GM
P:	LV1 -ENGINE GAS, 6 CYL, 4.3L, SIDI, V6, VVT, E85 MAX, IRON
1:	LWN - ENGINE DIESEL, 2.8L, DI, L4, DOHC, TURBO, XLDE

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

1:	Wentzville
N:	Springfield

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.


5~6: CHASSIS/SERIES

Book 8

G	A:	Chevrolet Express, 2500 Cargo
G	B:	Chevrolet Express, 2500 Cargo Ext
G	E:	Chevrolet Express, 2500 Passenger LS
G	F:	Chevrolet Express, 2500 Passenger LT
G	G:	Chevrolet Express, 3500 Cargo
G	H:	Chevrolet Express, 3500 Cargo Ext
G	L:	Chevrolet Express, 3500 Passenger LS
G	M:	Chevrolet Express, 3500 Passenger LT
G	N:	Chevrolet Express, 3500 Passenger LS Ext
G	P:	Chevrolet Express, 3500 Passenger LT Ext
G	R:	Chevrolet Express, 3500 Cutaway 139" Wheelbase
G	S:	Chevrolet Express, 3500 Cutaway 159" Wheelbase
G	T:	Chevrolet Express, 3500 Cutaway 177" Wheelbase
G	U:	Chevrolet Express, 4500 Cutaway 159" Wheelbase
G	V:	Chevrolet Express, 4500 Cutaway 177" Wheelbase
G	9:	Chevrolet Express, (Non-US, Non-Canada)



Chevrolet Low Cab Forward



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build		Valid Combinations
J:	Japan	JAL
5:	United States	54D
2: Manufacturer		
A:	Isuzu Motors Ltd.	
4:	Spartan Motors Chassis Inc.	
3: Vehicle Brand/Type		
L:	Incomplete Vehicle - Medium & Heavy Duty	
D:	Incomplete Vehicle	

8: ENGINE TYPE

B:	L96 - ENGINE GAS, 8 CYL, 6.0L, SFI, E85 MAX, IRON, GM
C:	LC8 - ENGINE LPG/CNG, 8 CYL, V8, 6.0L, SFI, GEN 1, GMNA
6:	I1B - ENGINE DIESEL, 4 CYL, 5.2L, 4HK1TC 215HP

9: CHECK DIGIT

0~9, X - Calculated by Manufacturer

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

S:	Charlotte, Michigan
7:	Fujisawa, Japan

12: MODEL COMBINATION

G:	6500XD/4HK1 Diesel/25,950lbs
K:	4500XD/4HK1 Diesel/16,000lbs
0:	4500HD/4HK1 Diesel/14,500lbs
3:	5500XD/4HK1 Diesel/19,500lbs
8:	3500 & 4500/Gas
9:	5500HD/4HK1 Diesel/17,950lbs

13~17: SEQUENCE NUMBER

Positions 13 through 17 represent the number sequentially assigned by the manufacturer in the production process.

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs) / Brake System		Body Style	
		03 - Commercial Special Cutaway, Two (2) Door Cab pick-up, Motor Home Chassis	43 - Four (4) Door Crew Cab/Utility
Class 3: 10,001-14,000	Hyd.	B	B
Class 4: 14,001-16,000	Hyd.	C	C
Class 5: 16,001 - 19,500	Hyd.	E	E
Class 6: 19,501 - 26,000	Air	K	

5: MAKE/SERIES

D:	GM Chevrolet 3500 / 3500HD / 4500 / 4500HD / 4500XD
E:	GM Chevrolet 5500HD/5500XD
F:	GM Chevrolet 6500XD

6: LINE/CAB TYPE


J:	Non-Tilt Cab, BBC = 110 Inches
S:	Tilt Cab, BBC = 81 Inches
W:	Tilt Cab, BBC = 71 Inches

7: CHASSIS TYPE

1:	4x2, 2 Axles, 1 Driving
----	-------------------------



Chevrolet Silverado



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GB
3: Mexico	1GC
2: Manufacturer	3GB
G: General Motors	3GC
3: Vehicle Brand/Type	
B: Chevrolet Incomplete	
C: Chevrolet Truck	

7: RESTRAINT SYSTEM

E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

D: L84 - ENGINE GAS, 8 CYL, 5.3L, DI, DFM, ALUM, GEN 5, VAR 2
F: L82 - ENGINE GAS, 8 CYL, 5.3L, DI, AFM, ALUM, GEN 5, VAR 1
H: LV3 - ENGINE GAS, 6 CYL, 4.3L, GEN 5, SIDI, V6, VVT, OHV, E85 MAX, ALUM
K: L3B - ENGINE GAS, 4 CYL, L4, 2.7L, SIDI, VVT, TURBO, DOHC, ALUM
L: L87 - ENGINE GAS, 8 CYL, V8, 6.2L, DI DFM, ALUM, GEN 5
T: LM2 - ENGINE DIESEL, 6 CYL, 3.0L, CRI, L6, DOHC, TURBO, VGT, ALUM, CSS50V

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

Z: Fort Wayne

When VIN position 1 is "3" (Mexico):

G: Silao

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style		
		03 - Commercial Special Cutaway, Two (2) Door Cab pick-up, Motor Home Chassis	43 - Four (4) Door Crew Cab/Utility	53 - Extended Cab
Class E: 6,001-7,000	Hyd.	N	P	R
Class F: 7,001-8,000	Hyd.		U	V


5~6: CHASSIS/SERIES

Book 1

W	A:	4x2, 1500 Chevrolet Silverado Work Truck
W	B:	4x2, 1500 Chevrolet Silverado Custom
W	C:	4x2, 1500 Chevrolet Silverado LT
W	D:	4x2, 1500 Chevrolet Silverado RST
W	E:	4x2, 1500 Chevrolet Silverado LTZ
W	F:	4x2, 1500 Chevrolet Silverado High Country
W	9:	4x2, 1500 Chevrolet Silverado (Non-US, Non-Canada)
Y	A:	4x4, 1500 Chevrolet Silverado Work Truck
Y	B:	4x4, 1500 Chevrolet Silverado Custom
Y	C:	4x4, 1500 Chevrolet Silverado Trail Boss Custom
Y	D:	4x4, 1500 Chevrolet Silverado LT
Y	E:	4x4, 1500 Chevrolet Silverado RST
Y	F:	4x4, 1500 Chevrolet Silverado Trail Boss - LT
Y	G:	4x4, 1500 Chevrolet Silverado LTZ
Y	H:	4x4, 1500 Chevrolet Silverado High Country
Y	9:	4x4, 1500 Chevrolet Silverado (Non-US, Non-Canada)



Chevrolet Silverado HD



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GB
2: Canada	1GC
2: Manufacturer	2GB
G: General Motors	2GC
3: Vehicle Brand/Type	
B: Chevrolet Incomplete	
C: Chevrolet Truck	

7: RESTRAINT SYSTEM

C:	AK5 - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)
E:	AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

B:	LC8 - ENGINE LPG/CNG, 8 CYL, V8, 6.0L, SFI, GEN 1, GMNA
G:	L96 - ENGINE GAS, 8 CYL, 6.0L, SFI, E85 MAX, IRON, GM
Y:	L5P - ENGINE DIESEL, 8 CYL, 6.6L, DI, V8, TURBO, DURAMAX, GEN 5 VAR. 1

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

F: Flint

When VIN position 1 is "2" (Canada):

1: Oshawa #2

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style		
		03 - Commercial Special Cutaway, Two (2) Door Cab pick-up, Motor Home Chassis	43 - Four (4) Door Crew Cab/Utility	53 - Extended Cab
Class H: 9,001-10,000	Hyd.	0	1	2
Class 3: 10,001-14,000	Hyd.	3	4	5


5~6: CHASSIS/SERIES

Book 6

C	R:	4x2, 2500 Chevrolet Silverado, Work Truck/Fleet/Base
C	S:	4x2, 2500 Chevrolet Silverado, LT
C	T:	4x2, 2500 Chevrolet Silverado, LTZ
C	U:	4x2, 2500 Chevrolet Silverado, High Country
C	V:	4x2, 3500 Chevrolet Silverado, Work Truck/Fleet/Base
C	W:	4x2, 3500 Chevrolet Silverado, LT
C	X:	4x2, 3500 Chevrolet Silverado, LTZ
C	Y:	4x2, 3500 Chevrolet Silverado, High Country
C	9:	4x2, Chevrolet Silverado, (Non-US, Non-Canada)
K	R:	4x4, 2500 Chevrolet Silverado, Work Truck/Fleet/Base
K	S:	4x4, 2500 Chevrolet Silverado, LT
K	T:	4x4, 2500 Chevrolet Silverado, LTZ
K	U:	4x4, 2500 Chevrolet Silverado, High Country
K	V:	4x4, 3500 Chevrolet Silverado, Work Truck/Fleet/Base
K	W:	4x4, 3500 Chevrolet Silverado, LT
K	X:	4x4, 3500 Chevrolet Silverado, LTZ
K	Y:	4x4, 3500 Chevrolet Silverado, High Country
K	9:	4x4, Chevrolet Silverado, (Non-US, Non-Canada)



Chevrolet Silverado LD



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
2: Canada	2GB
2: Manufacturer	2GC
G: General Motors	
3: Vehicle Brand/Type	
B: Chevrolet Incomplete	
C: Chevrolet Truck	

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		53 - Extended Cab
Class E: 6,001-7,000	Hyd.	R
Class F: 7,001-8,000	Hyd.	V

5~6: CHASSIS/SERIES

Book 6

C	M:	4x2 Chevrolet Silverado LD 1500 Custom
C	N:	4x2 Chevrolet Silverado LD 1500 Work Truck/Fleet/Base
C	P:	4x2 Chevrolet Silverado LD 1500 LT
C	9:	4x2 Chevrolet Silverado LD (Non-US, Non-Canada)
K	M:	4x4 Chevrolet Silverado LD 1500 Custom
K	N:	4x4 Chevrolet Silverado LD 1500 Work Truck/LS/Fleet /Base
K	P:	4x4 Chevrolet Silverado LD 1500 LT
K	9:	4x4 Chevrolet Silverado LD (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

C: L83 - ENGINE GAS, 8 CYL, 5.3L, DI, AFM, ALUM, GEN 5, VAR 1

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "2" (Canada):


1: Oshwa #2

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Silverado Medium Duty



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

H: Navistar, Inc.

3: Vehicle Brand/Type

T: Chevrolet Incomplete

4~5: MAKE / MODEL / SERIES / TYPE

Book 29	Make	Model	Series	Chassis, Cab Type, Body Style
K H:	GM	GM 515 - Silverado	GM	Conventional SFA 4x2
K J:	GM	GM 515 - Silverado	GM	Conventional SFA 4x4

6~7: ENGINE TYPE

P V: L5D - ENGINE DIESEL, 8 CYL, 6.6L, DI, V8, TURBO, DURAMAX, GEN 5, VAR. 3

8: GVWR/BRAKE SYSTEM

GVW (Lbs)/ Brake System		
Class 4: 14,001-16,000	Hyd.	H
Class 5: 16,001-19,500	Hyd.	K
Class 6: 19,501-26,000	Hyd.	M

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION


H: Springfield, OH

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Suburban



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

N: Chevrolet MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		05/06 - Cargo Van/Four (4) Door Cab/Utility, Passenger Van
Class F: 7,001-8,000	Hyd.	S
Class 3: 10,001 - 14,000	Hyd.	8

5~6: CHASSIS/SERIES

Book 6

C	G:	4x2, Chevrolet Suburban LS
C	H:	4x2, Chevrolet Suburban LT
C	J:	4x2, Chevrolet Suburban Premier
C	K:	4x2, Chevrolet Suburban FL
C	8:	4x2, Chevrolet Suburban, (Non-US, Non-Canada)
K	G:	4x4, Chevrolet Suburban LS
K	H:	4x4, Chevrolet Suburban LT
K	J:	4x4, Chevrolet Suburban Premier
K	K:	4x4, Chevrolet Suburban FL
K	L:	4x4, Chevrolet Suburban HD LS
K	M:	4x4, Chevrolet Suburban HD LT
K	8:	4x4, Chevrolet Suburban, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
- K: AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row), Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- C: L83 - ENGINE GAS, 8 CYL, 5.3L, SIDI VVT, AFM, E85 MAX, ALUM, GM
- G: L96 - ENGINE GAS, 8 CYL, 6.0L, SFI, E85 MAX, IRON, GM
- J: L86 - ENGINE GAS, 8 CYL, 6.2L, SIDI VVT, AFM, E85 MAX, ALUM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


R: Arlington

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Tahoe



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

N: Chevrolet MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		05/06 - Cargo Van/Four (4) Door Cab/Utility, Passenger Van
Class E: 6,001-7,000	Hyd.	L
Class F: 7,001-8,000	Hyd.	S

5~6: CHASSIS/SERIES

Book 6

C	A:	4x2, Chevrolet Tahoe, LS
C	B:	4x2, Chevrolet Tahoe, LT
C	C:	4x2, Chevrolet Tahoe, Premier
C	D:	4x2, Chevrolet Tahoe, Police Vehicle
C	E:	4x2, Chevrolet Tahoe, FL
C	7:	4x2, Chevrolet Tahoe, (Non-US, Non-Canada)
K	A:	4x4, Chevrolet Tahoe, LS
K	B:	4x4, Chevrolet Tahoe, LT
K	C:	4x4, Chevrolet Tahoe, Premier
K	D:	4x4, Chevrolet Tahoe, Police Vehicle
K	E:	4x4, Chevrolet Tahoe, FL
K	F:	4x4, Chevrolet Tahoe, Special Services Vehicle
K	7:	4x4, Chevrolet Tahoe, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
- K: AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row), Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- C: L83 - ENGINE GAS, 8 CYL, 5.3L, SIDI VVT, AFM, E85 MAX, ALUM, GM
- J: L86 - ENGINE GAS, 8 CYL, 6.2L, SIDI VVT, AFM, E85 MAX, ALUM, GM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


R: Arlington

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Traverse



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

N: Chevrolet MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
Class E: 6,001-7,000		56 - Four (4) Door Cab/Utility Extended
Hyd.		E

5~6: CHASSIS/SERIES

Book N

R	E:	Chevrolet Traverse L FWD
R	F:	Chevrolet Traverse LS FWD
R	G:	Chevrolet Traverse LT Cloth
R	H:	Chevrolet Traverse LT Leather
R	J:	Chevrolet Traverse RS
R	K:	Chevrolet Traverse Premier
R	L:	Chevrolet Traverse LS FL
R	M:	Chevrolet Traverse LT FL
R	N:	Chevrolet Traverse High Country FWD
R	8:	Chevrolet Traverse FWD (Non-US, Non-Canada)
V	F:	Chevrolet Traverse LS AWD
V	G:	Chevrolet Traverse LT Cloth AWD
V	H:	Chevrolet Traverse LT Leather AWD
V	J:	Chevrolet Traverse High Country/RS AWD
V	K:	Chevrolet Traverse Premier AWD
V	L:	Chevrolet Traverse LS FL AWD
V	M:	Chevrolet Traverse LT FL AWD
V	9:	Chevrolet Traverse AWD (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

K: AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row), Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

W: LFY - ENGINE GAS, 6CYL, V6, 3.6L, SIDI, DOHC, ATSS, GEN 1
X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


J: Lansing - Delta Township

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Trax/Tracker



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
3: Mexico	3GN
K: South Korea	KL7
L: People's Republic of China	LSG
2: Manufacturer	
G: General Motors	
L: GM Korea	
S: SAIC GM	
3: Vehicle Brand/Type	
N: Chevrolet MPV	
7: Chevrolet MPV (Korea)	
G: Chevrolet MPV (SAIC)	

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		76 - Four (4) Door Utility
Class B: 3,001-4,000	Hyd.	D
Class C: 4,001-5,000	Hyd.	C

5~6: CHASSIS/SERIES

Book I	
J K:	Chevrolet Trax LS FWD
J L:	Chevrolet Trax 1LT FWD
J M:	Chevrolet Trax Premier FWD
J N:	Chevrolet Trax LS AWD
J P:	Chevrolet Trax 1LT AWD
J R:	Chevrolet Trax Premier AWD
J 7:	Chevrolet Trax Export (Mexico)
J 8:	Chevrolet Tracker Export (Non US, Canada, or Mexico)

7: RESTRAINT SYSTEM

C:	ADL - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)
E:	AYC/AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
S:	AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

B:	LUV - ENGINE GAS, 4 CYL, 1.4L, MFI, DOHC, TURBO, VVT, ALUM, GME E85 MAX
E:	2H0 - ENGINE GAS, 4 CYL, 1.8L, MFI, 103KW, DOHC
M:	LE2 - ENGINE GAS, 4 CYL, L4, 1.4L, DI, DOHC, VVT, TURBO, ALUM GEN 1, GMNA
Z:	LEX - ENGINE GAS, 4 CYL, L4, 1.4L, DI, DOHC, VVT, ALUM, TURBO GEN 1, VAR 1

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "3" (Mexico):

L: San Luis Potosi

When VIN position 1 is "K" (S. Korea):

B: Bupyeong

When VIN position 1 is "L" (China):


Y: Dong Yue South

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



GMC Acadia



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

K: GMC MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class D: 5,001-6,000	Hyd.	F
Class E: 6001-7000	Hyd.	K

5~6: CHASSIS/SERIES

Book N

N	J:	GMC Acadia SL (1SV) FWD
N	K:	GMC Acadia SLE1 FWD
N	L:	GMC Acadia SLE2 FWD
N	M:	GMC Acadia SLT1 FWD
N	N:	GMC Acadia SLT2 FWD
N	P:	GMC Acadia Denali FWD
N	R:	GMC Acadia SLE1 AWD
N	S:	GMC Acadia SLE2 AWD
N	T:	GMC All Terrain 1 AWD
N	U:	GMC Acadia SLT1 AWD
N	V:	GMC All Terrain 2 AWD
N	W:	GMC Acadia SLT2 AWD
N	X:	GMC Acadia Denali AWD
N	8:	GMC Acadia, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

L: AYY - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row), Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows), Driver Knee

8: ENGINE TYPE

A: LCV - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85 MAX, E0-E100, ALUM

S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN 2

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


Z: Springhill

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



GMC Canyon



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GD
2: Manufacturer	1GT
G: General Motors	
3: Vehicle Brand/Type	
D: GMC Incomplete	
T: GMC Truck	

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style	
		43 - Four (4) Door Crew Cab/Utility	53 - Extended Cab
Class D: 5,001-6,000	Hyd.	G	H
Class E: 6,001-7,000	Hyd.	P	R

5~6: CHASSIS/SERIES

Book 52

5	A:	GMC Canyon, Base 2WD
5	B:	GMC Canyon, Work Truck 2WD
5	C:	GMC Canyon, SLE 2WD
5	D:	GMC Canyon, SLT 2WD
5	E:	GMC Canyon, Denali 2WD
6	B:	GMC Canyon, Work Truck 4WD
6	C:	GMC Canyon, SLE 4WD
6	D:	GMC Canyon, SLT 4WD
6	E:	GMC Canyon, Denali 4WD
6	F:	GMC Canyon, All Terrain 4WD

7: RESTRAINT SYSTEM

E:	AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
----	--

8: ENGINE TYPE

A:	LCV - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85 MAX, E0-E100, ALUM
N:	LGZ - ENGINE GAS, 6CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, VAR2, GEN 2
1:	LWN - ENGINE DIESEL, 2.8L, DI, L4, DOHC, TURBO, XLDE

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


1: Wentzville

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



GMC Savana



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GD
7: United States	1GJ
2: Manufacturer	
G: General Motors	1GT
G: Navistar Inc. (7GZ Only)	7GZ (Navistar Only)
3: Vehicle Brand/Type	
D: GMC Incomplete	
J: GMC Bus (Non School Bus)	
T: GMC Truck	
Z: GMC Incomplete Truck (Navistar Only)	

7: RESTRAINT SYSTEM

B:	AJ3 - Active Manual Belts, Airbag - Driver only - Front
C:	AK5 - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)
F:	(AK5&ASF) - Active Manual Belts, Airbags-Driver & Passenger - Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)
H:	(AJ3&ASF) -Active Manual Belts, Airbag - Driver only - Front, Front Seat Side (1st row), Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style	
		05/06 - Cargo Van/Four (4) Door Cab/Utility, Passenger Van	03 - Commercial Special Cutaway, Two (2) Door Cab pick-up, Motor Home Chassis
Class G: 8,001-9,000	Hyd.	W	Y
Class H: 9,001-10,000	Hyd.	Z	0
Class 3: 10,001-14,000	Hyd.		3
Class 4: 14,001-16,000	Hyd.		6

8: ENGINE TYPE

B:	LC8 - ENGINE FLEXIBLE FUEL, (CNG/LPG), 8 CYL, V8, 6.0L, SFI
G:	L96 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 6.0L, SFI IRON
P:	LV1 - ENGINE GAS, 6 CYL, 4.3L, SIDI, V6, VVT, E85 MAX, IRON
1:	LWN - ENGINE DIESEL, 2.8L, DI, L4, DOHC, TURBO, XLDE

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

1: Wentzville

When VIN position 1 is "7" (USA):

N: Springfield

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.


5~6: CHASSIS/SERIES

Book 8

7	A:	GMC Savana 2500 Cargo
7	B:	GMC Savana 2500 Cargo Ext
7	E:	GMC Savana 2500 Passenger LS
7	F:	GMC Savana 2500 Passenger LT
7	G:	GMC Savana 3500 Cargo
7	H:	GMC Savana 3500 Cargo Ext
7	L:	GMC Savana 3500 Passenger LS
7	M:	GMC Savana 3500 Passenger LT
7	N:	GMC Savana 3500 Passenger LS Ext
7	P:	GMC Savana 3500 Passenger LT Ext
7	R:	GMC Savana 3500 Cutaway 139" Wheelbase
7	S:	GMC Savana 3500 Cutaway 159" Wheelbase
7	T:	GMC Savana 3500 Cutaway 177" Wheelbase
7	U:	GMC Savana 4500 Cutaway 159" Wheelbase
7	V:	GMC Savana 4500 Cutaway 177" Wheelbase
7	9:	GMC Savana, (Non-US, Non-Canada)



GMC Sierra



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GT
3: Mexico	1GD
2: Manufacturer	3GT
G: General Motors	3GD
3: Vehicle Brand/Type	
T: GMC Truck	
D: GMC Incomplete	

7: RESTRAINT SYSTEM

E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

D: L84 - ENGINE GAS, 8 CYL, 5.3L, DI, DFM, ALUM, GEN 5, VAR 2
F: L82 - ENGINE GAS, 8 CYL, 5.3L, DI, AFM, ALUM, GEN 5, VAR 1
H: LV3 - ENGINE GAS, 6 CYL, 4.3L, GEN 5, SIDI, V6, VVT, OHV, E85 MAX, ALUM
K: L3B - ENGINE GAS, 4 CYL, L4, 2.7L, SIDI, VVT, TURBO, DOHC, ALUM
L: L87 - ENGINE GAS, 8 CYL, V8, 6.2L, DI DFM, ALUM, GEN 5
T: LM2 - ENGINE DIESEL, 6 CYL, 3.0L, CRI, L6, DOHC, TURBO, VGT, ALUM, CSS50V

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

Z: Fort Wayne

When VIN position 1 is "3" (Mexico):

G: Silao

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style		
		03 - Commercial Special Cutaway, Two (2) Door Cab pick-up, Motor Home Chassis	43 - Four (4) Door Crew Cab/Utility	53 - Extended Cab
Class E: 6,001-7,000	Hyd.	N	P	R
Class F: 7,001-8,000	Hyd.		U	V


5~6: CHASSIS/SERIES

Book 1

8	A:	4x2 GMC Sierra 1500 Fleet/Base
8	B:	4x2 GMC Sierra 1500 SLE
8	C:	4x2 GMC Sierra 1500 Elevation
8	D:	4x2 GMC Sierra 1500 SLT
8	F:	4x2 GMC Sierra 1500 Denali
8	9:	4x2 GMC Sierra, (Non-US, Non-Canada)
9	A:	4x4 GMC Sierra 1500 Fleet/Base
9	B:	4x4 GMC Sierra 1500 SLE
9	C:	4x4 GMC Sierra 1500 Elevation
9	D:	4x4 GMC Sierra 1500 SLT
9	E:	4x4 GMC Sierra 1500 AT4
9	F:	4x4 GMC Sierra 1500 Denali
9	9:	4x4 GMC Sierra, (Non-US, Non-Canada)



GMC Sierra HD



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GT
2: Canada	1GD
2: Manufacturer	2GT
G: General Motors	2GD
3: Vehicle Brand/Type	
T: GMC Truck	
D: GMC Incomplete	

7: RESTRAINT SYSTEM

C:	AK5 - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)
E:	AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

B:	LC8 - ENGINE LPG/CNG, 8 CYL, V8, 6.0L, SFI, GEN 1, GMNA
G:	L96 - ENGINE GAS, 8 CYL, 6.0L, SFI, E85 MAX, IRON, GM
Y:	L5P - ENGINE DIESEL, 8 CYL, 6.6L, DI, V8, TURBO, DURAMAX, GEN 5 VAR. 1

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style		
		03 - Commercial Special Cutaway, Two (2) Door Cab pick-up, Motor Home Chassis	43 - Four (4) Door Crew Cab/Utility	53 - Extended Cab
Class H: 9,001-10,000	Hyd.	0	1	2
Class 3: 10,001-14,000	Hyd.	3	4	5

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

F: Flint

When VIN position 1 is "2" (Canada):

1: Oshawa #2


12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

5~6: CHASSIS/SERIES

Book 6

1	N:	4x2, 2500 GMC Sierra Fleet/Base
1	P:	4x2, 2500 GMC Sierra SLE
1	R:	4x2, 2500 GMC Sierra SLT
1	S:	4x2, 2500 GMC Sierra Denali
1	T:	4x2, 3500 GMC Sierra Fleet/Base
1	U:	4x2, 3500 GMC Sierra SLE
1	V:	4x2, 3500 GMC Sierra SLT
1	W:	4x2, 3500 GMC Sierra Denali
1	9:	4x2, GMC Sierra (Non-US, Non-Canada)
2	N:	4x4, 2500 GMC Sierra Fleet/Base
2	P:	4x4, 2500 GMC Sierra SLE
2	R:	4x4, 2500 GMC Sierra SLT
2	S:	4x4, 2500 GMC Sierra Denali
2	T:	4x4, 3500 GMC Sierra Fleet/Base
2	U:	4x4, 3500 GMC Sierra SLE
2	V:	4x4, 3500 GMC Sierra SLT
2	W:	4x4, 3500 GMC Sierra Denali
2	9:	4x4, GMC Sierra (Non-US, Non-Canada)

**GMC Sierra Limited****1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)**

1: Region of Build	Valid Combinations
2: Canada	2GT
2: Manufacturer	2GD
G: General Motors	
3: Vehicle Brand/Type	
T: GMC Truck	
D: GMC Incomplete	

8: ENGINE TYPE

C: L83 - ENGINE GAS, 8 CYL, 5.3L, SIDI VVT, AFM, E85 MAX, ALUM, GM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "2" (Canada):

1: Oshawa #2

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

4: GVWR/BRAKE SYSTEM/BODY STYLE


GVW (Lbs)/ Brake System		Body Style
		53 - Extended Cab
Class E: 6,001-7,000	Hyd.	R
Class F: 7,001-8,000	Hyd.	V

5~6: CHASSIS/SERIES**Book 6**

1	L:	4x2 GMC Sierra Limited 1500 Fleet/Base
1	M:	4x2 GMC Sierra Limited 1500 SLE
1	9:	4x2 GMC Sierra Limited, (Non-US, Non-Canada)
2	L:	4x4 GMC Sierra Limited 1500 Fleet/Base
2	M:	4x4 GMC Sierra Limited 1500 SLE
2	9:	4x4 GMC Sierra Limited, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

**GMC Terrain****1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)**

- 1: Region of Build**
3: Mexico
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
K: GMC MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class C: 4,001-5,000	Hyd.	A

5~6: CHASSIS/SERIES**Book X**

- L L: GMC Terrain SL FWD
L M: GMC Terrain SLE FWD
L N: GMC Terrain SLE FWD Diesel
L P: GMC Terrain SLT FWD
L R: GMC Terrain SLT FWD Diesel
L S: GMC Terrain Denali FWD
L T: GMC Terrain SLE AWD
L U: GMC Terrain SLE AWD Diesel
L V: GMC Terrain SLT AWD
L W: GMC Terrain SLT AWD Diesel
L X: GMC Terrain Denali AWD
L 8: GMC Terrain, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- E: AY0/AYC - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- U: LH7 - ENGINE DIESEL, UREA, 4 CYL, 1.6L, L4, CRI, DOHC, VGT, ALUM
V: LYX - ENGINE GAS, 4 CYL, L4, 1.5L, DI, DOHC, VVT, FGT, TURBO, ALUM, GEN 1
X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- K: 2019

11: PLANT LOCATION

When VIN position 1 is "3" (Mexico):


- L: San Luis Potosi

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



GMC Yukon



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

K: GMC MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
Class F: 7,001-8,000		05/06 - Cargo Van/Four (4) Door Cab/Utility, Passenger Van
Hyd.		S

5~6: CHASSIS/SERIES

Book 6

1	A:	4x2, GMC Yukon SLE
1	B:	4x2, GMC Yukon SLT
1	C:	4x2, GMC Yukon Denali
1	D:	4x2, GMC Yukon SLT Standard Edition
1	7:	4x2, GMC Yukon, (Non-US, Non-Canada)
1	F:	4x2, GMC Yukon XL SLE
1	G:	4x2, GMC Yukon XL SLT
1	H:	4x2, GMC Yukon XL Denali
1	J:	4x2, GMC Yukon XL SLT Standard Edition
1	8:	4x2, GMC Yukon XL, (Non-US, Non-Canada)
2	A:	4x4, GMC Yukon SLE
2	B:	4x4, GMC Yukon SLT
2	C:	4x4, GMC Yukon Denali
2	D:	4x4, GMC Yukon SLT Standard Edition
2	7:	4x4, GMC Yukon, (Non-US, Non-Canada)
2	F:	4x4, GMC Yukon XL SLE
2	G:	4x4, GMC Yukon XL SLT
2	H:	4x4, GMC Yukon XL Denali
2	J:	4x4, GMC Yukon XL SLT Standard Edition
2	8:	4x4, GMC Yukon XL, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
- K: AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row), Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- C: L83 - ENGINE GAS, 8 CYL, 5.3L, SIDI VVT, AFM, E85 MAX, ALUM, GM
- J: L86 - ENGINE GAS, 8 CYL, 6.2L, SIDI VVT, AFM, E85 MAX, ALUM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


R: Arlington

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Holden Acadia



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
H: Holden MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class D: 5,001-6,000	Hyd.	F

5~6: CHASSIS/SERIES

Book N	
N 1:	Holden Acadia LT FWD, (Non-US, Non-Canada)
N 2:	Holden Acadia LTZ FWD, (Non-US, Non-Canada)
N 3:	Holden Acadia LTZ-V FWD, (Non-US, Non-Canada)
N 4:	Holden Acadia LT AWD, (Non-US, Non-Canada)
N 5:	Holden Acadia LTZ AWD, (Non-US, Non-Canada)
N 6:	Holden Acadia LTZ-V AWD, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

R: AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee(s) (1st row)
--

8: ENGINE TYPE

S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN 2

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION


When VIN position 1 is "1" (USA):
Z: Springhill

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Holden Equinox



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
3: Mexico
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
0: Holden MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class C: 4,001-5,000	Hyd.	A

5~6: CHASSIS/SERIES

- Book X**
- X 7: Holden Equinox, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- E: AYC - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- V: LYX - ENGINE GAS, 4 CYL, L4, 1.5L, DI, DOHC, VVT, FGT, TURBO, ALUM, GEN 1
- X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM
- 8: LVL - ENGINE DIESEL, 4 CYL, 1.6L, CRI, DOHC, VGT, 103KW

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

K: 2019

11: PLANT LOCATION

- When VIN position 1 is "3" (Mexico):
- S: Ramos Arizpe

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.