


ZFF E W 58 A 4 9 0 00001

(V.I.N. Always Begins and Finishes with a Star)



Production Sequence Number

Plant of Manufacture (Maranello)

Model Year (9 = 2009) for which the vehicle is covered by a certificate of conformity and assigned pursuant to 49 CFR Par 565, Table VI.

Check Digit

A: North America Specification (U.S.A, PUERTO RICO & CANADA)

Model Type:

- 58:** F430
- 59:** F430 Spider
- 64:** 430 Scuderia
- 66:** 430 Scuderia Spider
- 54:** 612 Scaglietti
- 60:** 599 GTB Fiorano

Restraint System:

- W:** F430/430 Scuderia have standard air bags, 3-point manual seats belts with pretensioners and load limiters and LATCH system on passenger seat.
- F430 Spider/430 Scuderia Spider have standard air bags, 3-point manual seats belts with pretensioners and load limiters and lower anchorages on passenger seat.
- B:** 612 Scaglietti has advanced air bags, 3-point manual seats belts with pretensioners and load limiters, on front passenger seats; 3-point manual seats belts with pretensioners and LATCH systems on rear passenger seats.
- C:** 599 GTB has 3-point manual seats belts with pretensioners and load limiters, advanced air bags, side bags and tether anchorage on passenger seat.

Engine Type:


- E:** Model F430: FERRARI F136E
- Model F430 Spider: FERRARI F136E
- F:** Model 599 GTB Fiorano: FERRARI F140C
- J:** Model 612 Scaglietti: FERRARI F133H
- K:** Model 430 Scuderia: FERRARI F136ED
- Model 430 Scuderia Spider: FERRARI F136ED

**Manufacturer Identification Assigned by CUNA
(Italian Technical Committee for Vehicle Unification)**



ZFF 65 L J A 9 A 0 000001

(V.I.N. Always Begins and Finishes with a Star)



Production Sequence Number

Plant of Manufacture (Maranello)

Model Year (A = 2010) for which the vehicle is covered by a certificate of conformity and assigned pursuant to 49 CFR Par 565, Table VI.

Check Digit

A: North America Specification (U.S.A, PUERTO RICO & CANADA)

Restraint System:

B: 612 Scaglietti has advanced air bags, 3-point manual seats belts with pretensioners and load limiters, on front passenger seats; 3-point manual seats belts with pretensioners and LATCH systems on rear passenger seats.

C: 599 GTB has 3-point manual seats belts with pretensioners and load limiters, advanced air bags, side bags and tether anchorage on passenger seat.

H: 3 points safety belts, with pretensioner, load limiter, dual stage airbags and lateral air bags, without passenger airbag ON-OFF switch

J: front seats: 3 points safety belts, with pretensioner, load limiter, dual stage airbags and lateral air bags, without passenger airbag ON-OFF switch, rear seats: 3 points safety belts with load limiter and two lower anchorages for each seat.

Engine Type:

F: Model 599 GTB Fiorano: FERRARI F140C

J: Model 612 Scaglietti: FERRARI F133H

L: Model California. FERRARI F136IB - DCT

M: Model California. FERRARI F136IB – mechanical gear-box

Model Type:

54: 612 Scaglietti

60: 599 GTB Fiorano

65: California


**Manufacturer Identification Assigned by CUNA
(Italian Technical Committee for Vehicle Unification)**

Note: This chart is valid for all Ferrari models starting from 2010 MY.



ZFF 65 L J A 9 B 0 000001

(V.I.N. Always Begins and Finishes with a Star)



Production Sequence Number

Plant of Manufacture (Maranello)

Model Year (B = 2011) for which the vehicle is covered by a certificate of conformity and assigned pursuant to 49 CFR Par 565, Table VII.

Check Digit

A: North America Specification (U.S.A, PUERTO RICO & CANADA)

Restraint System:

B: 612 Scaglietti has advanced front air bags, 3-point manual safety belts with pretensioners and load limiters, on front passenger seats; 3-point manual safety belts with pretensioners and LATCH systems on rear passenger seats.

C: 599 GTB and 599 GTO have 3-point manual safety belts with pretensioners and load limiters, advanced front air bags, side bags and tether anchorage for passenger seat.

H: California (2 seat version) has 3-point safety belts, with pretensioner, load limiter, advanced front airbags and side air bags, without passenger airbag ON-OFF switch.

J: California (2+2 seat version) has: 3-point safety belts, with pretensioner, load limiter, advanced front airbags and side air bags, without passenger airbag ON-OFF switch on front seats; 3 point safety belts with load limiter and two lower anchorages for each rear seats.

F: 458 Italia has 3-point safety belts with pretensioner and load limiter, advanced front air bags, side air bags and tether anchorage on passenger seat.

Engine Type:

F: Model 599 GTB Fiorano: FERRARI F140C

J: Model 612 Scaglietti: FERRARI F133H

L: Model California. FERRARI F136IB – dual clutch transmission

M: Model California. FERRARI F136IB – manual transmission

N: Model 458 Italia. FERRARI F136FB

R: Model 599 GTO. FERRARI F140CE

Model Type:

54: 612 Scaglietti

60: 599 GTB Fiorano

65: California

67: 458 Italia

70: 599 GTO


**Manufacturer Identification Assigned by CUNA
(Italian Technical Committee for Vehicle Unification)**

Note: This chart is valid for all Ferrari models starting from 2011 MY.



ZFF 65 L J A 9 C 0 000001

(V.I.N. Always Begins and Finishes with a Star)



Production Sequence Number

Plant of Manufacture (Maranello)

Model Year (C = 2012) for which the vehicle is covered by a certificate of conformity and assigned pursuant to 49 CFR Par 565, Table VII.

Check Digit

A: North America Specification (U.S.A, PUERTO RICO & CANADA)

Restraint System:

H: California (2 seat version), 458 Spider have 3-point safety belts, with pretensioner, load limiter, advanced front airbags and side air bags, without passenger airbag ON-OFF switch.

J: California (2+2 seat version) has: 3-point safety belts, with pretensioner, load limiter, advanced front airbags and side air bags, without passenger airbag ON-OFF switch on front seats; 3 point safety belts with load limiter and two lower anchorages for each rear seat.

F: 458 Italia has 3-point safety belts with pretensioner and load limiter, advanced front air bags, side air bags and tether anchorage on passenger seat.

K: FF has 3-point safety belts, with pretensioner, load limiter, advanced front airbags and side air bags, without passenger airbag ON-OFF switch on front seats; 3 point safety belts with load limiter and a complete LATCH system (two lower anchorages and one upper tether) on each rear seat.

Engine Type:

L: Model California. FERRARI F1361B – dual clutch transmission

M: Model California. FERRARI F1361B – manual transmission

N: Model 458 Italia, 458 Spider. FERRARI F136FB

S: Model FF. FERRARI F140EB

T: Model California. FERRARI F1361H – dual clutch transmission

Model Type:

65: California

67: 458 Italia

68: 458 Spider

73: FF


**Manufacturer Identification Assigned by CUNA
(Italian Technical Committee for Vehicle Unification)**

Note: This chart is valid for all Ferrari models starting from 2012 MY.



ZFF 65 T J A 9 D 0 000001

(V.I.N. Always Begins and Finishes with a Star)



Production Sequence Number

Plant of Manufacture (Maranello)

Model Year (D = 2013) for which the vehicle is covered by a certificate of conformity and assigned pursuant to 49 CFR Par 565, Table VII.

Check Digit

A: North America Specification (U.S.A, PUERTO RICO & CANADA)

Restraint System:

H: California (2 seat version), 458 Spider have 3-point safety belts, with pretensioner, load limiter, advanced front airbags and side air bags, without passenger airbag ON-OFF switch.

J: California (2+2 seat version) has: 3-point safety belts, with pretensioner, load limiter, advanced front airbags and side air bags, without passenger airbag ON-OFF switch on front seats; 3 point safety belts with load limiter and two lower anchorages for each rear seat.

F: 458 Italia, F12 Berlinetta have 3-point safety belts with pretensioner and load limiter, advanced front air bags, side air bags and tether anchorage on passenger seat.

K: FF has 3-point safety belts, with pretensioner, load limiter, advanced front airbags and side air bags, without passenger airbag ON-OFF switch on front seats; 3 point safety belts with load limiter and a complete LATCH system (two lower anchorages and one upper tether) on each rear seat.

Engine Type:

N: Model 458 Italia, 458 Spider. FERRARI F136FB

S: Model FF. FERRARI F140EB

T: Model California. FERRARI F136IH

U: Model F12 Berlinetta. FERRARI F140FC

Model Type:

65: California

67: 458 Italia

68: 458 Spider

73: FF

74: F12 Berlinetta

**Manufacturer Identification Assigned by CUNA
(Italian Technical Committee for Vehicle Unification)**

Note: This chart is valid for all Ferrari models starting from 2013 MY.



ZFF 65 T H A 9 E 0 000001

(V.I.N. Always Begins and Finishes with a Star)

Production Sequence Number

Plant of Manufacture (Maranello)

Model Year (E = 2014) for which the vehicle is covered by a certificate of conformity and assigned pursuant to 49 CFR Par 565, Table VII.

Check Digit

A: North America Specification (U.S.A, PUERTO RICO & CANADA)

Restraint System:

H: California (2 seat version), 458 Spider have 3-point safety belts, with pretensioner, load limiter, advanced front airbags and side air bags, without passenger airbag ON-OFF switch.

J: California (2+2 seat version) has: 3-point safety belts, with pretensioner, load limiter, advanced front airbags and side air bags, without passenger airbag ON-OFF switch on front seats; 3 point safety belts with load limiter and two lower anchorages for each rear seat.

F: 458 Italia, 458 Special Series, F12 Berlinetta, LaFerrari have 3-point safety belts with pretensioner and load limiter, advanced front air bags, side air bags and tether anchorage on passenger seat.

K: FF has 3-point safety belts, with pretensioner, load limiter, advanced front airbags and side air bags, without passenger airbag ON-OFF switch on front seats; 3 point safety belts with load limiter and a complete LATCH system (two lower anchorages and one upper tether) on each rear seat.

Engine Type:

N: Model 458 Italia, 458 Spider. FERRARI F136FB

S: Model FF. FERRARI F140EB

T: Model California. FERRARI F136IH

U: Model F12 Berlinetta. FERRARI F140FC

V: Model 458 Special Series. FERRARI F136FL

Z: Model LaFerrari. FERRARI F140FE

Model Type:

65: California

74: F12 Berlinetta

67: 458 Italia

75: 458 Special Series

68: 458 Spider

76: LaFerrari


73: FF

**Manufacturer Identification Assigned by CUNA
(Italian Technical Committee for Vehicle Unification)**

Note: This chart is valid for all Ferrari models starting from 2014 MY.



ZFF 77 X J A 9 G 0 000001 (V.I.N. Always Begins and Finishes with a Star)



Production Sequence Number

Plant of Manufacture (Maranello)

Model Year (G = 2016) for which the vehicle is covered by a certificate of conformity and assigned pursuant to 49 CFR Par 565, Table VII.

Check Digit

A: North America Specification (U.S.A, PUERTO RICO & CANADA)

Restraint System:

F: F12 Berlinetta, F12 tdf have 3-point safety belts with pretensioner and load limiter, advanced front air bags, side air bags and tether anchorage on passenger seat.

H: F60 America, has: 3-point safety belts, with pretensioner, load limiter, dual stage airbag and side air bags, without passenger airbag ON-OFF switch on front seats.

J: California T (2+2 seats) has: 3-point safety belts, with pretensioner, load limiter, advanced front airbags and side air bags, without passenger airbag ON-OFF switch on front seats; 3 point safety belts with load limiter and two lower anchorages for each rear seat.

K: FF has 3-point safety belts, with pretensioner, load limiter, advanced front airbags and side air bags, without passenger airbag ON-OFF switch on front seats; 3 point safety belts with load limiter and a complete LATCH system (two lower anchorages and one upper tether) on each rear seat.

L: 488 GTB has 3-point safety belts, with pretensioner, load limiter, air bag dual stage, side air bags, upper tether anchorage on passenger seat and roll-over protection system.

M: 488 Spider has 3-point safety belts, with pretensioner, load limiter, air bag dual stage, side air bags and roll-over protection system.

Engine Type:

- A: Model 488 GTB, 488 Spider
- B: Model F12 tdf, F60 America
- S: Model FF
- U: Model F12 Berlinetta
- X: Model California T

Model Type:

- 73: FF
- 74: F12 Berlinetta
- 77: California T
- 79: 488 GTB
- 80: 488 Spider
- 81: F12 tdf
- 85: F60 America


**Manufacturer Identification Assigned by CUNA
(Italian Technical Committee for Vehicle Unification)**

Note: This chart is valid for all Ferrari models starting from 2016 MY.



ZFF 77 X J A 9 H 0 000001

(V.I.N. Always Begins and Finishes with a Star)



Production Sequence Number

Plant of Manufacture (Maranello)

Model Year (H = 2017) for which the vehicle is covered by a certificate of conformity and assigned pursuant to 49 CFR Par 565, Table VII.

Check Digit

A: North America Specification (U.S.A, PUERTO RICO & CANADA)

Restraint System:

F: F12 Berlinetta, F12 tdf have 3-point safety belts with pretensioner and load limiter, advanced front air bags, side air bags and tether anchorage on passenger seat.

J: California T has: 3-point safety belts, with pretensioner, load limiter, advanced front airbags and side air bags, without passenger airbag ON-OFF switch on front seats; 3 point safety belts with load limiter and two lower anchorages for each rear seat.

L: 488 GTB has 3-point safety belts, with pretensioner, load limiter, air bag dual stage, side air bags, upper tether anchorage on passenger seat and roll-over protection system.

M: 488 Spider has 3-point safety belts, with pretensioner, load limiter, air bag dual stage, side air bags and roll-over protection system

N: GTC4Lusso has roll over protection system.

Front seats: 3-point safety belts with retractor, pretensioner and load limiter, dual stage frontal air bags, side head air bags, without passenger airbag ON-OFF switch;

Rear seats: 3 point safety belts with retractor, load limiter and a complete LATCH system (two lower anchorages and one upper tether) for child restraint systems.

Engine Type:

A: Model 488 GTB, 488 Spider

B: Model F12 tdf

U: Model F12 Berlinetta

X: Model California T

W: Model GTC4Lusso V12

Model Type:

74: F12 Berlinetta

79: 488 GTB

81: F12 tdf

77: California T

80: 488 Spider

82: GTC4Lusso

Manufacturer Identification Assigned by CUNA

(Italian Technical Committee for Vehicle Unification)


Note: This chart is valid for all Ferrari models starting from 2017 MY.



Ferrari Decoding Breakdown - Model Year 2018

(V.I.N. Always Begins and Finishes with a Star)

ZFF 83 C L A ? J 0 000001 (← Example for a generic “812 Superfast” VIN number)



Production Sequence Number

Plant of Manufacture (Maranello)

Model Year (J = 2018) for which the vehicle is covered by a certificate of conformity and assigned pursuant to 49 CFR Par 565, Table VII.

Check Digit (algorithm result that depends by the combination of the letters / numbers listed on the VIN code)

A: North America Specification (U.S.A, PUERTO RICO & CANADA)

Restraint System:

L: 812 Superfast have 3-point safety belts with retractor, pretensioner and load limiter, dual stage frontal air bags, side head air bags, upper tether anchorage for child restraint systems on passenger seat, roll over protection system.

J: California T has:

Front seats: 3-point safety belts, with retractor, pretensioner, load limiter, dual stage frontal air bags, side head air bags, without passenger airbag ON-OFF switch;

Rear seats: 3 point safety belts with retractor, load limiter and two lower anchorages for child restraint systems .

N: GTC4Lusso and GTC4Lusso T have roll over protection system.

Front seats: 3-point safety belts with retractor, pretensioner and load limiter, dual stage frontal air bags, side head air bags, without passenger airbag ON-OFF switch;

Rear seats: 3 point safety belts with retractor, load limiter and a complete LATCH system (two lower anchorages and one upper tether) for child restraint systems.

L: 488 GTB has 3-point safety belts, with retractor, pretensioner, load limiter, dual stage air bags, side head air bags, upper tether anchorage on passenger seat for child restraint systems and roll-over protection system.

M: 488 Spider has 3-point safety belts, with retractor, pretensioner and load limiter, dual stage air bags, side head air bags and roll-over protection system.

Engine Type:

A: F154CB (Model 488 GTB, 488 Spider)

C: F140GA (Model 812 Superfast)

X: F154BB (Model California T)

W: F140ED (Model GTC4Lusso - V12)

Y: F154BD (Model GTC4Lusso T - V8)

Model Type:

83: 812 Superfast

77: California T

79: 488 GTB

80: 488 Spider

82: GTC4Lusso / GTC4Lusso T

Manufacturer Identification Assigned by CUNA (Italian Technical Committee for Vehicle Unification)



Ferrari Decoding Breakdown - Model Year 2019

(V.I.N. Always Begins and Finishes with a Star)

ZFF 83 C L A ? K 0 000001 (← Example for a generic “812 Superfast” VIN number)

Production Sequence Number

Plant of Manufacture (Maranello)

Model Year (K = 2019) for which the vehicle is covered by a certificate of conformity and assigned pursuant to 49 CFR Par 565, Table VII.

Check Digit (algorithm result that depends by the combination of the letters / numbers listed on the VIN code)

A: North America Specification (U.S.A, PUERTO RICO & CANADA)

Restraint System:

L: 812 Superfast, 488 GTB and 488 Pista have 3-point safety belts with retractor, pretensioner and load limiter, dual stage frontal air bags, side head air bags, upper tether anchorage for child restraint systems on passenger seat, roll over protection system.

P: Portofino has:

Front seats: 3-point safety belts, with retractor, pretensioner, load limiter, dual stage frontal air bags, side head air bags, without passenger airbag ON-OFF switch;

Rear seats: 3 point safety belts with retractor, load limiter and two lower anchorages for child restraint systems; roll over protection system.

N: GTC4Lusso and GTC4Lusso T have roll over protection system.

Front seats: 3-point safety belts with retractor, pretensioner and load limiter, dual stage frontal air bags, side head air bags, without passenger airbag ON-OFF switch;

Rear seats: 3 point safety belts with retractor, load limiter and a complete LATCH system (two lower anchorages and one upper tether) for child restraint systems.

M: 488 Spider has 3-point safety belts, with retractor, pretensioner and load limiter, dual stage air bags, side head air bags and roll-over protection system.

Engine Type:

A: F154CB (Model 488 GTB, 488 Spider)

H: F154CD (Model 488 Pista)

C: F140GA (Model 812 Superfast)

F: F154BE (Model Portofino)

W: F140ED (Model GTC4Lusso - V12)

Y: F154BD (Model GTC4Lusso T - V8)

Model Type:

83: 812 Superfast

89: Portofino

79: 488 GTB

80: 488 Spider

90: 488 Pista

82: GTC4Lusso / GTC4Lusso T

Manufacturer Identification Assigned by CUNA (Italian Technical Committee for Vehicle Unification)

Note: This chart is valid for all Ferrari models starting from 2019 MY.



Ferrari Decoding Breakdown - Model Year 2020

(V.I.N. Always Begins and Finishes with a Star)

ZFF 83 C L A ? L 0 000001 (← Example for a generic “812 Superfast” VIN number)

Production Sequence Number

Plant of Manufacture (Maranello)

Model Year (L = 2020) for which the vehicle is covered by a certificate of conformity and assigned pursuant to 49 CFR Par 565, Table VII.

Check Digit (algorithm result that depends by the combination of the letters / numbers listed on the VIN code)

A: North America Specification (U.S.A, PUERTO RICO & CANADA)

Restraint System:

L: 812 Superfast, 488 GTB, 488 Pista, and F8 Tributo have 3-point safety belts with retractor, pretensioner and load limiter, dual stage frontal air bags, side head air bags, upper tether anchorage for child restraint systems on passenger seat, roll over protection system.

P: Portofino has:

Front seats: 3-point safety belts, with retractor, pretensioner, load limiter, dual stage frontal air bags, side head air bags, without passenger airbag ON-OFF switch;

Rear seats: 3 point safety belts with retractor, load limiter and two lower anchorages for child restraint systems; roll over protection system.

N: GTC4Lusso and GTC4Lusso T have roll over protection system.

Front seats: 3-point safety belts with retractor, pretensioner and load limiter, dual stage frontal air bags, side head air bags, without passenger airbag ON-OFF switch;

Rear seats: 3 point safety belts with retractor, load limiter and a complete LATCH system (two lower anchorages and one upper tether) for child restraint systems.

M: 488 Spider and 488 Pista Spider have 3-point safety belts, with retractor, pretensioner and load limiter, dual stage air bags, side head air bags and roll-over protection system.

Engine Type:

A: F154CB (Model 488 GTB, 488 Spider)

H: F154CD (Model 488 Pista, 488 Pista Spider)

C: F140GA (Model 812 Superfast)

F: F154BE (Model Portofino)

W: F140ED (Model GTC4Lusso - V12)

Y: F154BD (Model GTC4Lusso T - V8)

L: F154CG (Model F8 Tributo)

Model Type:

83: 812 Superfast

89: Portofino

82: GTC4Lusso / GTC4Lusso T

79: 488 GTB

80: 488 Spider

92: F8 Tributo

90: 488 Pista

91: 488 Pista Spider

Manufacturer Identification Assigned by CUNA (Italian Technical Committee for Vehicle Unification)

Note: This chart is valid for all Ferrari models starting from 2020 MY.