GENERAL MOTORS LLC
Global Vehicle Safety

September 22, 2017
USG 4565
Part 8

The Honorable Jack Danielson
Acting Deputy Administrator
National Highway Traffic Safety Administration
1200 New Jersey Avenue
Washington, DC 20590

Subject: Revision to General Motors' Vehicle Identification Number decoding for 2018 Model Year

Dear Mr. Danielson:

A revision to General Motors' Vehicle Identification Numbering (VIN) Standard for the 2018 Model Year dated September 22, 2017, is submitted per the VIN reporting requirements of 49 CFR Part 565.16(c).

For additional copies of any of the material submitted to the NHTSA for consideration at this time, any additional information regarding items herein, or if further discussion of this matter will be of assistance to the agency during its consideration of this petition, please contact me at the following address:

Brian Latouf, Executive Director
Global Safety and Field Investigations,
Regulations and Certification
General Motors LLC
Mail Code 480-210-2V
29427 Louis Chevrolet Rd
Warren, Michigan 48093-2350

Questions may also be directed to Mr. Matthew Jerinsky in GM's Washington, DC office.

Sincerely,

Brian Latouf
Executive Director, Global Safety and Field Investigations,
Regulations and Certification

cc: VIN Coordinator, Michael Frenchik
Attachment

Mail Code: 480-210-2V
29427 Louis Chevrolet Rd · Warren, MI 48093-2350

General Motors LLC

2018

This Vehicle Identification Numbering Standard is in compliance with Federal Motor Vehicle Safety Regulation 565

Vehicle Identification Numbering Standard

September 12, 2017

Copyright 2017 General Motors.
All Rights Reserved.
These materials may not be reproduced, distributed, modified or reposted to other websites without the express written permission of General Motors. http://www.gm.com/copyright-trademark/

Table of Contents

Purpose ---- 4

Maintenance & Operating Responsibilities ---- 4

Organization and Description of VIN Positions ---- 5

Check Digit ---- 6

Passenger Car Vehicle Identification Numbering System ---- 8

Buick Cascada ---- 9

Buick LaCrosse ---- 10

Buick Regal ---- 11

Buick Regal Tour X ---- 12

Cadillac ATS ---- 13

Cadillac CT6 ---- 14

Cadillac CTS ---- 15

Cadillac XTS ---- 16

Chevrolet Aveo ---- 17

Chevrolet Bolt ---- 18

Chevrolet Camaro ---- 19

Chevrolet Corvette ---- 20

Chevrolet Cruze ---- 21

Chevrolet Impala ---- 22

Chevrolet Malibu ---- 23

Chevrolet Sonic ---- 24

Chevrolet Spark ---- 25

Chevrolet Volt ---- 26

Opel Ampera E ---- 27

Table of Contents (Continued)

Light Duty Trucks, MPV & Incomplete Vehicle Identification Numbering System 28
Buick Enclave 29
Buick Encore 30
Buick Envision 31
Cadillac Escalade 32
Cadillac XT5 33
Cadillac Stretch Limousine, Funeral Coach, Armored Vehicle 34
Chevrolet City Express 35
Chevrolet Colorado 36
Chevrolet Equinox 37
Chevrolet Express 38
Chevrolet Low Cab Forward 39
Chevrolet Silverado 40
Chevrolet Suburban 41
Chevrolet Tahoe 42
Chevrolet Traverse 43
Chevrolet Trax/Tracker 44
GMC Acadia 45
GMC Canyon 46
GMC Savana 47
GMC Sierra 48
GMC Terrain 49
GMC Yukon 50
Holden Equinox 51

Purpose

The purpose of this standard is to define the uniform composition of Vehicle Identification Numbers (VIN) applied to GM vehicles marketed in the United States, U.S. Territories, Canada and vehicles manufactured in US, Canada, and Mexico. This GM Standard has been promulgated in compliance with U.S. Federal Motor Vehicle Safety Regulation Part 565 (FMVSR 565) administered by the National Highway Traffic Safety Administration (NHTSA) and with Canada Motor Vehicle Safety Standard 115 (CMVSS 115) administered by Transport Canada.

Certain vehicles manufactured by GM for titling and registration elsewhere in the world may have other requirements with which they must comply, thus precluding the use of this VIN Standard. However, the VIN described herein does comply with the vehicle identification numbering standard of the International Organization for Standardization (ISO), and should be acceptable in many countries around the world.

Maintenance & Operating Responsibilities

Responsibility for updating the code tables contained herein has been established, and is shown on each table. As information or revisions to existing tables become known, the updated tables of codes for the coming model years(s) should be submitted by the authorized activity to North American Product Engineering. Mail Code 480-210-2G1 30001 Van Dyke Ave, Warren MI 48090-9020. Product Engineering has responsibility for publication and dissemination of the updated hardcopy model year tables of VIN data throughout General Motors.

A copy of the updated materials is sent to Global Safety Center (GSC), which has responsibility for review and approval of the coding tables specified. The GSC has the responsibility for submitting these tables of VIN data, and any revisions thereto, to the National Highway Traffic Safety Administration (NHTSA).

Requests for any changes or refinements to the information content (not coding tables) of these Standards shall be directed to Engineering. The revision request must provide a comprehensive explanation for the requested change. VIN Engineering is responsible to review revision requests and make appropriate modifications before issuing revised pages to the Standards. Upon approval of proposed revisions by involved Divisions and Staffs, revisions to the Standards are incorporated into the text of revised pages and are distributed and posted to the Labels, Literature & VIN website.

The Engine RPO and corresponding VIN Codes for Passenger Cars, Light-Duty Trucks (LDT), and Multi-Passenger Vehicles (MPV) that are published in this standard are also updated in the Production Order Management Systems (POMS) and the Integrated Scheduling Project (ISP) by VIN Engineering.

VIN DREs of GM regions will be responsible for distribution of this Standard to persons or activities of their Unit or Region who are affected by or have a need for this information.

The code* definitions contained in the tables of interpretive data that follow provide for translation of the characters comprising any GM VIN, while at the same time they provide the information needed to compose the correct VIN for a GM vehicle. The tables of interpretive data are organized in Sections, and are described as follows:

*Only Arabic numerals and English alphabetic capital letters are permitted in GM VINs. However, I, O (oh), and Q, and special characters are <u>not</u> allowed as stated in FMVSR 565 and/or CMVSS 115 and/or ISO Standards.

Organization and Description of VIN Positions

VIN Positions 1~3

Positions 1~3 in the VIN are designated for the World Make/Manufacturer Identifiers (WMI). WMIs are assigned to General Motors by the Society of Automotive Engineers (SAE). This indicates the country of origin, the make/manufacturer, and type/brand of vehicle.

VIN Position 4 – Passenger Car

Position 4 designates the vehicle line. This is most commonly, but not always, the same as the book number. In the instance a book number has two characters, the second character is used to indicate the vehicle line.

VIN Position 4 – MPV, Light Duty Truck & Incomplete Vehicles

Position 4 designates the Gross Vehicle Weight Rating (GVWR), brake system and body style.

VIN Position 5 – Passenger Car

Position 5 designates the car series. This includes the various trim levels and badges for a vehicle line.

VIN Position 5 – MPV, Light Duty Truck & Incomplete Vehicles

Position 5 designates the chassis of the vehicle. If a vehicle is equipped with either two wheel drive or four wheel drive, the 5th position will reflect which drive train is installed on the vehicle. Some vehicles however will have a 5th position similar to that of a passenger car, where the book number is used. In the instance the book number has two characters, the second character is used to indicate the vehicle chassis.

VIN Position 6 – Passenger Car

Position 6 designates the body styles for each vehicle.

VIN Position 6 - MPV, Light Duty Truck & Incomplete Vehicles

Position 6 designates the series of the vehicle. Like position 5 for passenger car, this includes the various trim levels and badges for a vehicle line.

VIN Position 7

Position 7 is an alpha only character, which designates the restraint system used in the vehicle.

VIN Position 8

Position 8 is an alpha/numeric character which designates the engine used in the vehicle.

VIN Position 9

Position 9 designates the Check Digit. The Check Digit is an alpha/numeric character which is calculated by the composition of the VIN.

See the Check Digit section for an explanation on the calculation of the check digit, and an example.

VIN Position 10

Position 10 designates the model year of the vehicle.

VIN Position 11

Position 11 designates the plant code the vehicle was built.

VIN Positions 12~17

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Check Digit

A check digit shall be provided as part of each vehicle identification number. The check digit shall occupy the ninth position in the

The check digit is determined by carrying out the mathematical computation as follows:

(1) Assign to each number in the vehicle identification number its actual mathematical value, and assign to each letter the

Table 1: Alpha Numeric Conversion Factor

A=1	J=1	T=3
B=2	K=2	U=4
C=3	L=3	V=5
D=4	M=4	W=6
E=5	N=5	X=7
F=6	P=7	Y=8
G=7	R=9	Z=9
H=8	S=2	

(2) Multiply the assigned value for each position in the vehicle identification number by the weight factor specified in the

Table 2: Position and Weight Factor

1st	8
2nd	7
3rd	6
4th	5
5th	4
6th	3
7th	2
8th	10
9th	0

10th	9
11th	8
12th	7
13th	6
14th	5
15th	4
16th	3
17th	2

(3) Add the resulting products and divide the total by 11.

(4) The remainder is the check digit, which will be inserted in the ninth position. If the remainder is 0–9, the check digit is

Check Digit (continued)

EXAMPLE:

VIN Position	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
VIN Example	1	G	2	N	G	1	2	E	ь	2	M	9	2	3	4	5	6
ASSIGNED VALUE	1	7	2	5	7	1	2	5	ь	2	4	9	2	3	4	5	6
MULTIPLY BY WEIGHT FACTOR	x 8	x 7	x 6	x 5	x 4	x 3	x 2	x 10	ь	x 9	x 8	x 7	x 6	x 5	x 4	x 3	x 2

ADD PRODUCTS 8+49 + 12 + 25 + 28 + 3 + 4 + 50 ь +18+32+63+12+15+16+15+12 = 362

DIVIDE BY 11 362/11 = 32 + 10/11, remainder = 10

Therefore
CHECK DIGIT is: X (It will appear as the character in the 9th position of the VIN)

Table 3: Ninth Position Check Digit Values

Fractional	0	1/11	2/11	3/11	4/11	5/11	6/11	7/11	8/11	9/11	10/11
Decimal Equivalent Remainder	0	0.091	0.182	0.273	0.364	0.455	0.545	0.636	0.727	0.818	0.909
Check Digit	**0**	**1**	**2**	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**X**

Passenger Car Vehicle Identification Numbering System





Buick Cascada

TYPICAL VIN	W	0	4	W	G	3	N	5	X	J	G	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
VEHICLE LINE
SERIES
BODY TYPE
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build
- **W:** Europe

2: Manufacturer
- **0:** Opel Automobile GmbH

3: Vehicle Brand/Type
- **4:** Buick Passenger Car

4~5: VECHICLE LINE/SERIES

Book 0W

W	**G:**	Buick Cascada, Base
W	**H:**	Buick Cascada, Premium Group
W	**J:**	Buick Cascada, Sport Touring Group

6: BODY STYLE

3: 67 - Coupe, 2 - Door, Convertible

7: RESTRAINT SYSTEM

N: AYL - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), & Front Seat Side (1st row), Driver & Passenger Knee (1st row)

8: ENGINE TYPE

5: LWC - ENGINE GAS, 4 CYL, 1.6L, SIDI, TURBO, DOHC, VVT, HO, FAM 1, GEN 4, GME

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "W" (Europe):

G: Gliwice

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Buick LaCrosse

TYPICAL VIN	1	G	4	Z	M	5	S	S	X	J	U	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
VEHICLE LINE
SERIES
BODY TYPE
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build
- **1:** United States

2: Manufacturer
- **G:** General Motors

3: Vehicle Brand/Type
- **4:** Buick Passenger Car

4~5: VECHICLE LINE/SERIES

Book Z

Z	**M:**	Buick LaCrosse
Z	**N:**	Buick LaCrosse Preferred
Z	**P:**	Buick LaCrosse Essence Group
Z	**R:**	Buick LaCrosse Premium Group
Z	**S:**	Buick LaCrosse Premium AWD Group
Z	**T:**	Buick LaCrosse Avenir
Z	**U:**	Buick LaCrosse Avenir AWD
Z	**8:**	Buick Lacrosse (Non-US, Non-Canada)

6: BODY STYLE

5: 79 - Sedan, 4 - Door, 4 Window, Notchback Extended

7: RESTRAINT SYSTEM

S: AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN 2

Z: LHN - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, VVT, BAS, GEN 3 ALUM

k

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

U: Detroit Hamtramck

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Buick Regal

TYPICAL VIN	W	0	4	G	K	6	S	X	X	J	1	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
VEHICLE LINE
SERIES
BODY TYPE
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build
- **W:** Germany

2: Manufacturer
- **0:** Opel Automobile GmbH

3: Vehicle Brand/Type
- **4:** Buick Passenger Car

4~5: VECHICLE LINE/SERIES

Book Z

G or Z	**K:**	Buick Regal 1SV
G or Z	**L:**	Buick Regal Preferred
G or Z	**M:**	Buick Regal Preferred II FWD
G or Z	**N:**	Buick Regal Preferred II AWD
G or Z	**P:**	Buick Regal Essence FWD
G or Z	**R:**	Buick Regal Essence AWD
G or Z	**S:**	Buick Regal GS AWD
G or Z	**8:**	Buick Regal, (Non-US, Non-Canada)

6: BODY STYLE

- **6:** 68 - Sedan, 4 -Door, 6 Window, Plain Back, (H/Back)

7: RESTRAINT SYSTEM

- **S:** AYF- Active Manual Belts, Airbags- Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

- **S:** LGX -ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN2
- **X:** LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, TURBO E85 MAX

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

- **J:** 2018

11: PLANT LOCATION

When VIN position 1 is "W" (Germany):
- **1:** Russelsheim

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Buick Regal TourX

TYPICAL VIN	W	0	4	G	T	8	S	X	X	J	1	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
VEHICLE LINE
SERIES
BODY TYPE
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build
- **W:** Germany

2: Manufacturer
- **0:** Opel Automobile GmbH

3: Vehicle Brand/Type
- **4:** Buick Passenger Car

4~5: VECHICLE LINE/SERIES

Book Z

G or Z	**T:**	Buick Regal TourX
G or Z	**U:**	Buick Regal TourX Preferred
G or Z	**V:**	Buick Regal TourX Essence

6: BODY STYLE

- **8:** 35 - Station Wagon, 4 - Door

7: RESTRAINT SYSTEM

- **S:** AYF- Active Manual Belts, Airbags- Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

- **X:** LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, TURBO E85 MAX

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

- **J:** 2018

11: PLANT LOCATION

When VIN position 1 is "W" (Germany):
- **1:** Russelsheim

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Cadillac ATS

TYPICAL VIN	1	G	6	A	A	1	R	A	X	J	0	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
VEHICLE LINE
SERIES
BODY TYPE
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build
- **1:** United States

2: Manufacturer
- **G:** General Motors

3: Vehicle Brand/Type
- **6:** Cadillac Passenger Car

4~5: VEHICLE LINE/SERIES

Book A

A	**A:**	Cadillac ATS
A	**B:**	Cadillac ATS Luxury
A	**C:**	Cadillac ATS Premium Luxury
A	**D:**	Cadillac ATS Premium Performance
A	**E:**	Cadillac ATS AWD
A	**F:**	Cadillac ATS Luxury AWD
A	**G:**	Cadillac ATS Premium Luxury AWD
A	**H:**	Cadillac ATS Premium Luxury W/ Driver Assist PKG
A	**J:**	Cadillac ATS Premium Performance W/ Driver Assist PKG
A	**K:**	Cadillac ATS Premium Luxury AWD W/ Driver Assist PKG
A	**L:**	Cadillac ATS V Series
A	**9:**	Cadillac ATS (Export Only)

6: BODY STYLE
- **1:** 47 - Coupe, 2 - Door, Notchback Special
- **5:** 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM
- **R:** AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Driver & Passenger knee (1st row)
- **S:** AYF- Active Manual Belts, Airbags- Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE
- **S:** LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN2
- **X:** LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM
- **Y:** LF4 - ENGINE GAS, 6 CYL, 3.6L, GEN1+, V6 , SIDI, DOHC, VVT, ALUM, TWIN TURBO

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR
- **J:** 2018

11: PLANT LOCATION

When VIN position 1 is "1" (USA):
- **0:** Lansing - Grand River

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Cadillac CT6

TYPICAL VIN	1	G	6	K	A	5	R	X	X	J	U	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
VEHICLE LINE
SERIES
BODY TYPE
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

		Valid Combinations
1: Region of Build		
1:	United States	1G6
L:	China	LRE
2: Manufacturer		
G:	General Motors	
R:	SAIC GM	
3: Vehicle Brand/Type		

When VIN position 1 is "1" (USA):

6: Cadillac Passenger Car

When VIN position 1 is "L" (China):

E: Cadillac Passenger Car

4~5: VEHICLE LINE/SERIES

Book K

K	**A:**	Cadillac CT6, 2.0T
K	**B:**	Cadillac CT6 3.6L AWD
K	**C:**	Cadillac CT6 2.0T Luxury
K	**D:**	Cadillac CT6 3.6L Luxury AWD
K	**E:**	Cadillac CT6 3.0TT Luxury AWD
K	**F:**	Cadillac CT6 3.6L Premium Luxury AWD
K	**G:**	Cadillac CT6 3.6L Premium Luxury (CSAV) AWD
K	**H:**	Cadillac CT6 3.0TT Premium Luxury AWD
K	**J:**	Cadillac CT6 3.0TT Premium Luxury (CSAV) AWD
K	**K:**	Cadillac CT6 2.0T Premium Luxury (PHEV)
K	**L:**	Cadillac CT6 3.6L Platinum AWD
K	**M:**	Cadillac CT6 3.6L Platinum (CSAV) AWD
K	**N:**	Cadillac CT6 3.0TT Platinum AWD
K	**P:**	Cadillac CT6 3.0TT Platinum (CSAV) AWD
K	**9:**	Cadillac CT6 (Non-US, Non-Canada)

6: BODY STYLE

5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

R: AYX - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN 2

X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM

6: LGW - ENGINE GAS, 6 CYL, 3.0L, V6, DI, DOHC, VVT, ALUM, TWIN TURBO, GEN 2

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

U: Detroit Hamtramck

When VIN position 1 is "L" (China):

A. Jinqiao East

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Cadillac CTS

TYPICAL VIN	1	G	6	A	P	5	S	S	X	J	0	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
VEHICLE LINE
SERIES
BODY TYPE
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build
- **1:** United States

2: Manufacturer
- **G:** General Motors

3: Vehicle Brand/Type
- **6:** Cadillac Passenger Car

4~5: VEHICLE LINE/SERIES

Book A

A	**P:**	Cadillac CTS,
A	**R:**	Cadillac CTS, Luxury
A	**S:**	Cadillac CTS, Premium Luxury
A	**U:**	Cadillac CTS, V-sport
A	**V:**	Cadillac CTS, V-sport Premium Luxury
A	**W:**	Cadillac CTS, (AWD)
A	**X:**	Cadillac CTS, Luxury (AWD)
A	**Y:**	Cadillac CTS, Premium Luxury (AWD)
A	**1:**	Cadillac CTS, V-Series
A	**8:**	Cadillac CTS (Non-US, Non-Canada)

6: BODY STYLE

5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

S: AYF - Active Manual Belts, Airbags- Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN2

X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM

6: LT4 - ENGINE GAS, 8 CYL, 6.2L, DI, SC, AFM, VVT, ALUM, GMNA

8: LF3 - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, ALUM, TWIN TURBO, GM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

0: Lansing - Grand River

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Cadillac XTS

TYPICAL VIN	2	G	6	1	L	5	S	3	X	J	9	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
VEHICLE LINE
SERIES
BODY TYPE
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build
- **2:** Canada

2: Manufacturer
- **G:** General Motors

3: Vehicle Brand/Type
- **6:** Cadillac Passenger Car

4~5: VEHICLE LINE/SERIES

Book 0G

1	**L:**	Cadillac XTS, FWD
1	**M:**	Cadillac XTS, Luxury FWD
1	**N:**	Cadillac XTS, Luxury AWD
1	**P:**	Cadillac XTS, Premium Luxury FWD
1	**R:**	Cadillac XTS, Premium Luxury AWD
1	**S:**	Cadillac XTS, Platinum FWD
1	**T:**	Cadillac XTS, Platinum AWD
1	**U:**	Cadillac XTS, Livery FWD (W20)
1	**W:**	Cadillac XTS, Platinum V-sport AWD
1	**8:**	Cadillac XTS, (Non US, Non Canada)

6: BODY STYLE

5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

S: AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

3: LFX - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX, ALUM GM

8: LF3 - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, ALUM, TWIN TURBO, GM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "2" (Canada):

9: Oshawa #1 (OSH)

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Aveo

TYPICAL VIN	3	G	1	T	A	5	A	F	X	J	L	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
VEHICLE LINE
SERIES
BODY TYPE
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build
- **3:** Mexico

2: Manufacturer
- **G:** General Motors

3: Vehicle Brand/Type
- **1:** Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book RT

T	**A:**	Chevrolet Aveo, Base (Non-US, Non-Canada)
T	**B:**	Chevrolet Aveo, Midlevel (Non-US, Non-Canada)
T	**C:**	Chevrolet Aveo, Uplevel (Non-US, Non-Canada)

6: BODY STYLE

5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

A: AR1 - Active Manual Belts, Airbag Delete
C: AK5 - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)

8: ENGINE TYPE

F: LXT - ENGINE GAS, 4 CYL, 1.6L, MFI, DOHC, 80KW

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "3" (Mexico):
L: San Luis Potosi

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Bolt EV

TYPICAL VIN	1	G	1	F	W	6	E	0	X	J	4	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
VEHICLE LINE
SERIES
BODY TYPE
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build
- **1:** United States

2: Manufacturer
- **G:** General Motors

3: Vehicle Brand/Type
- **1:** Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book F

F	**W:**	Chevrolet Bolt EV, LT
F	**X:**	Chevrolet Bolt EV, Premier
F	**7:**	Chevrolet Bolt EV, (Non-US, Non-Canada)

6: BODY STYLE

6: 48 - Sedan, 4 - Door , 4 Window, H/Back

7: RESTRAINT SYSTEM

E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

S: AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

0: EN0 - ENGINE NONE

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

4: Orion

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Camaro

TYPICAL VIN	1	G	1	F	A	1	D	S	X	J	0	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
VEHICLE LINE
SERIES
BODY TYPE
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build
- **1:** United States

2: Manufacturer
- **G:** General Motors

3: Vehicle Brand/Type
- **1:** Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book A

F	**A:**	Chevrolet Camaro, 1LS (Manual)
F	**B:**	Chevrolet Camaro, 1LT (Automatic)
F	**C:**	Chevrolet Camaro, 2LT (Manual)
F	**D:**	Chevrolet Camaro, 2LT (Automatic)
F	**E:**	Chevrolet Camaro, 1SS (Manual)
F	**F:**	Chevrolet Camaro, 1SS (Automatic)
F	**G:**	Chevrolet Camaro, 2SS (Manual)
F	**H:**	Chevrolet Camaro, 2SS (Automatic)
F	**J:**	Chevrolet Camaro, ZL1 (Manual)
F	**K:**	Chevrolet Camaro, ZL1 (Automatic)
F	**9:**	Chevrolet Camaro, (Non-US, Non-Canada)

6: BODY STYLE

- **1:** 37 - Coupe, 2 - Door, Notchback
- **3:** 67 - Coupe, 2 - Door, Convertible

7: RESTRAINT SYSTEM

- **D:** AJ9 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), & Front Seat Side (1st row)
- **R:** AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

- **S:** LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN2
- **X:** LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM
- **6:** LT4 - ENGINE GAS, 8 CYL, 6.2L, DI, SC, AFM, VVT, ALUM, GMNA
- **7:** LT1 - ENGINE GAS, 8 CYL, 6.2L, DI, AFM, VVT, HO, ALUM, GMNA

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

- **J:** 2018

11: PLANT LOCATION

When VIN position 1 is "1" (USA):
- **0:** Lansing - Grand River

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Corvette

TYPICAL VIN	1	G	1	Y	A	2	D	7	X	J	5	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
VEHICLE LINE
SERIES
BODY TYPE
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build
- **1:** United States

2: Manufacturer
- **G:** General Motors

3: Vehicle Brand/Type
- **1:** Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book Y

Y	**A:**	Corvette Stingray Standard 1LT (Manual)
Y	**B:**	Corvette Stingray Standard 1LT (Automatic)
Y	**C:**	Corvette Stingray Preferred 2LT (Manual)
Y	**D:**	Corvette Stingray Preferred 2LT (Automatic)
Y	**E:**	Corvette Stingray Premium 3LT (Manual)
Y	**F:**	Corvette Stingray Premium 3LT (Automatic)
Y	**G:**	Corvette Stingray Standard 1LT (Manual) with Z51
Y	**H:**	Corvette Stingray Standard 1LT (Automatic) with Z51
Y	**J:**	Corvette Stingray Preferred 2LT (Manual) with Z51
Y	**K:**	Corvette Stingray Preferred 2LT (Automatic) with Z51
Y	**L:**	Corvette Stingray Premium 3LT (Manual) with Z51
Y	**M:**	Corvette Stingray Premium 3LT (Automatic) with Z51
Y	**N:**	Corvette Z06 Standard 1LZ (Manual)
Y	**P:**	Corvette Z06 Standard 1LZ (Automatic)
Y	**R:**	Corvette Z06 Preferred 2LZ (Manual)
Y	**S:**	Corvette Z06 Preferred 2LZ (Automatic)
Y	**T:**	Corvette Z06 Premium 3LZ (Manual)
Y	**U:**	Corvette Z06 Premium 3LZ (Automatic)
Y	**V:**	Corvette Grand Sport Standard 1LT (Manual)
Y	**W:**	Corvette Grand Sport Standard 1LT (Automatic)
Y	**X:**	Corvette Grand Sport Preferred 2LT (Manual)
Y	**Y:**	Corvette Grand Sport Preferred 2LT (Automatic)
Y	**Z:**	Corvette Grand Sport Premium 3LT (Manual)
Y	**1:**	Corvette Grand Sport Premium 3LT (Automatic)
Y	**9:**	Chevrolet Corvette (Export only)

6: BODY STYLE
- **2:** 07 - Coupe, 2 - Door, Plain Back
- **3:** 67 - Coupe, 2 - Door, Convertible

7: RESTRAINT SYSTEM
- **D:** AJ7 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), & Front Seat Side (1st row)

8: ENGINE TYPE
- **6:** LT4 - ENGINE GAS, 8 CYL, 6.2L, DI, SC, AFM, VVT, ALUM, GMNA
- **7:** LT1 - ENGINE GAS, 8 CYL, 6.2L, DI, AFM, VVT, HO, ALUM, GMNA

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR
- **J:** 2018

11: PLANT LOCATION

When VIN position 1 is "1" (USA):
- **5:** Bowling Green

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Cruze

TYPICAL VIN	1	G	1	B	A	5	S	M	X	J	7	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
VEHICLE LINE
SERIES
BODY TYPE
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

		Valid Combinations
1: Region of Build		
1:	United States	1G1
3:	Mexico	3G1
2: Manufacturer		
G:	General Motors	
3: Vehicle Brand/Type		
1:	Chevrolet Passenger Car	

4~5: VEHICLE LINE/SERIES

Book B

B	**A:**	Chevrolet Cruze, L (Manual)
B	**B:**	Chevrolet Cruze, LS (Manual)
B	**C:**	Chevrolet Cruze, LS (Automatic)
B	**D:**	Chevrolet Cruze, LT (Manual)
B	**E:**	Chevrolet Cruze, LT (Automatic)
B	**F:**	Chevrolet Cruze, Premier (Automatic)
B	**G:**	Chevrolet Cruze, Diesel (Manual)
B	**H:**	Chevrolet Cruze, Diesel (Automatic)
B	**8:**	Chevrolet Cruze, (Non-US, Non-Canada)

6: BODY STYLE

5: 69 - Sedan, 4 - Door, 4 Window, Notchback
6: 68 - Sedan, 4 -Door, 6 Window, Plain Back, (H/Back)

7: RESTRAINT SYSTEM

D: AJG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), & Front Seat Side (1st row)

E: AYC - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

S: AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

D: L3G - ENGINE GAS, 4 CYL, 1.5L, DI, L4, DOHC, VVT, GEN 1, GMNA
E: LH7 - ENGINE DIESEL, UREA, 4 CYL, 1.6L, L4, CRI, DOHC, VGT, ALUM
M: LE2 - ENGINE GAS, 4 CYL, L4, 1.4L, DI, DOHC, VVT, TURBO, ALUM, GEN 1, GMNA

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "1" (United States):
7: Lordstown
When VIN position 1 is "3" (Mexico):
S: Ramos Arizpe

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Impala

TYPICAL VIN	1	G	1	1	X	5	S	A	X	J	U	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
VEHICLE LINE
SERIES
BODY TYPE
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1:	**Region of Build**	**Valid Combinations**
1:	United States	1G1
2:	Canada	2G1
2:	**Manufacturer**	
G:	General Motors	
3:	**Vehicle Brand/Type**	
1:	Chevrolet Passenger Car	

4~5: VEHICLE LINE/SERIES

Book 0G

1	**X:**	Chevrolet Impala, LS (1FL)
1	**Z:**	Chevrolet Impala, LS (1LS)
1	**0:**	Chevrolet Impala, LT (1LT)
1	**2:**	Chevrolet Impala, Premier (2LZ)
1	**3:**	Chevrolet Impala, (Non-US, Non-Canada)

6: BODY STYLE

5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

S: AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

A: LCV - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85 MAX, E0-E100, ALUM

3: LFX - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX, ALUM GM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "1" (United States):

U: Detroit Hamtramck

When VIN position 1 is "2" (Canada):

9: Oshawa #1 (OSH)

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Malibu

TYPICAL VIN	1	G	1	Z	A	5	S	T	X	J	F	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
VEHICLE LINE
SERIES
BODY TYPE
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build
- **1:** United States

2: Manufacturer
- **G:** General Motors

3: Vehicle Brand/Type
- **1:** Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book Z

Z	**A:**	Chevrolet Malibu, L (1VL)
Z	**B:**	Chevrolet Malibu, LS (1LS)
Z	**C:**	Chevrolet Malibu, LS (1FL)
Z	**D:**	Chevrolet Malibu, LT (1LT)
Z	**E:**	Chevrolet Malibu, Premier (2LZ)
Z	**F:**	Chevrolet Malibu, Hybrid
Z	**9:**	Chevrolet Malibu, (Non-US, Non-Canada)

6: BODY STYLE

5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

S: AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

T: LFV - ENGINE GAS, 4 CYL, L4, 1.5L, DI, DOHC, VVT, TURBO, GEN 1 GMNA

U: LKN - ENGINE GAS, 4 CYL, 1.8L, SIDI, DOHC, VVT, HYBRID, FAM 1 GEN 4, GME

X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "1" (United States):

F: Fairfax

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Sonic

TYPICAL VIN	1	G	1	J	A	5	A	B	X	J	4	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
VEHICLE LINE
SERIES
BODY TYPE
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

		Valid Combinations
1:	**Region of Build**	
1:	United States	1G1
3:	Mexico	3G1
2:	**Manufacturer**	
G:	General Motors	
3:	**Vehicle Brand/Type**	
1:	Chevrolet Passenger Car	

4~5: VEHICLE LINE/SERIES

Book J

J	**A:**	Chevrolet Sonic, LS (Manual)
J	**B:**	Chevrolet Sonic, LS (Automatic)
J	**C:**	Chevrolet Sonic, LT (Manual)
J	**D:**	Chevrolet Sonic, LT (Automatic)
J	**E:**	Chevrolet Sonic, Premier (Manual)
J	**F:**	Chevrolet Sonic, Premier (Automatic)
J	**G:**	Chevrolet Sonic, FL (Automatic)
J	**8:**	Chevrolet Sonic (Non-US, Non Canada)

6: BODY STYLE

5: 69 - Sedan, 4 - Door, 4 Window, Notchback
6: 48 - Sedan, 4 - Door, 4 Window, Hatchback

7: RESTRAINT SYSTEM

C: ADL - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)
D: AJG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), & Front Seat Side (1st row)
S: AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

B: LUV - ENGINE GAS, 4 CYL, 1.4L, MFI, DOHC, TURBO, VVT, ALUM, GME E85 MAX
C: LDE - ENGINE GAS, 4 CYL, 1.6L, MFI, DOHC, VVT, VARIABLE CAMSHAFT PHASING, VARIABLE INTAKE MODULE (VIM)
G: LWE - ENGINE GAS, 4 CYL, 1.8L, MFI, DOHC, VVT, 103 KW, GME
H: LUW - ENGINE GAS, 4 CYL, 1.8L, MFI, 103KW, DOHC, E85 MAX

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "1" (USA):
4: Orion
When VIN position 1 is "3" (Mexico):
S: Ramos Arizpe

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Spark

TYPICAL VIN	K	L	8	C	A	6	S	A	X	J	C	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
VEHICLE LINE
SERIES
BODY TYPE
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build
- **K:** Korea

2: Manufacturer
- **L:** GM Korea

3: Vehicle Brand/Type
- **8:** Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book CD

C	**A:**	Chevrolet Spark, LS (Manual) (LS)
C	**B:**	Chevrolet Spark, LS (Automatic) (LS)
C	**C:**	Chevrolet Spark, 1LT (Manual) (LT)
C	**D:**	Chevrolet Spark, 1LT (Automatic) (LT)
C	**E:**	Chevrolet Spark, 2LT (Manual) (LT)
C	**F:**	Chevrolet Spark, 2LT(Automatic) (LT)
C	**G:**	Chevrolet Spark, ACTIV (Manual) (ACTIV)
C	**H:**	Chevrolet Spark, ACTIV (Automatic) (ACTIV)
C	**9:**	Chevrolet Spark (Non-US, Non-Canada)

6: BODY STYLE

6: 48 - Sedan, 4 - Door, 4 Window, Hatchback

7: RESTRAINT SYSTEM

S: AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

A: LV7 - ENGINE GAS, 4 CYL, L4, 1.4L, MFI, DOHC, VVT, ALUM, GEN 1 VAR 1

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "K" (Korea):

C: Changwon

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Volt

TYPICAL VIN	1	G	1	R	A	6	S	5	X	J	U	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
VEHICLE LINE
SERIES
BODY TYPE
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build
- **1:** United States

2: Manufacturer
- **G:** General Motors

3: Vehicle Brand/Type
- **1:** Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book R

R	**A:**	Chevrolet Volt, LT w/ Standard Emissions
R	**B:**	Chevrolet Volt, Premier w/ Standard Emissions
R	**C:**	Chevrolet Volt, LT w/Low Emissions Package
R	**D:**	Chevrolet Volt, Premier w/Low Emissions Package
R	**9:**	Chevrolet Volt (Non-US, Non-Canada)

6: BODY STYLE

6: 68 - Sedan, 4 - Door, 6 Window, Plain Back, (H/Back)

7: RESTRAINT SYSTEM

S: AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

5: L3A - ENGINE GAS, 4 CYL, 1.5L, DI, DOHC, VVT, HYBRID, GEN 1

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

U: Detroit Hamtramck

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Opel Ampera-e EV

TYPICAL VIN	W	0	V	F	8	6	E	0	X	J	4	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
VEHICLE LINE
SERIES
BODY TYPE
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build
- **W:** United States

2: Manufacturer
- **0:** Opel Automobile GmbH

3: Vehicle Brand/Type
- **V:** Opel Passenger Car

4~5: VEHICLE LINE/SERIES

Book F

F 8: Opel Ampera-e EV (Export Only)

6: BODY STYLE

6: 48 - Sedan, 4 - Door , 4 Window, H/Back

7: RESTRAINT SYSTEM

E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

0: EN0 - ENGINE NONE

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "W" (USA):

4: Orion

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Light Duty Trucks, MPV & Incomplete Vehicle Identification Numbering System





Buick Enclave

TYPICAL VIN	5	G	A	K	R	A	E	D	X	J	J	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
GVWR/BRAKE/BODY STYLE
CHASSIS
SERIES
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build
- **5:** United States

2: Manufacturer
- **G:** General Motors

3: Vehicle Brand/Type
- **A:** Buick MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		56 - Four (4) Door Cab/Utility Extended
Class E: 6,001-7,000	Hyd.	E

5~6: CHASSIS/SERIES

Book N:

R	A:	Buick Enclave, FWD
R	B:	Buick Enclave, FWD Essence
R	C:	Buick Enclave, FWD Premium
R	D:	Buick Enclave, FWD Avenir
R	7:	Buick Enclave, FWD (Non-US, Non-Canada)
V	A:	Buick Enclave, AWD Essence
V	B:	Buick Enclave, AWD Premium
V	C:	Buick Enclave, AWD Avenir
V	7:	Buick Enclave, AWD (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

K: AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row) , Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

W: LFY -ENGINE GAS, 6CYL, V6, 3.6L, SIDI, DOHC, ATSS, GEN 1

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "5" (USA):

J: Lansing - Delta Township

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Buick Encore

TYPICAL VIN	K	L	4	C	J	A	S	B	X	J	B	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
GVWR/BRAKE/BODY STYLE
CHASSIS
SERIES
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build
- **K:** South Korea

2: Manufacturer
- **L:** GM Korea

3: Vehicle Brand/Type
- **4:** Buick MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		76 - Four (4) Door Utility
Class C: 4,001-5,000	Hyd.	C

5~6: CHASSIS/SERIES

Book J

J	A:	Buick Encore Preferred FWD
J	B:	Buick Encore Preferred II FWD
J	C:	Buick Encore Essence FWD
J	D:	Buick Encore Premium FWD
J	E:	Buick Encore Preferred AWD
J	F:	Buick Encore Preferred II AWD
J	G:	Buick Encore Essence AWD
J	H:	Buick Encore Premium AWD
J	1:	Buick Encore, Sport Touring FWD
J	2:	Buick Encore, Sport Touring AWD
J	3:	Buick Encore FWD

7: RESTRAINT SYSTEM
- **E:** AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
- **S:** AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE
- **B:** LUV - ENGINE GAS, 4 CYL, 1.4L, MFI, DOHC, TURBO, VVT, ALUM, GME E85 MAX
- **M:** LE2 - ENGINE GAS, 4 CYL, L4, 1.4L, DI, DOHC, VVT, TURBO, ALUM GEN 1, GMNA

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR
- **J:** 2018

11: PLANT LOCATION

When VIN position 1 is "K" (S. Korea):
- **B:** Bupyeong

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Buick Envision

TYPICAL VIN	L	R	B	F	X	A	S	A	X	J	D	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI

GVWR/BRAKE/BODY STYLE

CHASSIS

SERIES

RESTRAINT SYSTEM

ENGINE TYPE

CHECK DIGIT

MODEL YEAR

PLANT LOCATION

SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

L: People's Republic of China

2: Manufacturer

R: SAIC GM

3: Vehicle Brand/Type

B: Buick MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class D: 5,001-6,000	Hyd.	F

5~6: CHASSIS/SERIES

Book X

X	**A:**	Buick Envision, FWD
X	**B:**	Buick Envision, Preferred, FWD
X	**C:**	Buick Envision, Preferred, AWD
X	**1:**	Buick Envision, Essence, FWD
X	**2:**	Buick Envision, Essence, AWD
X	**3:**	Buick Envision, Premium Package, AWD
X	**4:**	Buick Envision, Premium II Package, AWD
X	**8:**	Buick Envision, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

S: AUJ - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

A: LCV - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85 MAX, E0-E100, ALUM

X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "L" (China):

D: Dong Yue

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Cadillac Escalade

TYPICAL VIN	1	G	Y	S	3	A	K	J	X	J	R	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI

GVWR/BRAKE/BODY STYLE

CHASSIS

SERIES

RESTRAINT SYSTEM

ENGINE TYPE

CHECK DIGIT

MODEL YEAR

PLANT LOCATION

SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

- **1:** United States

2: Manufacturer

- **G:** General Motors

3: Vehicle Brand/Type

- **Y:** Cadillac MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		06- Four (4) Door Cab/Utility
Class F: 7,001-8,000	Hyd.	S

5~6: CHASSIS/SERIES

Book 6

3	A:	Cadillac Escalade 2WD
3	B:	Cadillac Escalade Luxury 2WD
3	C:	Cadillac Escalade Premium Luxury 2WD
3	D:	Cadillac Escalade Platinum 2WD
3	7:	Cadillac Escalade 2WD (Export only)
3	G:	Cadillac Escalade ESV 2WD
3	H:	Cadillac Escalade ESV Luxury 2WD
3	J:	Cadillac Escalade ESV Premium Luxury 2WD
3	K:	Cadillac Escalade ESV Platinum 2WD
3	8:	Cadillac Escalade ESV 2WD (Export Only)
4	A:	Cadillac Escalade 4WD
4	B:	Cadillac Escalade Luxury 4WD
4	C:	Cadillac Escalade Premium Luxury 4WD
4	D:	Cadillac Escalade Platinum 4WD
4	7:	Cadillac Escalade 4WD (Export only)
4	G:	Cadillac Escalade ESV 4WD
4	H:	Cadillac Escalade ESV Luxury 4WD
4	J:	Cadillac Escalade ESV Premium Luxury 4WD
4	K:	Cadillac Escalade ESV Platinum 4WD
4	8:	Cadillac Escalade ESV 4WD (Export Only)

7: RESTRAINT SYSTEM

E: AY0 - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows)

K: AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row) , Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

J: L86 - ENGINE GAS, 8 CYL, 6.2L, SIDI VVT, AFM, E85 MAX, ALUM, GM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

R: Arlington

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Cadillac XT5

TYPICAL VIN	1	G	Y	F	N	A	R	S	X	J	Z	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI

GVWR/BRAKE/BODY STYLE

CHASSIS

SERIES

RESTRAINT SYSTEM

ENGINE TYPE

CHECK DIGIT

MODEL YEAR

PLANT LOCATION

SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

- **1:** United States

2: Manufacturer

- **G:** General Motors

3: Vehicle Brand/Type

- **Y:** Cadillac MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class D: 5,001-6,000	Hyd.	F
Class E: 6001-7000	Hyd.	K

5~6: CHASSIS/SERIES

Book N

N	**A**	Cadillac XT5 FWD
N	**B**	Cadillac XT5 AWD
N	**C**	Cadillac XT5 Luxury FWD
N	**D**	Cadillac XT5 Luxury AWD
N	**E**	Cadillac XT5 Premium Luxury FWD
N	**F**	Cadillac XT5 Premium Luxury AWD
N	**G**	Cadillac XT5 Platinum AWD
N	**9:**	Cadillac XT5, (Non US, Non Canada)

7: RESTRAINT SYSTEM

R: AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN 2

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

Z: Springhill

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Cadillac Stretch Limousine, Funeral Coach, Armored Vehicle

TYPICAL VIN	2	G	E	X	G	6	U	3	X	J	9	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI

GVWR/BRAKE/BODY STYLE

CHASSIS

SERIES

RESTRAINT SYSTEM

ENGINE TYPE

CHECK DIGIT

MODEL YEAR

PLANT LOCATION

SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build
- **2:** Canada

2: Manufacturer
- **G:** General Motors

3: Vehicle Brand/Type
- **E:** Cadillac Incomplete

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		69 - Sedan 4 - Door, 4 Window, Notchback
Class E: 6,001-7,000	Hyd.	X

5~6: CHASSIS/SERIES

Book 0G

- **G: 6:** Cadillac Stretch Limousine
- **G: 7:** Cadillac Funeral Coach
- **G: 8:** Cadillac Armored Vehicle

7: RESTRAINT SYSTEM

U: ANH - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Front Roof Side (1st row), Knee (1st row)

8: ENGINE TYPE

3: LFX - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX, ALUM GM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "2" (Canada):

9: Oshawa #1 (OSH)

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet City Express

TYPICAL VIN	3	N	6	3	M	0	Y	N	X	J	K	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
ENGINE TYPE
CHASSIS
SERIES
GVWR/BODY STYLE/RESTRAINTS
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build
- **3:** Mexico

2: Manufacturer
- **N:** Manufactured by Nissan for General Motors

3: Vehicle Brand/Type
- **6:** Chevrolet Truck

4: Engine Type

3: L0A - ENGINE GAS, 4 CYL, 2.0L

5~6: Make/Line/Series

M 0: Chevrolet City Express

7: Series

Y: Chevrolet City Express LS
Z: Chevrolet City Express LT

8: GVWR/Body Style/Restraints

N: Class C: 4,001-5,000 '60 - Cargo Van (City Express Only)', Active Manual Belts, Airbags - Driver & Passenger-Front, Front Seat Side, Roof Side

9: CHECK DIGIT

0~9, X - Calculated

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "3" (Mexico):
K: NME - Curenevaca Mexico

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Colorado

TYPICAL VIN	1	G	B	G	S	A	E	A	X	J	1	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI

GVWR/BRAKE/BODY STYLE

CHASSIS

SERIES

RESTRAINT SYSTEM

ENGINE TYPE

CHECK DIGIT

MODEL YEAR

PLANT LOCATION

SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

		Valid Combinations
1: Region of Build		
1:	United States	1GB
2: Manufacturer		1GC
G:	General Motors	
3: Vehicle Brand/Type		
B:	Chevrolet Incomplete Truck	
C:	Chevrolet Truck	

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style	
		43 - Four (4) Door Crew Cab/Utility	53 - Extended Cab
Class D: 5,001-6,000	Hyd.	G	H
Class E: 6,001-7,000	Hyd.	P	R

5~6: CHASSIS/SERIES

Book 52

S	**A:**	Chevrolet Colorado, Base 2WD
S	**B:**	Chevrolet Colorado, Work Truck 2WD
S	**C:**	Chevrolet Colorado, LT 2WD
S	**D:**	Chevrolet Colorado, Z71 2WD
S	**9:**	Chevrolet Colorado, (Non-US, Non-Canada) 2WD
T	**B:**	Chevrolet Colorado, Work Truck 4WD
T	**C:**	Chevrolet Colorado, LT 4WD
T	**D:**	Chevrolet Colorado, Z71 4WD
T	**E:**	Chevrolet Colorado ZR2 4WD
T	**9:**	Chevrolet Colorado, (Non-US, Non-Canada) 4WD

7: RESTRAINT SYSTEM

E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

A: LCV - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85 MAX , E0-E100, ALUM

N: LGZ - ENGINE GAS, 6CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, VAR2, GEN 2

1: LWN - ENGINE DIESEL, 2.8L, DI, L4, DOHC, TURBO, XLDE

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

1: Wentzville

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Equinox

TYPICAL VIN	2	G	N	A	X	G	E	V	X	J	6	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI

GVWR/BRAKE/BODY STYLE

CHASSIS

SERIES

RESTRAINT SYSTEM

ENGINE TYPE

CHECK DIGIT

MODEL YEAR

PLANT LOCATION

SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build
- **2:** Canada
- **3:** Mexico

2: Manufacturer
- **G:** General Motors

3: Vehicle Brand/Type
- **N:** Chevrolet MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class C: 4,001-5,000	Hyd.	A

5~6: CHASSIS/SERIES

Book X

X	**G:**	Chevrolet Equinox L FWD
X	**H:**	Chevrolet Equinox LS FWD
X	**J:**	Chevrolet Equinox LT FWD (1LT)
X	**K:**	Chevrolet Equinox LT FWD (2LT)
X	**L:**	Chevrolet Equinox LT FWD (3LT)
X	**M:**	Chevrolet Equinox Premier FWD (1LZ)
X	**N:**	Chevrolet Equinox Premier FWD (2LZ)
X	**P:**	Chevrolet Equinox Premier FWD (3LZ)
X	**R:**	Chevrolet Equinox LS AWD
X	**S:**	Chevrolet Equinox LT AWD (1LT)
X	**T:**	Chevrolet Equinox LT AWD (2LT)
X	**U:**	Chevrolet Equinox LT AWD (3LT)
X	**V:**	Chevrolet Equinox Premier AWD (1LZ)
X	**W:**	Chevrolet Equinox Premier AWD (2LZ)
X	**X:**	Chevrolet Equinox Premier AWD (3LZ)
X	**9:**	Chevrolet Equinox, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- **D:** AJG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), & Front Seat Side (1st row)
- **E:** AY0/AYC - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- **U:** LH7 - ENGINE DIESEL, UREA, 4 CYL, 1.6L, L4, CRI, DOHC, VGT, ALUM
- **V:** LYX - ENGINE GAS, 4 CYL, L4, 1.5L, DI, DOHC, VVT, FGT, TURBO, ALUM, GEN 1
- **X:** LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM
- **8:** LVL - ENGINE DIESEL, 4 CYL, 1.6L, CRI, DOHC, VGT, 103KW
- **9:** LWW - ENGINE DIESEL, 4 CYL, 1.6L, L4, VGT, DOHC, ALUM, A16DTH GEN 1

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

- **J:** 2018

11: PLANT LOCATION

When VIN position 1 is "2" (Canada):
- **6:** CAMI

When VIN position 1 is "3" (Mexico):
- **L:** San Luis Potosi
- **S:** Ramos Arizpe

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Express

TYPICAL VIN	1	G	A	W	G	A	B	B	X	J	1	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI

GVWR/BRAKE/BODY STYLE

CHASSIS

SERIES

RESTRAINT SYSTEM

ENGINE TYPE

CHECK DIGIT

MODEL YEAR

PLANT LOCATION

SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

		Valid Combinations
1:	**Region of Build**	
1:	United States	1GA
2:	**Manufacturer**	1GB
G:	General Motors	1GC
H:	Navistar Inc.	1HA (Navistar Only)
3:	**Vehicle Brand/Type**	
A:	Chevrolet Bus (Non School Bus)	
B:	Chevrolet Incomplete Truck	
C:	Chevrolet Truck	
A:	Chevrolet Incomplete Truck (Navistar Only)	

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style: 05/06 - Cargo Van/Four (4) Door Cab/Utility, Passenger Van	Body Style: 03 - Commercial Special Cutaway, Two (2) Door Cab pick-up, Motor Home Chassis
Class G: 8,001-9,000	Hyd.	W	Y
Class H: 9,001-10,000	Hyd.	Z	0
Class 3: 10,001-14,000	Hyd.		3
Class 4: 14,001-16,000	Hyd.		6

5~6: CHASSIS/SERIES

Book 8

G	**A:**	Chevrolet Express, 2500 Cargo
G	**B:**	Chevrolet Express, 2500 Cargo Ext
G	**E:**	Chevrolet Express, 2500 Passenger LS
G	**F:**	Chevrolet Express, 2500 Passenger LT
G	**G:**	Chevrolet Express, 3500 Cargo
G	**H:**	Chevrolet Express, 3500 Cargo Ext
G	**L:**	Chevrolet Express, 3500 Passenger LS
G	**M:**	Chevrolet Express, 3500 Passenger LT
G	**N:**	Chevrolet Express, 3500 Passenger LS Ext
G	**P:**	Chevrolet Express, 3500 Passenger LT Ext
G	**R:**	Chevrolet Express, 3500 Cutaway 139" Wheelbase
G	**S:**	Chevrolet Express, 3500 Cutaway 159" Wheelbase
G	**T:**	Chevrolet Express, 3500 Cutaway 177" Wheelbase
G	**U:**	Chevrolet Express, 4500 Cutaway 159" Wheelbase
G	**V:**	Chevrolet Express, 4500 Cutaway 177" Wheelbase
G	**9:**	Chevrolet Express, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

B: AJ3 - Active Manual Belts, Airbag - Driver only - Front

C: AK5 - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)

F: (AK5&ASF) - Active Manual Belts, Airbags-Driver & Passenger - Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)

H: (AJ3&ASF) -Active Manual Belts, Airbag - Driver only - Front, Front Seat Side (1st row), Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)

8: ENGINE TYPE

B: LC8 - ENGINE FLEXIBLE FUEL, (LPG/CNG), 8 CYL, V8, 6.0L, SFI, GEN 1, GMNA

G: L96 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 6.0L, SFI IRON, GM

P: LV1 -ENGINE GAS, 6 CYL, 4.3L, SIDI, V6, VVT, E85 MAX, IRON

1: LWN - ENGINE DIESEL, 2.8L, DI, L4, DOHC, TURBO, XLDE

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

1: Wentzville

N: Springfield

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Low Cab Forward

TYPICAL VIN	5	4	D	B	D	J	1	7	X	J	S	F	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI

GVWR/BRAKE/BODY STYLE

SERIES

LINE/CAB TYPE

CHASSIS

ENGINE TYPE

CHECK DIGIT

MODEL YEAR

PLANT LOCATION

MODEL COMBINATION

SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build — **Valid Combinations**

- **J:** Japan — JAL
- **5:** United States — 54D

2: Manufacturer

- **A:** Isuzu Motors Ltd.
- **4:** Spartan Motors Chassis Inc.

3: Vehicle Brand/Type

- **L:** Incomplete Vehicle - Medium & Heavy Duty
- **D:** Incomplete Vehicle

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style: 03 - Commercial Special Cutaway, Two (2) Door Cab pick-up, Motor Home Chassis	Body Style: 43 - Four (4) Door Crew Cab/Utility
Class 3: 10,001-14,000	Hyd.	B	B
Class 4: 14,001-16,000	Hyd.	C	C
Class 5: 16,001 - 19,500	Hyd.	E	E
Class 6: 19,501 - 26,000	Air	K	

5: MAKE/SERIES

- **D:** GM Chevrolet 3500 / 3500HD / 4500 / 4500HD / 4500XD
- **E:** GM Chevrolet 5500HD/5500XD
- **F:** GM Chevrolet 6500XD

6: LINE/CAB TYPE

- **J:** Non-Tilt Cab, BBC = 110 Inches
- **S:** Tilt Cab, BBC = 81 Inches
- **W:** Tilt Cab, BBC = 71 Inches

7: CHASSIS TYPE

- **1:** 4x2, 2 Axles, 1 Driving

8: ENGINE TYPE

- **B:** L96 - ENGINE GAS, 8 CYL, 6.0L, SFI, E85 MAX, IRON, GM
- **C:** LC8 - ENGINE LPG/CNG, 8 CYL, V8, 6.0L, SFI, GEN 1, GMNA
- **6:** I1B - ENGINE DIESEL, 4 CYL, 5.2L, 4HK1TC 215HP
- **7:** IZ3 - ENGINE DIESEL, 4 CYL, 3.0L, 4JJ1-TC 150HP

9: CHECK DIGIT

0~9, X - Calculated by Manufacturer

10: MODEL YEAR

- **J:** 2018

11: PLANT LOCATION

- **S:** Charlotte, Michigan
- **7:** Fujisawa, Japan

12: MODEL COMBINATION

- **F:** 3500HD/4JJ1 Diesel/13,00lbs
- **G:** 6500XD/4HK1 Diesel/25,950lbs
- **K:** 4500XD/4HK1 Diesel/16,000lbs
- **0:** 4500HD/4HK1 Diesel/14,500lbs
- **3:** 5500XD/4HK1 Diesel/19,500lbs
- **8:** 3500 & 4500/Gas
- **9:** 5500HD/4HK1 Diesel/17,950lbs

13~17: SEQUENCE NUMBER

Positions 13 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Silverado

TYPICAL VIN	1	G	C	N	C	N	C	C	X	J	Z	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI

GVWR/BRAKE/BODY STYLE

CHASSIS

SERIES

RESTRAINT SYSTEM

ENGINE TYPE

CHECK DIGIT

MODEL YEAR

PLANT LOCATION

SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

		Valid Combinations
1:	**Region of Build**	
1:	United States	1GB
2:	Canada	1GC
3:	Mexico	2GB
2:	**Manufacturer**	2GC
G:	General Motors	3GB
3:	**Vehicle Brand/Type**	3GC
B:	Chevrolet Incomplete Truck	
C:	Chevrolet Truck	

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style		
		03 - Commercial Special Cutaway, Two (2) Door Cab pick-up, Motor Home Chassis	43 - Four (4) Door Crew Cab/Utility	53 - Extended Cab
Class E: 6,001-7,000	Hyd.	N	P	R
Class F: 7,001-8,000	Hyd.		U	V
Class H: 9,001-10,000	Hyd.	0	1	2
Class 3: 10,001-14,000	Hyd.	3	4	5

5~6: CHASSIS/SERIES

Book 6

C	**N:**	4x2, 1500 Chevrolet Silverado, Work Truck/LS/Fleet/Base
C	**P:**	4x2, 1500 Chevrolet Silverado, Custom
C	**R:**	4x2, 1500 Chevrolet Silverado, LT
C	**S:**	4x2, 1500 Chevrolet Silverado, LTZ
C	**T:**	4x2, 1500 Chevrolet Silverado, High Country
C	**U:**	4x2, 2500 Chevrolet Silverado, Work Truck/Fleet/Base
C	**V:**	4x2, 2500 Chevrolet Silverado, LT
C	**W:**	4x2, 2500 Chevrolet Silverado, LTZ
C	**X:**	4x2, 2500 Chevrolet Silverado, High Country
C	**Y:**	4x2, 3500 Chevrolet Silverado, Work Truck/Fleet/Base
C	**Z:**	4x2, 3500 Chevrolet Silverado, LT
C	**0:**	4x2, 3500 Chevrolet Silverado, LTZ
C	**1:**	4x2, 3500 Chevrolet Silverado, High Country
C	**9:**	4x2, Chevrolet Silverado/Cheyenne, (Non-US, Non-Canada)
K	**N:**	4x4, 1500 Chevrolet Silverado, Work Truck/LS/Fleet/Base
K	**P:**	4x4, 1500 Chevrolet Silverado, Custom
K	**R:**	4x4, 1500 Chevrolet Silverado, LT
K	**S:**	4x4, 1500 Chevrolet Silverado, LTZ
K	**T:**	4x4, 1500 Chevrolet Silverado, High Country
K	**U:**	4x4, 2500 Chevrolet Silverado, Work Truck/Fleet/Base
K	**V:**	4x4, 2500 Chevrolet Silverado, LT
K	**W:**	4x4, 2500 Chevrolet Silverado, LTZ

5~6: CHASSIS/SERIES (CONTINUED)

Book 6

K	**X:**	4x4, 2500 Chevrolet Silverado, High Country
K	**Y:**	4x4, 3500 Chevrolet Silverado, Work Truck/Fleet/Base
K	**Z:**	4x4, 3500 Chevrolet Silverado, LT
K	**0:**	4x4, 3500 Chevrolet Silverado, LTZ
K	**1:**	4x4, 3500 Chevrolet Silverado, High Country
K	**9:**	4x4, Chevrolet Silverado/Cheyenne, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

C: AK5 - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)

E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

B: LC8 - ENGINE LPG/CNG, 8 CYL, V8, 6.0L, SFI, GEN 1, GMNA

C: L83 - ENGINE GAS, 8 CYL, 5.3L, SIDI VVT, AFM, E85 MAX, ALUM, GM

G: L96 - ENGINE GAS, 8 CYL, 6.0L, SFI, E85 MAX, IRON, GM

H: LV3 - ENGINE GAS, 6 CYL, 4.3L, GEN 5, SIDI, V6, VVT, OHV, E85 MAX ALUM

J: L86 - ENGINE GAS, 8 CYL, 6.2L, SIDI VVT, AFM, E85 MAX, ALUM, GM

P: LV1 - ENGINE GAS, 6 CYL, 4.3L, SIDI, V6, VVT, E85 MAX, IRON

R: L8B - ENGINE GAS, 8 CYL, 5.3L, V8, BAS 3, ALUM, GEN 5

Y: L5P - ENGINE DIESEL, 8 CYL, 6.6L, DI, V8, TURBO, DURAMAX, GEN 5 VAR. 1

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

F: Flint

Z: Fort Wayne

When VIN position 1 is "2" (Canada):

1: Oshawa #2 (OST)

When VIN position 1 is "3" (Mexico):

G: Silao

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Suburban

TYPICAL VIN	1	G	N	S	C	G	E	C	X	J	R	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
GVWR/BRAKE/BODY STYLE
CHASSIS
SERIES
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build
- **1:** United States

2: Manufacturer
- **G:** General Motors

3: Vehicle Brand/Type
- **N:** Chevrolet MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style 05/06 - Cargo Van/Four (4) Door Cab/Utility, Passenger Van
Class F: 7,001-8,000	Hyd.	S
Class 3: 10,001 - 14,000	Hyd.	8

5~6: CHASSIS/SERIES

Book 6

C	**G:**	4x2, Chevrolet Suburban LS
C	**H:**	4x2, Chevrolet Suburban LT
C	**J:**	4x2, Chevrolet Suburban Premier
C	**K:**	4x2, Chevrolet Suburban FL
C	**8:**	4x2, Chevrolet Suburban, (Non-US, Non-Canada)
K	**G:**	4x4, Chevrolet Suburban LS
K	**H:**	4x4, Chevrolet Suburban LT
K	**J:**	4x4, Chevrolet Suburban Premier
K	**K:**	4x4, Chevrolet Suburban FL
K	**L:**	4x4, Chevrolet Suburban HD LS
K	**M:**	4x4, Chevrolet Suburban HD LT
K	**8:**	4x4, Chevrolet Suburban, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- **E:** AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
- **K:** AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row) , Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- **C:** L83 - ENGINE GAS, 8 CYL, 5.3L, SIDI VVT, AFM, E85 MAX, ALUM, GM
- **G:** L96 - ENGINE GAS, 8 CYL, 6.0L, SFI, E85 MAX, IRON, GM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

- **J:** 2018

11: PLANT LOCATION

When VIN position 1 is "1" (USA):
- **R:** Arlington

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Tahoe

TYPICAL VIN	1	G	N	L	C	A	E	C	X	J	R	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI

GVWR/BRAKE/BODY STYLE

CHASSIS

SERIES

RESTRAINT SYSTEM

ENGINE TYPE

CHECK DIGIT

MODEL YEAR

PLANT LOCATION

SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

- **1:** United States

2: Manufacturer

- **G:** General Motors

3: Vehicle Brand/Type

- **N:** Chevrolet MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style 05/06 - Cargo Van/Four (4) Door Cab/Utility, Passenger Van
Class E: 6,001-7,000	Hyd.	L
Class F: 7,001-8,000	Hyd.	S

5~6: CHASSIS/SERIES

Book 6

C	**A:**	4x2, Chevrolet Tahoe, LS
C	**B:**	4x2, Chevrolet Tahoe, LT
C	**C:**	4x2, Chevrolet Tahoe, Premier
C	**D:**	4x2, Chevrolet Tahoe, Police Vehicle
C	**E:**	4x2, Chevrolet Tahoe, FL
C	**7:**	4x2, Chevrolet Tahoe, (Non-US, Non-Canada)
K	**A:**	4x4, Chevrolet Tahoe, LS
K	**B:**	4x4, Chevrolet Tahoe, LT
K	**C:**	4x4, Chevrolet Tahoe, Premier
K	**D:**	4x4, Chevrolet Tahoe, Police Vehicle
K	**E:**	4x4, Chevrolet Tahoe, FL
K	**F:**	4x4, Chevrolet Tahoe, Special Services Vehicle
K	**7:**	4x4, Chevrolet Tahoe, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- **E:** AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
- **K:** AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row) , Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- **C:** L83 - ENGINE GAS, 8 CYL, 5.3L, SIDI VVT, AFM, E85 MAX, ALUM, GM
- **J:** L86 - ENGINE GAS, 8 CYL, 6.2L, SIDI VVT, AFM, E85 MAX, ALUM, GM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

- **J:** 2018

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

- **R:** Arlington

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Traverse

TYPICAL VIN	1	G	N	K	R	E	E	D	X	J	J	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI

GVWR/BRAKE/BODY STYLE

CHASSIS

SERIES

RESTRAINT SYSTEM

ENGINE TYPE

CHECK DIGIT

MODEL YEAR

PLANT LOCATION

SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

- **1:** United States

2: Manufacturer

- **G:** General Motors

3: Vehicle Brand/Type

- **N:** Chevrolet MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		56 - Four (4) Door Cab/Utility Extended
Class E: 6,001-7,000	Hyd.	E

5~6: CHASSIS/SERIES

Book N

R	**E:**	Chevrolet Traverse L FWD
R	**F:**	Chevrolet Traverse LS FWD
R	**G:**	Chevrolet Traverse LT Cloth
R	**H:**	Chevrolet Traverse LT Leather
R	**J:**	Chevrolet Traverse RS
R	**K:**	Chevrolet Traverse Premier
R	**L:**	Chevrolet Traverse LS FL
R	**M:**	Chevrolet Traverse LT FL
R	**8:**	Chevrolet Traverse FWD (Non-US, Non-Canada)
V	**F:**	Chevrolet Traverse LS AWD
V	**G:**	Chevrolet Traverse LT Cloth AWD
V	**H:**	Chevrolet Traverse LT Leather AWD
V	**J:**	Chevrolet Traverse Premier AWD
V	**K:**	Chevrolet Traverse High Country AWD
V	**L:**	Chevrolet Traverse LS FL AWD
V	**M:**	Chevrolet Traverse LT FL AWD
V	**8**	Chevrolet Traverse AWD (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- **K:** AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row) , Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- **W:** LFY - ENGINE GAS, 6CYL, V6, 3.6L, SIDI, DOHC, ATSS, GEN 1
- **X:** LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

- **J:** 2018

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

- **J:** Lansing - Delta Township

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Trax/Tracker

TYPICAL VIN	3	G	N	C	J	K	C	B	X	J	L	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
GVWR/BRAKE/BODY STYLE
CHASSIS
SERIES
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

		Valid Combinations
1: Region of Build		
3:	Mexico	3GN
K:	South Korea	KL7
2: Manufacturer		
G:	General Motors	
L:	GM Korea	
3: Vehicle Brand/Type		
N:	Chevrolet MPV	
7:	Chevrolet MPV (Korea)	

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		76 - Four (4) Door Utility
Class B: 3,001-4,000	Hyd.	D
Class C: 4,001-5,000	Hyd.	C

5~6: CHASSIS/SERIES

Book J

J	**K:**	Chevrolet Trax, LS FWD
J	**L:**	Chevrolet Trax, 1LT FWD
J	**M:**	Chevrolet Trax, Premier FWD
J	**N:**	Chevrolet Trax, LS AWD
J	**P:**	Chevrolet Trax, 1LT AWD
J	**R:**	Chevrolet Trax, Premier AWD
J	**7:**	Chevrolet Trax, Mexico Only (Non-US, Non-Canada)
J	**8:**	Chevrolet Tracker, (Non-US, Non-Canada, Non-Mexico)

7: RESTRAINT SYSTEM

C: ADL - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)

E: AYC/AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

S: AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

8: ENGINE TYPE

B: LUV - ENGINE GAS, 4 CYL, 1.4L, MFI, DOHC, TURBO, VVT, ALUM, GME E85 MAX

E: 2H0 - ENGINE GAS, 4 CYL, 1.8L, MFI, 103KW, DOHC

Z: LEX - ENGINE GAS, 4 CYL, L4, 1.4L, DI, DOHC, VVT, ALUM, TURBO GEN 1, VAR 1

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "3" (Mexico):

L: San Luis Potosi

When VIN position 1 is "K" (S. Korea):

B: Bupyeong

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

GMC Acadia

TYPICAL VIN	1	G	K	F	N	J	L	A	X	J	Z	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI

GVWR/BRAKE/BODY STYLE

CHASSIS

SERIES

RESTRAINT SYSTEM

ENGINE TYPE

CHECK DIGIT

MODEL YEAR

PLANT LOCATION

SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

- **1:** United States

2: Manufacturer

- **G:** General Motors

3: Vehicle Brand/Type

- **K:** GMC MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class D: 5,001-6,000	Hyd.	F
Class E: 6001-7000	Hyd.	K

5~6: CHASSIS/SERIES

Book N

N	**J:**	GMC Acadia, SL (1SV) FWD
N	**K:**	GMC Acadia, SLE 1 FWD
N	**L:**	GMC Acadia, SLE 2 FWD
N	**M:**	GMC Acadia, SLT 1 FWD
N	**N:**	GMC Acadia, SLT 2 FWD
N	**P:**	GMC Acadia, Denali FWD
N	**R:**	GMC Acadia, SLE 1 AWD
N	**S:**	GMC Acadia, SLE 2 AWD
N	**T:**	GMC Acadia, All Terrain 1 AWD
N	**U:**	GMC Acadia, SLT 1 AWD
N	**V:**	GMC Acadia, All Terrain 2 AWD
N	**W:**	GMC Acadia, SLT 2 AWD
N	**X:**	GMC Acadia, Denali AWD
N	**8:**	GMC Acadia (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

L: AYY - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row) , Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows), Driver Knee

8: ENGINE TYPE

A: LCV - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85 MAX , E0-E100, ALUM

S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN 2

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

Z: Springhill

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

GMC Canyon

TYPICAL VIN	1	G	D	G	5	A	E	A	X	J	1	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI

GVWR/BRAKE/BODY STYLE

CHASSIS

SERIES

RESTRAINT SYSTEM

ENGINE TYPE

CHECK DIGIT

MODEL YEAR

PLANT LOCATION

SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

		Valid Combinations
1:	**Region of Build**	
1:	United States	1GD
2:	**Manufacturer**	1GT
G:	General Motors	
3:	**Vehicle Brand/Type**	
D:	GMC Incomplete Truck	
T:	GMC Truck	

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style	
		43 - Four (4) Door Crew Cab/Utility	**53 - Extended Cab**
Class D: 5,001-6,000	Hyd.	G	H
Class E: 6,001-7,000	Hyd.	P	R

5~6: CHASSIS/SERIES

Book 52

5	**A:**	GMC Canyon, Base 2WD
5	**B:**	GMC Canyon, Work Truck 2WD
5	**C:**	GMC Canyon, SLE 2WD
5	**D:**	GMC Canyon, SLT 2WD
5	**E:**	GMC Canyon,Denali 2WD
6	**B:**	GMC Canyon, Work Truck 4WD
6	**C:**	GMC Canyon, SLE 4WD
6	**D:**	GMC Canyon, SLT 4WD
6	**E:**	GMC Canyon, Denali 4WD

7: RESTRAINT SYSTEM

E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

A: LCV - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85 MAX , E0-E100, ALUM

N: LGZ - ENGINE GAS, 6CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, VAR2, GEN 2

1: LWN - ENGINE DIESEL, 2.8L, DI, L4, DOHC, TURBO, XLDE

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

1: Wentzville

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

GMC Savana

TYPICAL VIN	1	G	T	W	7	A	B	B	X	J	1	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI
GVWR/BRAKE/BODY STYLE
CHASSIS
SERIES
RESTRAINT SYSTEM
ENGINE TYPE
CHECK DIGIT
MODEL YEAR
PLANT LOCATION
SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

		Valid Combinations
1: Region of Build		
1:	United States	1GD
7:	United States	1GJ
2: Manufacturer		1GT
G:	General Motors	7GZ (Navistar Only)
G:	Navistar Inc. (7GZ Only)	
3: Vehicle Brand/Type		
D:	GMC Incomplete Truck	
J:	GMC Bus (Non School Bus)	
T:	GMC Truck	
Z:	GMC Incomplete Truck (Navistar Only)	

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style: 05/06 - Cargo Van/Four (4) Door Cab/Utility, Passenger Van	Body Style: 03 - Commercial Special Cutaway, Two (2) Door Cab pick-up, Motor Home Chassis
Class G: 8,001-9,000	Hyd.	W	Y
Class H: 9,001-10,000	Hyd.	Z	0
Class 3: 10,001-14,000	Hyd.		3
Class 4: 14,001-16,000	Hyd.		6

5~6: CHASSIS/SERIES

Book 8

7	**A:**	GMC Savana 2500 Cargo
7	**B:**	GMC Savana 2500 Cargo Ext
7	**E:**	GMC Savana 2500 Passenger LS
7	**F:**	GMC Savana 2500 Passenger LT
7	**G:**	GMC Savana 3500 Cargo
7	**H:**	GMC Savana 3500 Cargo Ext
7	**L:**	GMC Savana 3500 Passenger LS
7	**M:**	GMC Savana 3500 Passenger LT
7	**N:**	GMC Savana 3500 Passenger LS Ext
7	**P:**	GMC Savana 3500 Passenger LT Ext
7	**R:**	GMC Savana 3500 Cutaway 139" Wheelbase
7	**S:**	GMC Savana 3500 Cutaway 159" Wheelbase
7	**T:**	GMC Savana 3500 Cutaway 177" Wheelbase
7	**U:**	GMC Savana 4500 Cutaway 159" Wheelbase
7	**V:**	GMC Savana 4500 Cutaway 177" Wheelbase
7	**9:**	GMC Savana, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

B: AJ3 - Active Manual Belts, Airbag - Driver only - Front

C: AK5 - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)

F: (AK5&ASF) - Active Manual Belts, Airbags-Driver & Passenger - Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)

H: (AJ3&ASF) -Active Manual Belts, Airbag - Driver only - Front, Front Seat Side (1st row), Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)

8: ENGINE TYPE

B: LC8 - ENGINE FLEXIBLE FUEL, (CNG/LPG), 8 CYL, V8, 6.0L, SFI

G: L96 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 6.0L, SFI IRON

P: LV1 - ENGINE GAS, 6 CYL, 4.3L, SIDI, V6, VVT, E85 MAX, IRON

1: LWN - ENGINE DIESEL, 2.8L, DI, L4, DOHC, TURBO, XLDE

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

1: Wentzville

N: Springfield

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

GMC Sierra

TYPICAL VIN	1	G	T	N	1	L	C	C	X	J	F	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI

GVWR/BRAKE/BODY STYLE

CHASSIS

SERIES

RESTRAINT SYSTEM

ENGINE TYPE

CHECK DIGIT

MODEL YEAR

PLANT LOCATION

SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

		Valid Combinations
1:	**Region of Build**	
1:	United States	1GT
2:	Canada	1GD
3:	Mexico	2GT
2:	**Manufacturer**	2GD
G:	General Motors	3GT
3:	**Vehicle Brand/Type**	3GD
T:	GMC Truck	
D:	GMC Incomplete	

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style		
		03 - Commercial Special Cutaway, Two (2) Door Cab pick-up, Motor Home Chassis	43 - Four (4) Door Crew Cab/Utility	53 - Extended Cab
Class E: 6,001-7,000	Hyd.	N	P	R
Class F: 7,001-8,000	Hyd.		U	V
Class H: 9,001-10,000	Hyd.	0	1	2
Class 3: 10,001-14,000	Hyd.	3	4	5

5~6: CHASSIS/SERIES

Book 6

1	**L:**	4x2, 1500 GMC Sierra Fleet/Base
1	**M:**	4x2, 1500 GMC Sierra SLE
1	**N:**	4x2, 1500 GMC Sierra SLT
1	**P:**	4x2, 1500 GMC Sierra Denali
1	**R:**	4x2, 2500 GMC Sierra Fleet/Base
1	**S:**	4x2, 2500 GMC Sierra SLE
1	**T:**	4x2, 2500 GMC Sierra SLT
1	**U:**	4x2, 2500 GMC Sierra Denali
1	**V:**	4x2, 3500 GMC Sierra Fleet/Base
1	**W:**	4x2, 3500 GMC Sierra SLE
1	**X:**	4x2, 3500 GMC Sierra SLT
1	**Y:**	4x2, 3500 GMC Sierra Denali
1	**9:**	4x2, GMC Sierra (Non-US, Non-Canada)
2	**L:**	4x4, 1500 GMC Sierra Fleet/Base
2	**M:**	4x4, 1500 GMC Sierra SLE
2	**N:**	4x4, 1500 GMC Sierra SLT
2	**P:**	4x4, 1500 GMC Sierra Denali
2	**R:**	4x4, 2500 GMC Sierra Fleet/Base
2	**S:**	4x4, 2500 GMC Sierra SLE
2	**T:**	4x4, 2500 GMC Sierra SLT

5~6: CHASSIS/SERIES

Book 6

2	**U:**	4x4, 2500 GMC Sierra Denali
2	**V:**	4x4, 3500 GMC Sierra Fleet/Base
2	**W:**	4x4, 3500 GMC Sierra SLE
2	**X:**	4x4, 3500 GMC Sierra SLT
2	**Y:**	4x4, 3500 GMC Sierra Denali
2	**9:**	4x4, GMC Sierra (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

C: AK5 - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)

E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

B: LC8 - ENGINE LPG/CNG, 8 CYL, V8, 6.0L, SFI, GEN 1, GMNA

C: L83 - ENGINE GAS, 8 CYL, 5.3L, SIDI VVT, AFM, E85 MAX, ALUM, GM

G: L96 - ENGINE GAS, 8 CYL, 6.0L, SFI, E85 MAX, IRON, GM

H: LV3 - ENGINE GAS, 6 CYL, 4.3L, GEN 5, SIDI, V6, VVT, OHV, E85 MAX ALUM

J: L86 - ENGINE GAS, 8 CYL, 6.2L, SIDI VVT, AFM, E85 MAX, ALUM, GM

P: LV1 - ENGINE GAS, 6 CYL, 4.3L, SIDI, V6, VVT, E85 MAX, IRON

R: L8B - ENGINE GAS, 8 CYL, 5.3L, V8, BAS 3, ALUM, GEN 5

Y: L5P - ENGINE DIESEL, 8 CYL, 6.6L, DI, V8, TURBO, DURAMAX, GEN 5 VAR. 1

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

F: Flint

Z: Fort Wayne

When VIN position 1 is "2" (Canada):

1: Oshawa #2 (OST)

When VIN position 1 is "3" (Mexico):

G: Silao

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

GMC Terrain

TYPICAL VIN	3	G	K	A	L	L	E	U	X	J	L	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI

GVWR/BRAKE/BODY STYLE

CHASSIS

SERIES

RESTRAINT SYSTEM

ENGINE TYPE

CHECK DIGIT

MODEL YEAR

PLANT LOCATION

SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

- **3:** Mexico

2: Manufacturer

- **G:** General Motors

3: Vehicle Brand/Type

- **K:** GMC MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class C: 4,001-5,000	Hyd.	A

5~6: CHASSIS/SERIES

Book X

L	**L:**	GMC Terrain SL FWD
L	**M:**	GMC Terrain SLE FWD
L	**N:**	GMC Terrain SLE FWD Diesel
L	**P:**	GMC Terrain SLT FWD
L	**R:**	GMC Terrain SLT FWD Diesel
L	**S:**	GMC Terrain Denali FWD
L	**T:**	GMC Terrain SLE AWD
L	**U:**	GMC Terrain SLE AWD Diesel
L	**V:**	GMC Terrain SLT AWD
L	**W:**	GMC Terrain SLT AWD Diesel
L	**X:**	GMC Terrain Denali AWD
L	**8:**	GMC Terrain (Export only)

7: RESTRAINT SYSTEM

E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

U: LH7 - ENGINE DIESEL, UREA, 4 CYL, 1.6L, L4, CRI, DOHC, VGT, ALUM

V: LYX - ENGINE GAS, 4 CYL, L4, 1.5L, DI, DOHC, VVT, FGT, TURBO, ALUM, GEN 1

X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "3" (Mexico):

L: San Luis Potosi

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

GMC Yukon

TYPICAL VIN	1	G	K	S	1	A	E	C	X	J	R	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI

GVWR/BRAKE/BODY STYLE

CHASSIS

SERIES

RESTRAINT SYSTEM

ENGINE TYPE

CHECK DIGIT

MODEL YEAR

PLANT LOCATION

SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

- **1:** United States

2: Manufacturer

- **G:** General Motors

3: Vehicle Brand/Type

- **K:** GMC MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		05/06 - Cargo Van/Four (4) Door Cab/Utility, Passenger Van
Class F: 7,001-8,000	Hyd.	S

5~6: CHASSIS/SERIES

Book 6

1	**A:**	4x2, GMC Yukon SLE
1	**B:**	4x2, GMC Yukon SLT
1	**C:**	4x2, GMC Yukon Denali
1	**7:**	4x2, GMC Yukon, (Non-US, Non-Canada)
1	**F:**	4x2, GMC Yukon XL SLE
1	**G:**	4x2, GMC Yukon XL SLT
1	**H:**	4x2, GMC Yukon XL Denali
1	**8:**	4x2, GMC Yukon XL, (Non-US, Non-Canada)
2	**A:**	4x4, GMC Yukon SLE
2	**B:**	4x4, GMC Yukon SLT
2	**C:**	4x4, GMC Yukon Denali
2	**7:**	4x4, GMC Yukon, (Non-US, Non-Canada)
2	**F:**	4x4, GMC Yukon XL SLE
2	**G:**	4x4, GMC Yukon XL SLT
2	**H:**	4x4, GMC Yukon XL Denali
2	**8:**	4x4, GMC Yukon XL, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- **E:** AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
- **K:** AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row) , Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- **C:** L83 - ENGINE GAS, 8 CYL, 5.3L, SIDI VVT, AFM, E85 MAX, ALUM, GM
- **J:** L86 - ENGINE GAS, 8 CYL, 6.2L, SIDI VVT, AFM, E85 MAX, ALUM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

- **J:** 2018

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

- **R:** Arlington

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Holden Equinox

TYPICAL VIN	3	G	0	A	X	8	E	V	X	J	S	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

WMI

GVWR/BRAKE/BODY STYLE

CHASSIS

SERIES

RESTRAINT SYSTEM

ENGINE TYPE

CHECK DIGIT

MODEL YEAR

PLANT LOCATION

SEQUENCE NUMBER

1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build
- **3:** Mexico

2: Manufacturer
- **G:** General Motors

3: Vehicle Brand/Type
- **0:** Holden MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class C: 4,001-5,000	Hyd.	A

5~6: CHASSIS/SERIES

Book X

X	7	Holden Equinox (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

E: AYC - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

V: LYX - ENGINE GAS, 4 CYL, L4, 1.5L, DI, DOHC, VVT, FGT, TURBO, ALUM, GEN 1

X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM

8: LVL - ENGINE DIESEL, 4 CYL, 1.6L, CRI, DOHC, VGT, 103KW

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

J: 2018

11: PLANT LOCATION

When VIN position 1 is "3" (Mexico):

S: Ramos Arizpe

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.