

NVS-200



EXECUTIVE SECRETARIAT

2005 OCT -5 P 1:51

49C FR 565, VIN ID

27 September 2005

EZ Loader Adjustable Boat Trailers Sales Corporation, Inc.

PO Box 3263

Spokane Wa

99202-3263

Incorporated in the state of Washington

Manufacturer of boat trailers

GVWR ratings from 850# thru 18,000#

VIN CODE POSITION IDENTIFIERS

Position 1-3 (WMI Number)	1ZE	
Position 4 (series)	A	(EZ Loader)
Position 5 (type)	A	(boat trailer)
Position 6 (model)	T	(TIEZB)
Position 7 (length)	Y	(31')
Position 8 (axle configuration)	M	(three axle)
Position 9 (check digit)		
Position 10 (model year)	V	(1997)
Position 11 (plant of manufacture)	A	(EZ Loader)
Position 12-17 (sequential number of manufacture)		



49 CFR 566, MANUFACTURER ID

27 SEPTEMBER 2005

EZ Loader Adjustable Boat Trailers Sales Corporation, Inc.
PO Box 3263
Spokane Wa
99202-3263
Incorporated in the state of Washington
Manufacturer of boat trailers
GVWR ratings from 850# thru 18,000#

President: Randy Johnson

565, VIN ID

VIN CODE POSITION 4	EZL DIVISION (1ZE)
A	E-Z LOADER Trailers
B	EXPRESS Trailers
C	SUNBIRD OEM Trailers
D	ALUMINUM Trailers (Florida)
E	SEASWIRL OEM Trailers
F	SKEETER OEM Trailers
G	WELCRAFT/AQUASPORT OEM Trailers
H	RAM OEM Trailer
J	SPECIALTY Trailers
K	SEARAY OEM trailers
L	WELDED TUBE CUSTOM Trailers
M	CHRIS CRAFT
N	YAMAHA
P	GENERATION THREE OEM Trailers
R	STARCRAFT OEM Trailers
S	SMOKERCRAFT
T	
U	KLAMMATH
V	ALUMINUM Trailers (Spokane)
W	BOSTON WHALER OEM
X	CHAMPION OEM Trailers
Y	
Z	OEM

VIN #5

VIN CODE POSITION 5	TYPE OF TRAILER
A	Boat Trailer (BUNK)
B	Personal Water Craft Trailer
C	Pontoon Trailer
D	Boat Trailer (ROLLER)
E	Snowmobile Trailer
F	Haul Trailer
G	Boat Trailer (ROLLER)
H	Boat Trailer (BUNK)
J	OEM Pontoon
K	Catamaran
L	OEM Configured Trailer (POSITION 6 COLUMN Z)

[illegible]

VIN CODE POSITION 7	LIENGTH IN FEET	LIENGTH IN METRES
A	10	3.05
B	11	3.35
C	12	3.66
D	13	3.96
E	14	4.27
F	15	4.57
G	16	4.88
H	17	5.18
J	18	5.49
K	19	5.79
L	20	6.10
M	21	6.40
N	22	6.71
P	23	7.01
R	24	7.32
S	25	7.62
T	26	7.92
U	27	8.23
V	28	8.53
W	29	8.84
X	30	9.14
Y	31	9.45
Z	32	9.75
2	33	10.06
3	34	10.36
4	35	10.67
5	36	10.97
6	37	11.28
7	38	11.58
8	39	11.89
9	40	12.19

VIN CODE POSITION 8	NUMBER OF AXLES (Duplicates separate trailers with the same VIN CODE but with different capacitys)	
A	ONE AXLE CHASSIS	
B	ONE AXLE CHASSIS	
C	ONE AXLE CHASSIS	
D	ONE AXLE CHASSIS	
E	ONE AXLE CHASSIS	
F	ONE AXLE CHASSIS	
G	TWO AXLE CHASSIS	
H	TWO AXLE CHASSIS	
J	TWO AXLE CHASSIS	
K	TWO AXLE CHASSIS	
L	TWO AXLE CHASSIS	
M	THREE AXLE CHASSIS	
N	THREE AXLE CHASSIS	
P	THREE AXLE CHASSIS	
R	102" SINGLE AXLE	*
S	102" TANDEM AXLE	*
T	102" TANDEM AXLE	*
U	102" SINGLE AXLE	*
V	102" SINGLE AXLE	*
W	102" SINGLE AXLE	*
X	102" TANDEM AXLE	*
Y	102" TANDEM AXLE	*
Z	102" TRIPLE AXLE	

VIN CODE POSITION 10		VIN CODE POSITION 10	
Code =	Year	Code =	Year
A	1980	V	1997
B	1981	W	1998
C	1982	X	1999
D	1983	Y	2000
E	1984	1	2001
F	1985	2	2002
G	1986	3	2003
H	1987	4	2004
J	1988	5	2005
K	1989	6	2006
L	1990	7	2007
M	1991	8	2008
N	1992	9	2009
P	1993	A	2010
R	1994	B	2011
S	1995	C	2012
T	1996	D	2013

Model	Length	Capacity	GVWR	tire	Pos1	Pos2	Pos3	Pos4	Pos5	Pos6	Pos7	Pos8	Pos9	Pos10	Pos11
EZB	12-14	700	950	480x8B	1ZE	A	A	A	G	A	6	A			
EZB	12-14	1000	1250	480x12B	1ZE	A	A	A	G	B	6	A			
EZB	12-14	1225	1560	480x12B	1ZE	A	A	A	G	C	6	A			
EZVB	12-14	1000	1250	480x12B	1ZE	A	A	A	G	E	6	A			
EZB	14-17	1000	1500	530x12B	1ZE	A	A	A	J	A	6	A			
EZVB	14-16	1000	1250	480x12B	1ZE	A	A	A	J	E	6	A			
EZB	14-17	1250	1560	480x12B	1ZE	A	A	A	K	A	6	A			
EZB	14-17	1525	2000	ST175/80R13B	1ZE	A	A	A	K	B	6	A			
EZB	14-17	2000	2500	ST175/80R13C	1ZE	A	A	A	K	D	6	A			
EZB	15-18	2350	2999	ST205/75R14C	1ZE	A	A	A	L	B	6	A			
EZB	15-18	2800	3500	ST205/75R14C	1ZE	A	A	A	L	C	6	A			
EZB	15-18	3100	3740	ST215/75R14C	1ZE	A	A	A	L	D	6	A			
EZB	17-20	2350	2999	ST205/75R14C	1ZE	A	A	A	M	B	6	A			
EZB	17-20	2800	3500	ST205/75R14C	1ZE	A	A	A	M	C	6	A			
EZB	17-20	3100	3740	ST215/75R14C	1ZE	A	A	A	M	D	6	A			
EZ102B	15-18	2800	3500	ST205/75R14C	1ZE	A	A	A	M	R	6	A			
EZ102B	15-18	3100	3740	ST215/75R14C	1ZE	A	A	A	M	V	6	A			
EZ102B	15-18	2350	2999	ST205/75R14C	1ZE	A	A	A	M	W	6	A			
EZ102B	17-20	2800	3500	ST205/75R14C	1ZE	A	A	A	N	R	6	A			
EZ102B	17-20	3100	3740	ST215/75R14C	1ZE	A	A	A	N	V	6	A			
EZ102B	17-20	2350	2999	ST205/75R14C	1ZE	A	A	A	N	W	6	A			
EZB	17-20	3700	4600	ST225/75R15D	1ZE	A	A	A	P	A	6	A			
EZB	19-22	3100	3740	ST215/75R14C	1ZE	A	A	A	R	B	6	A			
EZ102B	19-22	3100	3740	ST215/75R14C	1ZE	A	A	A	R	U	6	A			
EZB	19-22/24	3700	4600	ST225/75R15D	1ZE	A	A	A	S	A	6	A			
EZL80B	13-14	1480	1890	530x12C	1ZE	A	A	D	J	A	6	A			
EZL80B	15-16	1700	2130	ST175/80R13B	1ZE	A	A	D	K	A	6	A			
EZL80B	15-16	1900	2350	ST175/80R13C	1ZE	A	A	D	K	B	6	A			
EZL90B	13-14	1480	1890	530x12C	1ZE	A	A	E	J	A	6	A			
EZL90B	15-16	2100	2630	ST175/80R13C	1ZE	A	A	E	K	B	6	A			
EZL90B	15-17	2350	2960	ST185/80R13C	1ZE	A	A	E	L	A	6	A			
EZL90B	17-19	2100	2700	ST175/80R13C	1ZE	A	A	E	M	A	6	A			
EZL90B	17-19	2350	2960	ST185/80R13C	1ZE	A	A	E	M	B	6	A			
EZLIV	155	2300	2960	ST185/80R13C	1ZE	A	A	E	N	A	6	A			
EZLIV	185S	2800	3500	ST205/75R14C	1ZE	A	A	E	P	A	6	A			
EZLIV	185T	3100	3740	ST215/75R14C	1ZE	A	A	E	P	B	6	A			
EZL90B	19-22	2000	2700	ST175/80R13C	1ZE	A	A	E	R	B	6	A			
EZLIV	12-14	1400	1750	530x12C	1ZE	A	A	F	E	A	6	A			
EZNB	14-17	1400	1750	530x12C	1ZE	A	A	F	K	A	6	A			
EZNB	14-17	1650	2200	ST175/80R13B	1ZE	A	A	F	K	B	6	A			
EZTB	14	600	850	480x8B	1ZE	A	A	H	G	A	6	A			
EZTB	14	800	1050	480x12B	1ZE	A	A	H	G	B	6	A			
EZTLB	14	800	1050	480x12B	1ZE	A	A	H	G	D	6	A			
EZLIV	10-12	1200	1475	480x12B	1ZE	A	A	K	E	B	6	A			
EZWB	12-14	1200	1475	480x12B	1ZE	A	A	K	H	B	6	A			
EZWB	14-18	1650	2200	ST175/80R13B	1ZE	A	A	K	K	A	6	A			
EZWB	14-18	2100	2700	ST175/80R13C	1ZE	A	A	K	K	B	6	A			
EZWB	14-18	2300	2960	ST185/80R13C	1ZE	A	A	K	K	C	6	A			
TEZB	17-20/22	3500	4400	ST175/80R13B	1ZE	A	A	M	P	G	6	A			
TEZB	17-20/22	4000	5000	ST175/80R13C	1ZE	A	A	M	P	H	6	A			

Model	Length	Capacity	GVAWR	Tire	Pos123	Pos4	Pos5	Pos6	Pos7	Pos8	Pos10	Pos11
TEZB	17-20/22	3500	4400	ST205/75R14B	1ZE	A	A	M	P	J	6	A
TEZB	17-20/22	4000	5000	ST205/75R14B	1ZE	A	A	M	P	K	6	A
TEZ102B	17-20/22	3500	4400	ST175/80R13B	1ZE	A	A	M	P	S	6	A
TEZ102B	17-20/22	4000	5000	ST175/80R13C	1ZE	A	A	M	P	T	6	A
TEZ102B	17-20/22	3500	4400	ST205/75R14B	1ZE	A	A	M	P	X	6	A
TEZ102B	17-20/22	4000	5000	ST205/75R14B	1ZE	A	A	M	P	Y	6	A
TEZB	19-22/24	5200	6600	ST205/75R14C	1ZE	A	A	M	S	H	6	A
TEZSB	19	5000	6600	ST205/75R14C	1ZE	A	A	M	S	K	6	A
TEZ102B	19-22/24	5200	6600	ST205/75R14C	1ZE	A	A	M	S	S	6	A
TEZ102B	19-22/24	4300	5540	ST205/75R14B	1ZE	A	A	M	S	T	6	A
TEZ102B	19-22/24	4700	6000	ST205/75R14C	1ZE	A	A	M	S	X	6	A
TEZB	23-25/27	5800	7480	ST215/75R14C	1ZE	A	A	M	T	G	6	A
TEZB	19-22/24	4300	5540	ST205/75R14B	1ZE	A	A	M	T	H	6	A
TEZB	19-22/24	4700	6000	ST205/75R14C	1ZE	A	A	M	T	J	6	A
TEZ102B	26-30	7500	9800	ST225/75R15D	1ZE	A	A	M	X	G	6	A
TEZ102B	26-30	8500	10600	ST235/80R16D	1ZE	A	A	M	Y	X	6	A
TEZB	23-25/27	7500	9200	ST225/75R15D	1ZE	A	A	N	T	G	6	A
TEZB	23-25/27	6800	8500	ST225/75R15D	1ZE	A	A	N	T	H	6	A
TEZB	25-27	8500	10600	ST235/80R16D	1ZE	A	A	N	V	G	6	A
TEZSB	21-23	7150	9200	ST225/75R15D	1ZE	A	A	N	V	H	6	A
TEZB	28-30	8500	10600	ST235/80R16D	1ZE	A	A	N	Y	G	6	A
TEZP	23-25	5800	7480	ST215/75R14C	1ZE	A	A	P	T	G	6	A
TIEZSB	27	11500	14400	ST225/75R15D	1ZE	A	A	T	2	M	6	A
TIEZB	30-34/36	11800	14400	ST225/75R15D	1ZE	A	A	T	6	M	6	A
TIEZB	26-30	12000	14400	ST225/75R15D	1ZE	A	A	T	Y	M	6	A
TIEZB	26-30	9000	11100	ST215/75R14C	1ZE	A	A	T	Y	N	6	A
TIEZ102B	26-30	12000	14400	ST225/75R15D	1ZE	A	A	T	Y	Z	6	A
EZL96B	15-17	2100	2700	ST175/80R13C	1ZE	A	A	V	L	A	6	A
EZL96B	15-18	2800	3500	ST205/75R14C	1ZE	A	A	V	M	A	6	A
EZL96B	15-18	3100	3740	ST215/75R14C	1ZE	A	A	V	M	B	6	A
EZL96B	17-19	2100	2700	ST175/80R13C	1ZE	A	A	V	M	C	6	A
EZL96B	17-20	2800	3500	ST205/75R14C	1ZE	A	A	V	N	A	6	A
EZL96B	17-20	3100	3740	ST215/75R14C	1ZE	A	A	V	N	B	6	A
EZL96B	19-22	2300	2960	ST185/80R13C	1ZE	A	A	V	R	A	6	A
EZL96B	19-22	3100	3740	ST215/75R14C	1ZE	A	A	V	R	B	6	A
EZL96B	19-22/24	2500	3200	ST205/75R14C	1ZE	A	A	V	W	C	6	A
TEZL96B	17-20/22	3500	4400	ST175/80R13B	1ZE	A	A	W	N	G	6	A
TEZL96B	17-20/22	4000	5000	ST175/80R13C	1ZE	A	A	W	N	H	6	A
TEZL96B	17-20/22	3500	4400	ST205/75R14B	1ZE	A	A	W	N	J	6	A
TEZL96B	17-20/22	4000	5000	ST205/75R14B	1ZE	A	A	W	N	K	6	A
TEZL96B	19-22/24	4300	5440	ST205/75R14B	1ZE	A	A	W	T	G	6	A
TEZL96B	19-22/24	4700	6000	ST205/75R14C	1ZE	A	A	W	T	H	6	A
EZL90B	14-18	1650	2200	ST175/80R13B	1ZE	A	A	Y	K	A	6	A
EZL90B	14-18	2100	2700	ST175/80R13C	1ZE	A	A	Y	K	B	6	A
EZLL80B	15	1650	2200	ST175/80R13B	1ZE	A	A	Y	L	B	6	A
EZLL80B	17	2000	2600	ST175/80R13C	1ZE	A	A	Y	M	A	6	A
EZL102B	15-18	2800	3500	ST205/75R14C	1ZE	A	A	Y	N	R	6	A
EZL102B	15-18	3100	3740	ST215/75R14C	1ZE	A	A	Y	N	U	6	A
EZL102B	15-18	2300	2960	ST185/80R13C	1ZE	A	A	Y	N	V	6	A
EZL102B	17-20	2800	3500	ST205/75R14C	1ZE	A	A	Y	P	R	6	A

	E											
EZL102B	17-20	3100	3740 ST215/75R14C	1ZE	A	A	Y	P	U	6	A	
EZL102B	17-20	2300	2960 ST185/80R13C	1ZE	A	A	Y	P	W	6	A	
TEZL102B	17-20/22	3500	4400 ST175/80R13B	1ZE	A	A	Z	R	S	6	A	
TEZL102B	17-20/22	4000	5000 ST175/80R13C	1ZE	A	A	Z	R	T	6	A	
TEZL102B	17-20/22	3500	4400 ST205/75R14B	1ZE	A	A	Z	R	X	6	A	
TEZL102B	17-20/22	4000	5000 ST205/75R14B	1ZE	A	A	Z	R	Y	6	A	
TEZL102B	19-22/24	4300	5440 ST205/75R14B	1ZE	A	A	Z	S	S	6	A	
TEZL102B	19-22/24	4700	6000 ST205/75R14C	1ZE	A	A	Z	S	T	6	A	
EZTWV	0	600	850 480x8B	1ZE	A	B	J	C	A	6	A	
EZTWV	0	800	1050 480x12B	1ZE	A	B	J	C	B	6	A	
EZWV	0	700	950 480x8B	1ZE	A	B	L	C	A	6	A	
EZWV	0	1000	1250 480x12B	1ZE	A	B	L	C	B	6	A	
EZWV	0	1100	1400 480x12B	1ZE	A	B	L	D	A	6	A	
EZWV	0	1200	1680 530x12B	1ZE	A	B	L	H	A	6	A	
EZWV	0	1800	2325 ST175/80R13C	1ZE	A	B	L	H	C	6	A	
EZWV	0	1600	2090 530x12C	1ZE	A	B	L	H	D	6	A	
EZWV	0	2100	2700 ST175/80R13C	1ZE	A	B	L	H	E	6	A	
TEZWV	0	3300	4800 ST175/80R13C	1ZE	A	B	S	X	H	6	A	
EZP	16-18	2150	2999 20.5X8X10E	1ZE	A	C	G	N	A	6	A	
EZP	16-18	2100	2960 ST185/80R13C	1ZE	A	C	G	N	B	6	A	
EZP	18-20	2100	2999 20.5X8X10E	1ZE	A	C	G	R	A	6	A	
EZP	18-20	2075	2960 ST185/80R13C	1ZE	A	C	G	R	B	6	A	
EZP	20-22	2700	3700 ST195/75D14D	1ZE	A	C	P	T	A	6	A	
TEZP	20-22	3300	4420 20.5X8X10C	1ZE	A	C	P	T	G	6	A	
TEZP	20-22	3300	4400 ST175/80R13B	1ZE	A	C	P	T	H	6	A	
TEZP	22-24	3750	5000 ST175/80R13C	1ZE	A	C	P	V	A	6	A	
EZP	22-24	2650	3700 ST195/75D14D	1ZE	A	C	P	V	B	6	A	
TEZP	22-24	3850	5000 20.5X8X10D	1ZE	A	C	P	V	G	6	A	
TEZP	22-24	4325	5440 ST175/80R13C	1ZE	A	C	P	V	H	6	A	
TEZP	24-26/28	4750	6000 20.5X8X10E	1ZE	A	C	P	X	G	6	A	
TEZP	24-26/28	4700	5920 ST185/80R13C	1ZE	A	C	P	X	H	6	A	
EZR	12-14	1225	1560 480x12B	1ZE	A	D	A	G	A	6	A	
EZR	14-17	1525	2000 ST175/80R13B	1ZE	A	D	A	K	A	6	A	
EZR	14-17	2000	2500 ST175/80R13C	1ZE	A	D	A	K	C	6	A	
EZR	14-17	1250	1560 480x12B	1ZE	A	D	A	K	D	6	A	
EZR	15-18	2800	3500 ST205/75R14C	1ZE	A	D	A	L	A	6	A	
EZR	15-18	3100	3740 ST215/75R14C	1ZE	A	D	A	L	B	6	A	
EZR	15-18	2350	2999 ST205/75R14C	1ZE	A	D	A	L	D	6	A	
EZR	17-20	2800	3500 ST205/75R14C	1ZE	A	D	A	M	A	6	A	
EZR	17-20	3100	3740 ST215/75R14C	1ZE	A	D	A	M	B	6	A	
EZR	17-20	2350	2999 ST205/75R14C	1ZE	A	D	A	M	D	6	A	
EZ102R	15-18	2800	3500 ST205/75R14C	1ZE	A	D	A	M	R	6	A	
EZ102R	15-18	3100	3740 ST215/75R14C	1ZE	A	D	A	M	V	6	A	
EZ102R	15-18	2350	2999 ST205/75R14C	1ZE	A	D	A	M	W	6	A	
EZ102R	17-20	2800	3500 ST205/75R14C	1ZE	A	D	A	N	R	6	A	
EZ102R	17-20	3100	3740 ST215/75R14C	1ZE	A	D	A	N	V	6	A	
EZ102R	17-20	2350	2999 ST205/75R14C	1ZE	A	D	A	N	W	6	A	
EZR	17-20	3700	4600 ST225/75R15D	1ZE	A	D	A	P	A	6	A	
EZR	19-22	3100	3740 ST215/75R14C	1ZE	A	D	A	R	B	6	A	
EZ102R	19-22	3100	3740 ST215/75R14C	1ZE	A	D	A	R	U	6	A	

Model	Eng	Comp	Stk	Tr	Pos-1	Pos-2	Pos-3	Pos-4	Pos-5	Pos-6	Pos-7	Pos-8
EZR	19-22/24	3700	4600	ST225/75R15D	1ZE	A	D	A	S	A	6	A
EZL90R	15-17	2350	2960	ST185/80R13C	1ZE	A	D	E	L	A	6	A
EZL90R	17-19	2350	2960	ST185/80R13C	1ZE	A	D	E	M	B	6	A
EZWR	14-18	1650	2200	ST175/80R13B	1ZE	A	D	K	K	A	6	A
EZWR	14-18	2300	2960	ST185/80R13C	1ZE	A	D	K	K	B	6	A
EZWR	14-18	2100	2700	ST175/80R13C	1ZE	A	D	K	K	C	6	A
TEZR	17-20/22	3500	4400	ST175/80R13B	1ZE	A	D	M	P	G	6	A
TEZR	17-20/22	4000	5000	ST175/80R13C	1ZE	A	D	M	P	H	6	A
TEZR	17-20/22	3500	4400	ST205/75R14B	1ZE	A	D	M	P	J	6	A
TEZR	17-20/22	4000	5000	ST205/75R14B	1ZE	A	D	M	P	K	6	A
TEZ102R	17-20/22	3500	4400	ST175/80R13B	1ZE	A	D	M	P	S	6	A
TEZ102R	17-20/22	4000	5000	ST175/80R13C	1ZE	A	D	M	P	T	6	A
TEZ102R	17-20/22	3500	4400	ST205/75R14B	1ZE	A	D	M	P	X	6	A
TEZ102R	17-20/22	4000	5000	ST205/75R14B	1ZE	A	D	M	P	Y	6	A
TEZR	19-22/24	5200	6600	ST205/75R14C	1ZE	A	D	M	S	H	6	A
TEZ102R	19-22/24	5200	6600	ST205/75R14C	1ZE	A	D	M	S	S	6	A
TEZ102R	19-22/24	4300	5540	ST205/75R14B	1ZE	A	D	M	S	T	6	A
TEZ102R	19-22/24	4700	6000	ST205/75R14C	1ZE	A	D	M	S	X	6	A
TEZR	23-25/27	5800	7480	ST215/75R14C	1ZE	A	D	M	T	G	6	A
TEZR	19-22/24	4300	5540	ST205/75R14B	1ZE	A	D	M	T	H	6	A
TEZR	19-22/24	4700	6000	ST205/75R14C	1ZE	A	D	M	T	J	6	A
TEZ102R	26-30	7500	9800	ST225/75R15D	1ZE	A	D	M	X	G	6	A
TEZR	23-25/27	7000	9200	ST225/75R15D	1ZE	A	D	R	T	G	6	A
TEZR	23-25/27	6500	8500	ST225/75R15D	1ZE	A	D	R	T	H	6	A
TEZR	25-27	8300	10600	ST235/80R16D	1ZE	A	D	R	V	G	6	A
TEZR	26-30	8200	10600	ST235/80R16D	1ZE	A	D	R	Y	G	6	A
TIEZR	30-34/36	11400	14400	ST225/75R15D	1ZE	A	D	U	6	M	6	A
TIEZR	26-30	9500	12240	ST225/75R15D	1ZE	A	D	U	Y	M	6	A
TIEZR	26-30	8700	11100	ST215/75R14C	1ZE	A	D	U	Y	N	6	A
TIEZR	26-30	11500	14400	ST225/75R15D	1ZE	A	D	U	Y	P	6	A
EZL96R	15-18	2800	3500	ST205/75R14C	1ZE	A	D	V	M	A	6	A
EZL96R	15-18	3100	3740	ST215/75R14C	1ZE	A	D	V	M	B	6	A
EZL96R	17-20	2800	3500	ST205/75R14C	1ZE	A	D	V	N	A	6	A
EZL96R	17-20	3100	3740	ST215/75R14C	1ZE	A	D	V	N	B	6	A
EZL96R	19-22	3100	3740	ST215/75R14C	1ZE	A	D	V	R	B	6	A
TEZL96R	17-20/22	3500	4400	ST175/80R13B	1ZE	A	D	W	N	G	6	A
TEZL96R	17-20/22	4000	5000	ST175/80R13C	1ZE	A	D	W	N	H	6	A
TEZL96R	17-20/22	3500	4400	ST205/75R14B	1ZE	A	D	W	N	J	6	A
TEZL96R	17-20/22	4000	5000	ST205/75R14B	1ZE	A	D	W	N	K	6	A
TEZL96R	19-22/24	4300	5440	ST205/75R14B	1ZE	A	D	W	T	G	6	A
TEZL96R	19-22/24	4700	6000	ST205/75R14C	1ZE	A	D	W	T	H	6	A
EZL90R	14-18	1650	2200	ST175/80R13B	1ZE	A	D	Y	K	A	6	A
EZL90R	14-18	2100	2700	ST175/80R13C	1ZE	A	D	Y	K	B	6	A
EZL102R	15-18	2800	3500	ST205/75R14C	1ZE	A	D	Y	N	R	6	A
EZL102R	15-18	3100	3740	ST215/75R14C	1ZE	A	D	Y	N	U	6	A
EZL102R	17-20	2800	3500	ST205/75R14C	1ZE	A	D	Y	P	R	6	A
EZL102R	17-20	3100	3740	ST215/75R14C	1ZE	A	D	Y	P	U	6	A
TEZL102R	17-20/22	3500	4400	ST175/80R13B	1ZE	A	D	Z	R	S	6	A
TEZL102R	17-20/22	4000	5000	ST175/80R13C	1ZE	A	D	Z	R	T	6	A
TEZL102R	17-20/22	3500	4400	ST205/75R14B	1ZE	A	D	Z	R	X	6	A

Model	Length	Capacity	GVW	Tire	Pos1	Pos2	Pos3	Pos4	Pos5	Pos6	Pos7	Pos8	Pos9	Pos10	Pos11
TEZL102R	17-20/22	4000	5000	ST205/75R14B	1ZE	A	D	Z	R	Y	6	A			
TEZL102R	19-22/24	4300	5440	ST205/75R14B	1ZE	A	D	Z	S	S	6	A			
TEZL102R	19-22/24	4700	6000	ST205/75R14C	1ZE	A	D	Z	S	T	6	A			
TEZJR	17-20/22	4000	5000	ST175/80R13C	1ZE	H	D	M	P	H	6	A			
TEZJR	17-20/22	4000	5000	ST205/75R14B	1ZE	H	D	M	P	J	6	A			
TEZJR	19-22/24	4700	6000	ST205/75R14C	1ZE	H	D	M	T	J	6	A			
EZJR	17-20	2300	2999	ST205/75R14C	1ZE	H	G	F	M	E	6	A			
EZJR	19-22	2950	3740	ST215/75R14C	1ZE	H	G	F	R	C	6	A			
EZWJR	14-18	1625	2200	ST175/80R13B	1ZE	H	G	G	K	A	6	A			
TEZJR	19-22/24	5200	6600	ST205/75R14C	1ZE	H	G	M	S	H	6	A			
TEZJR	23-25/27	5800	7480	ST215/75R14C	1ZE	H	G	M	T	G	6	A			
UPS	14	600	850	480x8B	1ZE	J	A	A	G	A	6	A			
UPSWV	14	600	850	480x8B	1ZE	J	B	C	C	A	6	A			
TEZGB	26	8200	10720	ST235/80R16D	1ZE	J	C	P	2	G	6	A			
TEZGB	22	5500	7480	ST215/75R14C	1ZE	J	C	P	W	H	6	A			
TEZSP	26	7500	10720	ST235/80R16D	1ZE	J	K	F	W	G	6	A			
STCB	16-17	1250	1560	480X12B	1ZE	R	A	F	L	A	6	A			
TSTCL96B	19-22/24	4300	5540	ST205/75R14B	1ZE	R	A	M	U	H	6	A			
TSTCL96B	19-22/24	4700	6000	ST205/75R14C	1ZE	R	A	M	U	J	6	A			
STC80B	1-15	1800	2200	ST175/80R13B	1ZE	R	A	N	K	B	6	A			
STC80B	1-15	1500	1890	530x12C	1ZE	R	A	N	K	C	6	A			
STC90B	15-16	2100	2630	ST175/80R13C	1ZE	R	A	P	K	B	6	A			
STC90B	16	2100	2630	ST175/80R13C	1ZE	R	A	P	K	D	6	A			
STC90B	15-17	2300	2960	ST185/80R13C	1ZE	R	A	P	L	A	6	A			
STC90B	17	2400	2960	ST185/80R13C	1ZE	R	A	P	L	D	6	A			
STC90B	2-17	2400	2960	ST185/80R13C	1ZE	R	A	P	L	E	6	A			
STC96B	17	2800	3500	ST205/75R14C	1ZE	R	A	R	L	B	6	A			
STC96B	17-19	2400	2999	ST205/75R14C	1ZE	R	A	R	N	B	6	A			
STC102B	16	3100	3740	ST215/75R14C	1ZE	R	A	S	M	R	6	A			
STC102B	1-16	2350	2999	ST205/75R14C	1ZE	R	A	S	M	U	6	A			
STC102B	18	3700	5000	ST225/75R15D	1ZE	R	A	S	N	A	6	A			
STC102B	18	3100	3740	ST215/75R14C	1ZE	R	A	S	N	R	6	A			
STC102B	19-20	3100	3740	ST215/75R14C	1ZE	R	A	S	P	S	6	A			
TSTCL96B	2-22	4000	5000	ST175/80R13C	1ZE	R	A	U	N	G	6	A			
TSTCL96B	21	4000	5000	ST175/80R13C	1ZE	R	A	U	P	G	6	A			
TSTCL96B	1-22	4000	5000	ST175/80R13C	1ZE	R	A	U	R	G	6	A			
STC80B	16-18	1800	2720	ST175X75R13C	1ZE	R	L	L	N	A	6	A			
EZLSC80B	14-15	1480	2090	530x12C	1ZE	S	A	B	J	A	6	A			
EZLSC80B	17-18	1700	2200	ST175/80R13B	1ZE	S	A	B	N	A	6	A			
EZLSC90B	15-16	1480	2090	530x12C	1ZE	S	A	C	J	A	6	A			
EZLSC90B	16-17	1650	2200	ST175/80R13B	1ZE	S	A	C	K	C	6	A			
EZLSC90B	15-17	2350	2960	ST185/80R13C	1ZE	S	A	C	L	A	6	A			
EZLSC90B	17-19	2350	2960	ST185/80R13C	1ZE	S	A	C	M	A	6	A			
EZL96B	19-22	3100	3740	ST215/75R14C	1ZE	S	A	D	R	A	6	A			
EZSCB	14-15	1250	1560	480X12B	1ZE	S	A	F	J	A	6	A			
EZSCB	16-17	1250	1560	480X12B	1ZE	S	A	F	L	A	6	A			
EZLSC102B	17-20	3100	3700	ST215/75R14C	1ZE	S	A	G	P	R	6	A			
TEZLSC102B	21	3500	4400	ST175/80R13B	1ZE	S	A	Z	R	S	6	A			
AB	16-18	2100	2720	ST175/80R13C	1ZE	V	A	A	M	A	6	A			
AB	16-18	2800	3520	ST205/75R14C	1ZE	V	A	A	M	B	6	A			

Model	Length	Capacity	GVWR	Tire	Pos123	Pos4	Pos5	Pos6	Pos7	Pos8	Pos10	Pos11
AB	16-18	3100	3740	ST215/75R14C	1ZE	V	A	A	M	C	6	A
AB	18-20	2100	2720	ST175/80R13C	1ZE	V	A	A	N	A	6	A
AB	18-20	2800	3520	ST205/75R14C	1ZE	V	A	A	N	B	6	A
AB	18-20	3100	3740	ST215/75R14C	1ZE	V	A	A	N	C	6	A
A102B	18-20	2800	3420	ST205/75R14C	1ZE	V	A	A	N	R	6	A
A102B	18-20	3100	3700	ST215/75R14C	1ZE	V	A	A	N	V	6	A
TAB	18-21	4000	5000	ST175/80R13C	1ZE	V	A	B	P	G	6	A
TAB	18-21	4000	5000	ST205/75R14B	1ZE	V	A	B	P	H	6	A
TAB	18-21	4000	5000	ST175/80R13C	1ZE	V	A	B	P	S	6	A
TAB	18-21	4000	5000	ST205/75R14B	1ZE	V	A	B	P	T	6	A
TAB	21-25	6200	7400	ST215/75R14C	1ZE	V	A	B	S	G	6	A
TAB	20-23	5000	6000	ST205/75R14C	1ZE	V	A	B	S	H	6	A
TAB	20-23	4600	5720	ST205/75R14B	1ZE	V	A	B	S	J	6	A
TAB	21-25	5800	7000	ST205/75R14C	1ZE	V	A	B	S	K	6	A
TAB	20-23	4600	5720	ST205/75R14B	1ZE	V	A	B	S	S	6	A
TAB	20-23	5000	6000	ST205/75R14C	1ZE	V	A	B	S	T	6	A
TAB	23-27	6200	7400	ST215/75R14C	1ZE	V	A	B	V	G	6	A
TAB	23-27	7900	9400	ST225/75R15D	1ZE	V	A	B	V	H	6	A
TAB	23-27	5800	7000	ST205/75R14C	1ZE	V	A	B	V	L	6	A
TAB	26-30	7900	9400	ST225/75R15D	1ZE	V	A	B	Z	G	6	A
TIAB	27-31	12000	14400	ST225/75R15D	1ZE	V	A	C	2	M	6	A
TIAB	28-32	9000	10800	ST215/75R14C	1ZE	V	A	C	3	M	6	A
TIAB	30-34	12000	14400	ST225/75R15D	1ZE	V	A	C	5	M	6	A
TIAB	34-38	12000	14400	ST225/75R15D	1ZE	V	A	C	9	M	6	A
TIAB	23-27	9000	10800	ST215/75R14C	1ZE	V	A	C	V	M	6	A
TIAB	26-30	9000	10800	ST215/75R14C	1ZE	V	A	C	Z	M	6	A
AL80B	13-15	1350	1800	530x12C	1ZE	V	A	D	K	A	6	A
AL90B	14-16	1700	2200	ST175/80R13B	1ZE	V	A	D	K	B	6	A
AL90B	14-16	2200	2700	ST175/80R13C	1ZE	V	A	D	K	C	6	A
ALB	18-20	2100	2720	ST175/80R13C	1ZE	V	A	D	N	A	6	A
ALB	18-20	2800	3520	ST205/75R14C	1ZE	V	A	D	N	B	6	A
ALB	18-20/22	3100	3740	ST215/75R14C	1ZE	V	A	D	N	C	6	A
ALL102B	19	3100	3700	ST215/75R14C	1ZE	V	A	D	N	R	6	A
AL102B	18-20	2800	3500	ST205/75R14C	1ZE	V	A	D	N	U	6	A
AL102B	18-20	3100	3700	ST215/75R14C	1ZE	V	A	D	N	V	6	A
ALL102B	19	2800	3520	ST205/75R14C	1ZE	V	A	D	N	W	6	A
TALB	18-21	4000	5000	ST175/80R13C	1ZE	V	A	E	P	G	6	A
TALB	18-21	4000	5000	ST205/75R14B	1ZE	V	A	E	P	H	6	A
TALB	18-21	4000	5000	ST175/80R13C	1ZE	V	A	E	P	S	6	A
TALB	18-21	4000	5000	ST205/75R14B	1ZE	V	A	E	P	T	6	A
TALB	21-25	6200	7400	ST215/75R14C	1ZE	V	A	E	S	G	6	A
TALB	21-25	5800	7000	ST205/75R14C	1ZE	V	A	E	S	H	6	A
TALB	23-27	6200	7400	ST215/75R14C	1ZE	V	A	E	V	G	6	A
TALB	23-27	7900	9400	ST225/75R15D	1ZE	V	A	E	V	H	6	A
TALB	23-27	8500	10000	ST235/80R16D	1ZE	V	A	E	V	J	6	A
TALB	23-27	5800	7000	ST205/75R14C	1ZE	V	A	E	V	K	6	A
TALB	26-30	7900	9400	ST225/75R15D	1ZE	V	A	E	Z	G	6	A
ALB	16-18	2100	2720	ST175/80R13C	1ZE	V	H	D	M	D	6	A
ALB	16-18	2800	3520	ST205/75R14C	1ZE	V	H	D	M	E	6	A
ALB	16-18	3100	3740	ST215/75R14C	1ZE	V	H	D	M	F	6	A

					Pos 23	Pos 24	Pos 25	Pos 26	Pos 27	Pos 28	Pos 29	Pos 30
TALLB	22	4000	5000 ST175/80R13C	1ZE	V	H	E	P	G	6	A	
TALB	20-23	4600	5720 ST205/75R14B	1ZE	V	H	E	S	H	6	A	
TALB	20-23	5000	6000 ST205/75R14C	1ZE	V	H	E	S	J	6	A	
TALB	20-23	4600	5720 ST205/75R14B	1ZE	V	H	E	S	S	6	A	
TALB	20-23	5000	6000 ST205/75R14C	1ZE	V	H	E	S	T	6	A	
EZVB	14-17	1250	1560 480X12B	1ZE	X	A	A	K	A	6	A	
TIARBS	25	9000	11100 ST215/75R14C	1ZE	Z	A	C	Z	M	6	A	
EZ90NRB	16-17	1700	2200 ST175/80R13B	1ZE	Z	A	E	K	A	6	A	
TIASB	27	9000	11100 ST215/75R14C	1ZE	Z	A	F	3	M	6	A	
AWL80B	15-17	1900	2350 ST175/80R13C	1ZE	Z	A	Z	K	A	6	A	
TIEZTP	24	6500	8880 ST185/80R13C	1ZE	Z	J	Y	X	M	6	A	
TIMSRC	28	11600	14400 ST225/75R15D	1ZE	Z	L	A	Z	M	6	A	
TEZCD	26	8500	10600 ST235/80R16D	1ZE	Z	L	W	Y	X	6	A	
AL102BTv	19	2950	3750 ST215/75R14C	1ZE	Z	L	X	N	A	6	A	
TALBTv	22	4950	7000 ST205/75R14C	1ZE	Z	L	X	U	G	6	A	
TALBTv	26	5800	7300 ST215/75R14C	1ZE	Z	L	X	W	G	6	A	



ROAD TRAILERS

7 N HAMILTON ST
PO BOX 3263
POKANE WA 99220-3263

ADMINISTRATOR
NHTSA
400 SEVENTH ST. SW
WASHINGTON, DC 20590



1020 U.S. POSTAGE PER 55 AR 416
3725 00.830 SEP 27 2005
7499 PAID BY FROMBIE CODE 99202