

VIN deciphering submission-Hisun Motors Corp., USA

Date: September 27, 2018

Administrator

National Highway Traffic Safety Administration

1200 New Jersey Avenue SE W43-488

Washington, DC 20590

Attention: VIN Coordinator

RE: Vehicle Identification Number Deciphering Information

In accordance with 49 CFR Part 565, Vehicle Identification Number Requirements, Hisun Motors Corp., USA is submitting information necessary to decipher the characters contained in its Vehicle Identification Numbers. Please see the attachment.

Hisun Motors Corp., USA is a low speed vehicle manufacturer assigned WMI: 7GJ. If you have any questions, please contact me at 972-446-0765.

Sincerely,

Cynthia Lei

Hisun Motors Corp., USA

310 E University Drive

Mckinney, TX USA

Attachment

www.hisunmotors.com

Low Speed Vehicle (LSV) Manufacturer based in the USA

VIN deciphering submission –Name of Company: HISUN MOTORS CORP., USA

VIN Deciphering 1st Section

Position 1 Position 2 Position 3	WMI WMI WMI	7 = Assigned by SAE G = Assigned by SAE J = Assigned by SAE
2nd Section Position 4	Body Type/Make Name	S = 2 door / Sector E1 E= 2 door/ Sector E2 D = 4 door/Sector E4
Position 5	GVWR	C = 2,001 lbs. to 3,000 lbs.
Position 6	Restraint System Type	3 = 3-Point Seat Belts, All Seats
Position 7	Engine Type	5 = 5K Watts, Electric
Position 8	Brake System	D = 4-wheel hydraulic disc brakes
<i>3rd Section</i> Position 9	Check Digit	Calculated See 49 CFR 565.15(c)
4th Section Position 10	Model Year	E = MY 2014 F = MY 2015 G = MY 2016
Position 11	Plant of Manufacture	M= City McKinney State Texas
Position 12 Position 13 Position 14	WMI WMI WMI	7 = Assigned by SAE G = Assigned by SAE J = Assigned by SAE
Position 15	Sequentially Assigned 001, 002, 003 etc.	
Position 16 Position 17		

Instructions for Page 1 Template if You are a Low Volume U.S. LSV Manufacturer who has a six-character WMI Code

(Note: A **High-Volume U.S. LSV Mfr** can use the same page 1 template but see special instructions in the last paragraph below.)

Create a similar 3-column template that is on page 1.

Relating to VIN Positions 1, 2, 3 : If your new company does not have a **WMI Code** (World Manufacturer Identifier Code), please obtain one by calling the SAE at **724-772-7107** and identify the type(s) of motor vehicle(s) your company produce(s).

The third column of your template must reflect the characteristics/descriptions of the vehicles your company produces. Only indicate those items that describe your product and give each a letter or number code. (Note : Never use capitol letters I, O, Q in your coding.)

In the third column for VIN Positions 4 thru 8, do not simply copy these items. These are only examples. List only the items your company produces and assign each a letter or number code. Again, <u>Never use capitol</u> <u>letters I, O, Q</u> in your coding as they are prohibited. DO NOT LIST ITEMS YOU DO NOT PRODUCE !

(Note : In the future, you can always submit a revised or updated PART 565—VIN Decoding chart whenever your company have new additional codes for new additional items.)

For VIN Position 9, you may copy the verbiage in column 3 as the check digit will always change with each new VIN number created for each new vehicle produced. *For more information on the check digit calculation, see pages 17-18 of the 68-page requirements handbook* accessible by clicking the **PDF text** at : http://www.nhtsa.gov/cars/rules/maninfo/

In VIN Position 10, please keep these Model Year codes, which are dictated by regulation. See the chart at the bottom of page 19 of the requirements handbook for additional codes for other model years.

In VIN Position 11, give the City & State for each plant location and assign a letter or number code for each. If you have more than one plant in the same city, please give the complete address for each and assign each a letter or number code.

VIN Positions 12 thru 14 : For **LOW-VOLUME MFR** who is given a six-character WMI Code, please insert the last three characters of your WMI Code here in these three VIN Positions. [For **HIGH-VOLUME MFR** who is only given a three-character WMI Code which is inserted in VIN Positions 1, 2, and 3, the VIN Positions 12, 13, 14, and 15, 16, 17 are together used to designate a unique **six-digit sequential number** or six-digit serial number for each new vehicle coming off the assembly line.]

###

JC/NHTSA 10-15-14