



1300 Terra Bella Avenue, Suite 100 | Mountain View, CA 94043 | info@nuro.ai | www.nuro.ai

November 2, 2018

Administrator
National Highway Traffic Safety Administration
1200 New Jersey Avenue SE.
West Building
Washington, DC 20590
Attention: VIN Coordinator

RE: Vehicle Identification Number Deciphering Information

In accordance with 49 CFR Part 565, Vehicle Identification Number Requirements, Nuro, Inc. is submitting information necessary to decipher the characters contained in its Vehicle Identification Numbers. Please see the attachment.

Nuro, Inc. is a low-volume vehicle manufacturer assigned WMI: 1N9-385.

If you have any questions, please contact me at (650) 476-2687.

Sincerely,

Bilal Mahmood
Nuro, Inc.
1300 Terra Bella Ave., Suite 100

Attachment



1300 Terra Bella Avenue, Suite 100 | Mountain View, CA 94043 | info@nuro.ai | www.nuro.ai

VIN Deciphering		
1st Section		
Position 1	WMI	1 - Assigned by SAE
Position 2	WMI	N - Assigned by SAE
Position 3	WMI	9 - Assigned by SAE
2nd Section		
Positions 4 to 8	See Chart 1	
3rd Section		
Position 9	Check Digit	Calculated See 49 CFR 565.15(c)
4th Section		
Position 10	Model Year	K = 2019
Position 11	Plant of Manufacture	R = Livonia, Michigan, USA
Position 12	WMI	3 - Assigned by SAE
Position 13	WMI	8 - Assigned by SAE
Position 14	WMI	5 - Assigned by SAE
Position 15	Sequentially Assigned	
Position 16		
Position 17		

Chart 1	
VIN 4-8 code	0NUR0
Make, Body Type, Model	0
0 = Nuro Inc., 2 doors, Alpha	



1300 Terra Bella Avenue, Suite 100 | Mountain View, CA 94043 | info@nuro.ai | www.nuro.ai

GVWR @	N
N= Not greater than 1360 kg. (3,000lbs)	
All Restraint Devices & Location	U
U = No designated seating positions in the vehicle	
Brake System	R
R = 4 wheel hydraulic brakes with electronic parking brake	
Engine Type <ul style="list-style-type: none">• Battery type• Battery packs per vehicle• Modules per pack• Battery cells per module• Battery energy rating• Power (kW)	0
0 = Battery electric, Lithium Ion, 1 pack per vehicle, 8 modules per pack, 336 battery cells per modules, 31.8 kWh energy rating, 55kW @ 8500 rpm	