



GENERAL MOTORS LLC
Global Vehicle Safety

December 17, 2019
USG 4817 Part 7

The Honorable James C. Owens
Deputy Administrator
National Highway Traffic Safety Administration
1200 New Jersey Avenue, SE
Washington, DC 20590

Subject: Revision to General Motors' Vehicle Identification Number decoding for 2020 Model Year

Dear Mr. Owens:

A revision to General Motors' Vehicle Identification Numbering (VIN) Standard for the 2020 Model Year dated December 17, 2019, is submitted per the VIN reporting requirements of 49 CFR Part 565.16(c).

For additional copies of any of the material submitted to the NHTSA for consideration at this time, any additional information regarding items herein, or if further discussion of this matter will be of assistance to the agency during its consideration of this petition, please contact me at the following address:

John A. Magdaleno, Senior Manager
GMNA Regulations and Certification
General Motors LLC, North America
GM Global Technical Center
29427 Louis Chevrolet Rd
Warren, Michigan 48093-2350

Questions may also be directed to either Ms. Lucia Propst, Safety Regulations and Certification, in GM's Warren office; or Mr. Matthew Jerinsky, of GM's Washington D.C. office.

Sincerely,

John A. Magdaleno, Senior Manager
GMNA Regulations and Certification

Attachment

cc: Office of Executive Secretariat

Jane Doherty, Director, International Policy, Fuel Economy and Consumer Programs
Carlita Ballard, Program Analyst, Office of International Policy, Fuel Economy and Consumer Programs



General
Motors LLC

2020

This Vehicle Identification Numbering Standard is in compliance with U.S. Federal Motor Vehicle Safety Regulation Part 565 (FMVSR 565) and with Canada Motor Vehicle Safety Standard 115 (CMVSS 115)

Vehicle Identification
Numbering
Standard

December 17, 2019



Table of Contents

Revision History	4
Purpose	5
Maintenance & Operating Responsibilities	5
Organization and Description of VIN Positions	6
Check Digit	7
Passenger Car Vehicle Identification Numbering System	9
Buick Regal	10
Buick Regal TourX	11
Cadillac CT4	12
Cadillac CT5	13
Cadillac CT6	14
Chevrolet Bolt	15
Chevrolet Camaro	16
Chevrolet Corvette	17
Chevrolet Impala	18
Chevrolet Malibu	19
Chevrolet Sonic	20
Chevrolet Spark	21
Light Duty Trucks, MPV, & Incomplete Vehicle Identification Numbering System	22
Buick Enclave	23
Buick Encore	24
Buick Encore GX	25
Buick Envision	26
Cadillac Escalade	27
Cadillac XT4	28
Cadillac XT5	29
Cadillac XT6	30



Table of Contents (Continued)

Chevrolet Blazer	31
Chevrolet Bolt Incomplete	32
Chevrolet Colorado	33
Chevrolet Equinox	34
Chevrolet Express	35
Chevrolet Silverado	36
Chevrolet Suburban	37
Chevrolet Tahoe	38
Chevrolet Traverse	39
Chevrolet Trax/Tracker	40
GMC Acadia	41
GMC Canyon	42
GMC Savana	43
GMC Sierra	44
GMC Terrain	45
GMC Yukon	46
Holden Acadia	47
Holden Equinox	48
Medium Duty Trucks & Incomplete Vehicle Identification Numbering System	49
Chevrolet Low Cab Forward	50
Chevrolet Silverado Medium Duty	51

**Revision History:**

Rev #	Revisions
1.0	Removal of Product Page - Chevrolet Impala Change to Product Page 35 - 8: ENGINE TYPE From: " G: L96 - ENGINE GAS, 8 CYL, 6.0L, SFI, E85 MAX, IRON, GM" to: "J: L86 - ENGINE GAS, 8 CYL, 6.2L, SIDI VVT, AFM, E85 MAX, ALUM, GM"
2.0	Change to Product Page 46 Holden Equinox - 5~6: CHASSIS/SERIES From: "F7" to "X7" Addition of Product Page - Chevrolet Camaro Change to Product Page 40 - 5~6: CHASSIS/SERIES From: "6E GMC Canyon, All Terrain 4WD" to "6E GMC Canyon, Denali 4WD" and " 6F GMC Canyon, Denali 4WD" to "6F GMC Canyon All Terrain 4WD"
3.0	Addition of Product Page - Cadillac CT6, Chevrolet Impala, Cadillac XT5
4.0	Addition of Product Page - Cadillac CT4, Cadillac CT5 Addition to Product Page 28 - Cadillac XT6 8: ENGINE TYPE "4: LSY - ENGINE GAS, 4 CYL, L4, 2.0L, SIDI, DOHC, VVT, ALUM, TURBO, VAR 3
5.0	Addition of Product Page - Chevrolet Corvette
6.0	Addition of Product Page - Encore GX
7.0	Addition to Product Page 28 - Cadillac XT4 8: ENGINE TYPE "2: LSQ - ENGINE DIESEL, 4 CYL, 2.0L, L4, DI, TURBO, DOHC, VGT, VAR 2



Purpose

The purpose of this standard is to define the uniform composition of Vehicle Identification Numbers (VIN) applied to GM vehicles marketed in the United States, U.S. Territories, Canada and vehicles manufactured in US, Canada, and Mexico. This GM Standard has been promulgated in compliance with U.S. Federal Motor Vehicle Safety Regulation Part 565 (FMVSR 565) administered by the National Highway Traffic Safety Administration (NHTSA) and with Canada Motor Vehicle Safety Standard 115 (CMVSS 115) administered by Transport Canada.

Certain vehicles manufactured by GM for titling and registration elsewhere in the world may have other requirements with which they must comply, thus precluding the use of this VIN Standard. However, the VIN described herein does comply with the vehicle identification numbering standard of the International Organization for Standardization (ISO), and should be acceptable in many countries around the world.

Maintenance & Operating Responsibilities

Responsibility for updating the code tables contained herein has been established, and is shown on each table. As information or revisions to existing tables become known, the updated tables of codes for the coming model years(s) should be submitted by the authorized activity to North American Product Engineering. Mail Code 480-210-2G1 30001 Van Dyke Ave, Warren MI 48090-9020. Product Engineering has responsibility for publication and dissemination of the updated hardcopy model year tables of VIN data throughout General Motors.

A copy of the updated materials is sent to Global Safety Center (GSC), which has responsibility for review and approval of the coding tables specified. The GSC has the responsibility for submitting these tables of VIN data, and any revisions thereto, to the National Highway Traffic Safety Administration (NHTSA).

Requests for any changes or refinements to the information content (not coding tables) of these Standards shall be directed to Engineering. The revision request must provide a comprehensive explanation for the requested change. VIN Engineering is responsible to review revision requests and make appropriate modifications before issuing revised pages to the Standards. Upon approval of proposed revisions by involved Divisions and Staffs, revisions to the Standards are incorporated into the text of revised pages and are distributed and posted to the Labels, Literature & VIN website.

The Engine RPO and corresponding VIN Codes for Passenger Cars, Light-Duty Trucks (LDT), and Multi-Passenger Vehicles (MPV) that are published in this standard are also updated in the Production Order Management Systems (POMS) and the Integrated Scheduling Project (ISP) by VIN Engineering.

VIN DREs of GM regions will be responsible for distribution of this Standard to persons or activities of their Unit or Region who are affected by or have a need for this information.

The code* definitions contained in the tables of interpretive data that follow provide for translation of the characters comprising any GM VIN, while at the same time they provide the information needed to compose the correct VIN for a GM vehicle. The tables of interpretive data are organized in Sections, and are described as follows:

*Only Arabic numerals and English alphabetic capital letters are permitted in GM VINs. However, I, O (oh), and Q, and special characters are not allowed as stated in FMVSR 565 and/or CMVSS 115 and/or ISO Standards.



Organization and Description of VIN Positions

VIN Positions 1~3

Positions 1~3 in the VIN are designated for the World Make/Manufacturer Identifiers (WMI). WMIs are assigned to General Motors by the Society of Automotive Engineers (SAE). This indicates the country of origin, the make/manufacturer, and type/brand of vehicle.

VIN Position 4 – Passenger Car

Position 4 designates the vehicle line. This is most commonly, but not always, the same as the book number. In the instance a book number has two characters, the second character is used to indicate the vehicle line.

VIN Position 4 – MPV, Light Duty Truck & Incomplete Vehicles

Position 4 designates the Gross Vehicle Weight Rating (GVWR), brake system and body style.

VIN Position 5 – Passenger Car

Position 5 designates the car series. This includes the various trim levels and badges for a vehicle line.

VIN Position 5 – MPV, Light Duty Truck & Incomplete Vehicles

Position 5 designates the chassis of the vehicle. If a vehicle is equipped with either two wheel drive or four wheel drive, the 5th position will reflect which drive train is installed on the vehicle. Some vehicles however will have a 5th position similar to that of a passenger car, where the book number is used. In the instance the book number has two characters, the second character is used to indicate the vehicle chassis.

VIN Position 6 – Passenger Car

Position 6 designates the body styles for each vehicle.

VIN Position 6 - MPV, Light Duty Truck & Incomplete Vehicles

Position 6 designates the series of the vehicle. Like position 5 for passenger car, this includes the various trim levels and badges for a vehicle line.

VIN Position 7

Position 7 is an alpha only character, which designates the restraint system used in the vehicle.

VIN Position 8

Position 8 is an alpha/numeric character which designates the engine used in the vehicle.

VIN Position 9

Position 9 designates the Check Digit. The Check Digit is an alpha/numeric character which is calculated by the composition of the VIN.

See the Check Digit section for an explanation on the calculation of the check digit, and an example.

VIN Position 10

Position 10 designates the model year of the vehicle.

VIN Position 11

Position 11 designates the plant code the vehicle was built.

VIN Positions 12~17

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Check Digit

A check digit shall be provided as part of each vehicle identification number. The check digit shall occupy the ninth position in the

The check digit is determined by carrying out the mathematical computation as follows:

- (1) Assign to each number in the vehicle identification number its actual mathematical value, and assign to each letter the

Table 1: Alpha Numeric Conversion Factor

A=1	J=1	T=3
B=2	K=2	U=4
C=3	L=3	V=5
D=4	M=4	W=6
E=5	N=5	X=7
F=6	P=7	Y=8
G=7	R=9	Z=9
H=8	S=2	

- (2) Multiply the assigned value for each position in the vehicle identification number by the weight factor specified in the

Table 2: Position and Weight Factor

1st	8	10th	9
2nd	7	11th	8
3rd	6	12th	7
4th	5	13th	6
5th	4	14th	5
6th	3	15th	4
7th	2	16th	3
8th	10	17th	2
9th	0		

- (3) Add the resulting products and divide the total by 11.
- (4) The remainder is the check digit, which will be inserted in the ninth position. If the remainder is 0-9, the check digit is

Check Digit (continued)EXAMPLE:

VIN Position 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17

VIN Example 1 G 2 N G 1 2 E X 2 M 9 2 3 4 5 6

ASSIGNED

VALUE 1 7 2 5 7 1 2 5 X 2 4 9 2 3 4 5 6

MULTIPLY
BY WEIGHT

FACTOR 8 7 6 5 4 3 2 10 X 9 8 7 6 5 4 3 2

8 7 6 5 4 3 2 10 X 9 8 7 6 5 4 3 2

ADD

PRODUCTS 8+49 + 12 + 25 + 28 + 3 + 4 + 50 X +18+32+63+12+15+16+15+12 = 362

DIVIDE

BY 11 362/11 = 32 + 10/11, remainder = 10

Therefore


CHECK DIGIT is: X (It will appear as the character in the 9th position of the VIN)

Table 3: Ninth Position Check Digit Values

Fractional	0	1/11	2/11	3/11	4/11	5/11	6/11	7/11	8/11	9/11	10/11
Decimal	0	0.091	0.182	0.273	0.364	0.455	0.545	0.636	0.727	0.818	0.909
Equivalent	0	1	2	3	4	5	6	7	8	9	X
Check Digit	0	1	2	3	4	5	6	7	8	9	X




TYPICAL VIN	1	G	1	B	A	5	S	M	X	L	7	1	2	3	4	5	6
VIN POS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
	WMI											SEQUENCE NUMBER					
	VEHICLE LINE											PLANT LOCATION					
	SERIES											MODEL YEAR					
	BODY TYPE											CHECK DIGIT					
												ENGINE TYPE					
												RESTRAINT SYSTEM					





Buick Regal



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
W: Germany
- 2: Manufacturer**
O: Adam Opel GmbH
- 3: Vehicle Brand/Type**
4: Buick Passenger Car

4~5: VEHICLE LINE/SERIES

Book Z

- G K:** Buick Regal
- G L:** Buick Regal Preferred
- G P:** Buick Regal Essence FWD
- G R:** Buick Regal Essence AWD
- G S:** Buick Regal GS AWD
- G W:** Buick Regal Avenir AWD
- G 8:** Buick Regal (Non-US, Non-Canada)

6: BODY STYLE

- 6:** 68 - Sedan, 4 -Door, 6 Window, Plain Back, (H/Back)

7: RESTRAINT SYSTEM

- S:** AYF- Active Manual Belts, Airbags- Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

- S:** LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN2
- X:** LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, TURBO E85 MAX

9: CHECK DIGIT

- 0~9, X** - Calculated by POMS

10: MODEL YEAR

- L:** 2020

11: PLANT LOCATION

When VIN position 1 is "W" (Germany):


- 1:** Russelsheim

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Buick Regal TourX



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
W: Germany
- 2: Manufacturer**
O: Adam Opel GmbH
- 3: Vehicle Brand/Type**
4: Buick Passenger Car

4~5: VEHICLE LINE/SERIES

Book Z

- G T: Regal TourX
- G U: Regal TourX Preferred
- G V: Regal TourX Essence

6: BODY STYLE

- 8: 35 - Station Wagon, 4 - Door

7: RESTRAINT SYSTEM

- S: AYP- Active Manual Belts, Airbags- Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

- X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, TURBO E85 MAX

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- L: 2020

11: PLANT LOCATION


- When VIN position 1 is "W" (Germany):
1: Russelsheim

12~17: SEQUENCE NUMBER

- Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Cadillac CT4



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
6: Cadillac Passenger Car

4~5: VEHICLE LINE/SERIES

Book D

- D A: Cadillac CT4 Luxury RWD
D B: Cadillac CT4 Premium Luxury RWD
D C: Cadillac CT4 Sport RWD
D D: Cadillac CT4 V-Series RWD
D E: Cadillac CT4 Luxury AWD
D F: Cadillac CT4 Premium Luxury AWD
D G: Cadillac CT4 Sport AWD
D H: Cadillac CT4 V-Series AWD
D J: Cadillac CT4 Luxury+ RWD
D K: Cadillac CT4 Luxury+ AWD
D 9: Cadillac CT4 (Non-US, Non-Canada)

6: BODY STYLE

- 5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

- R: AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee (1st row)

8: ENGINE TYPE

- L: L3B - ENGINE GAS, 4 CYL, L4, 2.7L, SIDI, VVT, TURBO, DOHC, ALUM
K: LSY - ENGINE GAS, 4 CYL, L4, 2.0L, SIDI, DOHC, VVT, ALUM, TURBO, VAR 3

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- L: 2020

11: PLANT LOCATION


- When VIN position 1 is "1" (USA):
0: Lansing - Grand River

12~17: SEQUENCE NUMBER

- Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Cadillac CT5



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
6: Cadillac Passenger Car

4~5: VEHICLE LINE/SERIES

Book D

- D M: Cadillac CT5 Luxury RWD
D N: Cadillac CT5 Premium Luxury RWD
D P: Cadillac CT5 Sport RWD
D R: Cadillac CT5 V-Series RWD
D S: Cadillac CT5 Luxury AWD
D T: Cadillac CT5 Premium Luxury AWD
D U: Cadillac CT5 Sport AWD
D V: Cadillac CT5 V-Series AWD
D W: Cadillac CT5 Luxury+ RWD
D X: Cadillac CT5 Luxury+ AWD
D 8: Cadillac CT5 (Non-US, Non-Canada)

6: BODY STYLE

- 5: 79 - Sedan, 4 - Door, 4 Window, Notchback Extended

7: RESTRAINT SYSTEM

- R: AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee (1st row)

8: ENGINE TYPE

- K: LSY - ENGINE GAS, 4 CYL, L4, 2.0L, SIDI, DOHC, VVT, ALUM, TURBO, VAR 3
W: LGY - ENGINE GAS, 6 CYL, 3.0L, V6, DI, DOHC, VVT, ALUM, TWIN TURBO, GEN 2, VAR 2

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- L: 2020

11: PLANT LOCATION


- When VIN position 1 is "1" (USA):
0: Lansing - Grand River

12~17: SEQUENCE NUMBER

- Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Cadillac CT6



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
6: Cadillac Passenger Car

4~5: VEHICLE LINE/SERIES

Book K

- K B: Cadillac CT6 3.6L AWD
K E: Cadillac CT6 3.6L Luxury AWD (CSAV)
K V: Cadillac CT6 4.2TT Platinum AWD (CSAV)
K W: Cadillac CT6 4.2TT V-Series AWD
K 9: Cadillac CT6 (Non-US, Non-Canada)

6: BODY STYLE

- 5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

- R: AXX - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

- J: LTA - ENGINE GAS, 8 CYL, 4.2L, V8, SIDI, VVT, DOHC, TWIN TURBO, ALUM
S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN 2

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020

11: PLANT LOCATION


When VIN position 1 is "1" (United States):

U: Detroit Hamtramck

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Bolt EV



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
1: Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book F

- F W:** Chevrolet Bolt EV, LT
- F X:** Chevrolet Bolt EV, Premier
- F Y:** Chevrolet Bolt EV, LT W/ DC Fast Charging
- F Z:** Chevrolet Bolt EV, Premier W/ DC Fast Charging
- F 7:** Chevrolet Bolt EV, (Non-US, Non-Canada)

6: BODY STYLE

- 6:** 48 - Sedan, 4 - Door, 4 Window, H/Back

7: RESTRAINT SYSTEM

- E:** AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
- S:** AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

- 0:** EN0 - ENGINE NONE

9: CHECK DIGIT

- 0~9, X** - Calculated by POMS

10: MODEL YEAR

- L:** 2020

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


- 4:** Orion

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Camaro



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
1: Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book A

- F A: Chevrolet Camaro 1LS/1LT (Manual)
F B: Chevrolet Camaro 1LS/ 1LT (Automatic)
F C: Chevrolet Camaro 2LT/3LT (Manual)
F D: Chevrolet Camaro 2LT/3LT (Automatic)
F E: Chevrolet Camaro 1LZ/1SS (Manual)
F F: Chevrolet Camaro 1LZ/1SS (Automatic)
F G: Chevrolet Camaro 2SS (Manual)
F H: Chevrolet Camaro 2SS (Automatic)
F J: Chevrolet Camaro ZL1 (Manual)
F K: Chevrolet Camaro ZL1 (Automatic)
F 9: Chevrolet Camaro (Non-US, Non-Canada)

6: BODY STYLE

- 1: 37 - Coupe, 2 - Door, Notchback
3: 67 - Coupe, 2 - Door, Convertible

7: RESTRAINT SYSTEM

- D: AJ9 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), & Front Seat Side (1st row)
R: AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

- S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN2
X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM
6: LT4 - ENGINE GAS, 8 CYL, 6.2L, DI, SC, AFM, VVT, ALUM, GMNA
7: LT1 - ENGINE GAS, 8 CYL, 6.2L, DI, AFM, VVT, HO, ALUM, GMNA

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020

11: PLANT LOCATION


When VIN position 1 is "1" (USA):
0: Lansing - Grand River

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Corvette



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

1: Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book Y

Y 6: Chevrolet Corvette Standard 1LT

Y 7: Chevrolet Corvette Preferred 2LT

Y 8: Chevrolet Corvette Premium 3LT

Y 9: Chevrolet Corvette (Non-US, Non-Canada)

6: BODY STYLE

2: 07 - Coupe, 2 - Door, Plain Back

3: 67 - Coupe, 2 - Door, Convertible

7: RESTRAINT SYSTEM

D: Aj7 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), & Front Seat Side (1st row)

8: ENGINE TYPE

4: LT2 - ENGINE GAS, 8CYL, 6.2L, DI, AFM, VVT, HO, ALUM, GEN 5

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020

11: PLANT LOCATION


When VIN position 1 is "1" (USA):

5: Bowling Green

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Impala



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build Valid Combinations

1: United States	1G1
2: Canada	2G1

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

1: Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book 0G

1	X:	Chevrolet Impala LS (1FL)
1	Y:	Chevrolet Impala LS (1LS)
1	Z:	Chevrolet Impala LT (1LT)
1	0:	Chevrolet Impala Premier (2LZ)
1	3:	Chevrolet Impala, (Non-US, Non-Canada)

6: BODY STYLE

5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

S: AYP - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

3: LFX - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX, ALUM GM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020

11: PLANT LOCATION

When VIN position 1 is "1" (United States):

U: Detroit Hamtramck

When VIN position 1 is "2" (Canada):


9: Oshawa #1

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Malibu



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

1: Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book Z

Z	A:	Chevrolet Malibu L (1VL)
Z	B:	Chevrolet Malibu LS (1LS)
Z	C:	Chevrolet Malibu LS (1FL)
Z	D:	Chevrolet Malibu LT (1LT)
Z	E:	Chevrolet Malibu Premier (2LZ)
Z	G:	Chevrolet Malibu RS
Z	9:	Chevrolet Malibu, (Non-US, Non-Canada)

6: BODY STYLE

5: 69 - Sedan, 4 - Door, 4 Window, Notchback

7: RESTRAINT SYSTEM

S: AYP - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

T: LFV - ENGINE GAS, 4 CYL, L4, 1.5L, DI, DOHC, VVT, TURBO, GEN 1 GMNA

X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020

11: PLANT LOCATION

When VIN position 1 is "1" (United States):


F: Fairfax

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Chevrolet Sonic



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
 - 1: United States
- 2: Manufacturer**
 - G: General Motors
- 3: Vehicle Brand/Type**
 - 1: Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book I

- J B: Chevrolet Sonic LS (Automatic)
- J D: Chevrolet Sonic LT (Automatic)
- J F: Chevrolet Sonic Premier (Automatic)
- J G: Chevrolet Sonic FL (Automatic)
- J 8: Chevrolet Sonic (Non-US, Non-Canada)

6: BODY STYLE

- 5: 69 - Sedan, 4 - Door, 4 Window, Notchback
- 6: 48 - Sedan, 4 - Door, 4 Window, Hatchback

7: RESTRAINT SYSTEM

- S: AYP - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

- B: LUV - ENGINE GAS, 4 CYL, 1.4L, MFI, DOHC, TURBO, VVT, ALUM, GME E85 MAX

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- L: 2020


11: PLANT LOCATION

- When VIN position 1 is "1" (USA):
- 4: Orion

12~17: SEQUENCE NUMBER

- Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Spark



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

K: Korea

2: Manufacturer

L: GM Korea

3: Vehicle Brand/Type

8: Chevrolet Passenger Car

4~5: VEHICLE LINE/SERIES

Book CD

- C **A:** Chevrolet Spark LS (Manual) (LS)
- C **B:** Chevrolet Spark LS (Automatic) (LS)
- C **C:** Chevrolet Spark 1LT (Manual) (LT)
- C **D:** Chevrolet Spark 1LT (Automatic) (LT)
- C **E:** Chevrolet Spark 2LT (Manual) (LT)
- C **F:** Chevrolet Spark 2LT(Automatic) (LT)
- C **G:** Chevrolet Spark ACTIV (Manual) (ACTIV)
- C **H:** Chevrolet Spark ACTIV (Automatic) (ACTIV)
- C **9:** Chevrolet Spark (Non-US, Non-Canada)

6: BODY STYLE

6: 48 - Sedan, 4 - Door, 4 Window, Hatchback

7: RESTRAINT SYSTEM

S: AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

A: LV7 - ENGINE GAS, 4 CYL, L4, 1.4L, MFI, DOHC, VVT, ALUM, GEN 1 VAR 1

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020

11: PLANT LOCATION

When VIN position 1 is "K" (Korea):



C: Changwon

12~17: SEQUENCE NUMBER


Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Light Duty Trucks, MPV & Incomplete Vehicle Identification Numbering System



Buick Enclave



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
5: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
A: Buick MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
Class E: 6,001-7,000		56 - Four (4) Door Cab/Utility Extended
Hyd.		E

5~6: CHASSIS/SERIES

Book N:

- R A: Buick Enclave - FWD Preferred
- R B: Buick Enclave - FWD Essence
- R C: Buick Enclave - FWD Premium
- R D: Buick Enclave - FWD Avenir
- R 7: Buick Enclave FWD, (Non-US, Non-Canada)
- V A: Buick Enclave - AWD Essence
- V B: Buick Enclave - AWD Premium
- V C: Buick Enclave - AWD Avenir
- V 7: Buick Enclave AWD, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- K: AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row), Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- W: LFY-ENGINE GAS, 6CYL, V6, 3.6L, SIDI, DOHC, ATSS, GEN 1

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- L: 2020

11: PLANT LOCATION


When VIN position 1 is "5" (USA):

- J: Lansing - Delta Township

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Buick Encore



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
K: South Korea
- 2: Manufacturer**
L: GM Korea
- 3: Vehicle Brand/Type**
4: Buick MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		76 - Four (4) Door Utility
Class C: 4,001-5,000	Hyd.	C

5~6: CHASSIS/SERIES

Book I	
J	3: Buick Encore FWD
J	A: Buick Encore Preferred FWD
J	C: Buick Encore Essence FWD
J	E: Buick Encore Preferred AWD
J	G: Buick Encore Essence AWD
J	1: Buick Encore Sport Touring FWD
J	2: Buick Encore Sport Touring AWD

7: RESTRAINT SYSTEM

- E:** AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
- S:** AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

- B:** LUV - ENGINE GAS, 4 CYL, 1.4L, MFI, DOHC, TURBO, VVT, ALUM, GME E85 MAX
- M:** LE2 - ENGINE GAS, 4 CYL, L4, 1.4L, DI, DOHC, VVT, TURBO, ALUM GEN 1, GMNA

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020


11: PLANT LOCATION

When VIN position 1 is "K" (S. Korea):

B: Bupyeong

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

**Buick Encore GX****1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)**

- 1: Region of Build**
K: South Korea
- 2: Manufacturer**
L: GM Korea
- 3: Vehicle Brand/Type**
4: Buick MPV

7: RESTRAINT SYSTEM

- S:** AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

- 2:** LIH - ENGINE GAS (E0-15), 3 CYL, 1.2L, DI, L3, DOHC, VVT, TURBO
 ALUM, CSS PRIME
- L:** L3T - ENGINE GAS, 3 CYL, L3, 1.3L, SIDI, DOHC, VVT, ALUM, TURBO

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		06
Class C: 4,001-5,000	Hyd.	M

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020

11: PLANT LOCATION

When VIN position 1 is "K" (S. Korea):
B: Bupyeong


12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

5~6: CHASSIS/SERIES**Book T**

- M A:** Buick Encore GX FWD
- M B:** Buick Encore GX Preferred FWD
- M C:** Buick Encore GX Preferred AWD
- M D:** Buick Encore GX Select FWD
- M E:** Buick Encore GX Select AWD
- M F:** Buick Encore GX Essence FWD
- M G:** Buick Encore GX Essence AWD

Buick Envision



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

L: People's Republic of China

2: Manufacturer

R: SAIC GM

3: Vehicle Brand/Type

B: Buick MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class D: 5,001-6,000	Hyd.	F

5~6: CHASSIS/SERIES

Book X

X	A:	Buick Envision, FWD
X	B:	Buick Envision, Preferred, FWD
X	C:	Buick Envision, Essence, FWD
X	1:	Buick Envision, Preferred, AWD
X	2:	Buick Envision, Essence, AWD
X	3:	Buick Envision, Premium Package, AWD
X	4:	Buick Envision, Premium II Package, AWD
X	8:	Buick Envision, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

S: AUJ - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

A: LCV - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85 MAX, E0-E100, ALUM
X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020

11: PLANT LOCATION


When VIN position 1 is "L" (China):

D: Dong Yue North

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Cadillac Escalade



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
Y: Cadillac MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		06- Four (4) Door Cab/Utility
Class E: 6,001-7,000	Hyd.	L
Class F: 7,001-8,000	Hyd.	S

5~6: CHASSIS/SERIES

Book 6

- 3 A: Cadillac Escalade 2WD
3 B: Cadillac Escalade Luxury 2WD
3 C: Cadillac Escalade Premium Luxury 2WD
3 D: Cadillac Escalade Platinum 2WD
3 7: Cadillac Escalade 2WD (Non-US, Non-Canada)
3 G: Cadillac Escalade ESV 2WD
3 H: Cadillac Escalade ESV Luxury 2WD
3 J: Cadillac Escalade ESV Premium Luxury 2WD
3 K: Cadillac Escalade ESV Platinum 2WD
3 8: Cadillac Escalade ESV 2WD (Non-US, Non-Canada)
4 A: Cadillac Escalade 4WD
4 B: Cadillac Escalade Luxury 4WD
4 C: Cadillac Escalade Premium Luxury 4WD
4 D: Cadillac Escalade Platinum-4WD
4 7: Cadillac Escalade 4WD (Non-US, Non-Canada)
4 G: Cadillac Escalade ESV 4WD
4 H: Cadillac Escalade ESV Luxury 4WD
4 J: Cadillac Escalade ESV Premium Luxury 4WD
4 K: Cadillac Escalade ESV Platinum 4WD
4 8: Cadillac Escalade ESV 4WD (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- E: AY0 - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows)
K: AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row), Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- J: L86 - ENGINE GAS, 8 CYL, 6.2L, SIDI VVT, AFM, E85 MAX, ALUM, GM

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- L: 2020


11: PLANT LOCATION

- When VIN position 1 is "1" (USA):
R: Arlington

12~17: SEQUENCE NUMBER

- Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Cadillac XT4



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
Y: Cadillac MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class C: 4001-5000	Hyd.	A
Class D: 5,001-6,000	Hyd.	F

5~6: CHASSIS/SERIES

Book Z

- Z A:** Cadillac XT4 Luxury FWD
- Z B:** Cadillac XT4 Luxury AWD
- Z C:** Cadillac XT4 Premium Luxury FWD
- Z D:** Cadillac XT4 Premium Luxury AWD
- Z E:** Cadillac XT4 Sport FWD
- Z F:** Cadillac XT4 Sport AWD
- Z 9:** Cadillac XT4 (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- R:** AYX - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

- 2:** LSQ - ENGINE DIESEL, 4 CYL, 2.0L, L4, DI, TURBO, DOHC, VGT, VAR 2
- 4:** LSY - ENGINE GAS, 4 CYL, L4, 2.0L, SIDI, DOHC, VVT, ALUM, TURBO, VAR 3

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


F: Fairfax

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Cadillac XT5



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

Y: Cadillac MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class D: 5,001-6,000	Hyd.	F
Class E: 6001-7000	Hyd.	K

5~6: CHASSIS/SERIES

Book N

N	A:	Cadillac XT5 Luxury FWD
N	B:	Cadillac XT5 Luxury AWD
N	C:	Cadillac XT5 Premium Luxury FWD
N	D:	Cadillac XT5 Premium Luxury AWD
N	E:	Cadillac XT5 Platinum Premium Luxury FWD
N	F:	Cadillac XT5 Platinum Premium Luxury AWD
N	G:	Cadillac XT5 Sport AWD
N	H:	Cadillac XT5 Platinum Sport/Sport AWD
N	9:	Cadillac XT5 (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

R: AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN 2
4: LSY - ENGINE GAS, 4 CYL, L4, 2.0L, SIDI, DOHC, VVT, ALUM, TURBO, VAR 3

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


Z: Springhill

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Cadillac XT6



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

Y: Cadillac MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26
Class D: 5,001-6,000	Hyd.	F
Class E: 6,001-7,000	Hyd.	K

5~6: CHASSIS/SERIES

Book N

P	A/C:	Cadillac XT6 Premium Luxury FWD
P	B/D:	Cadillac XT6 Premium Luxury AWD
P	E:	Cadillac XT6 Platinum Premium Luxury FWD
P	F:	Cadillac XT6 Platinum Premium Luxury AWD
P	G:	Cadillac XT6 Sport AWD
P	H:	Cadillac XT6 Platinum Sport/Sport AWD
P	9:	Cadillac XT6 (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

R: AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN 2
4: LSY - ENGINE GAS, 4 CYL, L4, 2.0L, SIDI, DOHC, VVT, ALUM, TURBO, VAR 3

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020

11: PLANT LOCATION


When VIN position 1 is "1" (USA):

Z: Springhill

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Blazer



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
3: Mexico
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
N: Chevrolet MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System	Body Style
Class E: 6,001-7,000 Hyd.	26- Four (4) Door Cab/Utility K

5~6: CHASSIS/SERIES

Book N:

- B A: Chevrolet Blazer L FWD
B B: Chevrolet Blazer 1LT FWD
B C: Chevrolet Blazer 2LT FWD
B D: Chevrolet Blazer 3LT FWD
B E: Chevrolet Blazer RS FWD
B F: Chevrolet Blazer Premier FWD
B H: Chevrolet Blazer 2LT AWD
B J: Chevrolet Blazer 3LT AWD
B K: Chevrolet Blazer RS AWD
B L: Chevrolet Blazer Premier AWD
B 8: Chevrolet Blazer (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- R: AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

- A: LCV - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85 MAX, E0-E100, ALUM
S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN 2
4: LSY - ENGINE GAS, 4 CYL, L4, 2.0L, SIDI, DOHC, VVT, ALUM, TURBO, VAR 3

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- L: 2020

11: PLANT LOCATION


When VIN position 1 is "3" (MEX):

- S: Ramos Arizpe

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Bolt Incomplete



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
B: Chevrolet Incomplete

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
Class C: 4,001-5,000		48 - Sedan, 4 - Door, 4 Window, H/Back
Hyd.		J

5~6: CHASSIS/SERIES

Book F	
F 1:	Chevrolet Bolt (Rear Seat Delete)

7: RESTRAINT SYSTEM

R: AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

0: EN0 - ENGINE NONE

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020


11: PLANT LOCATION

When VIN position 1 is "1" (USA):
4: Orion

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Colorado



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GB
2: Manufacturer	1GC
G: General Motors	
3: Vehicle Brand/Type	
B: Chevrolet Incomplete	
C: Chevrolet Truck	

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style	
		43 - Four (4) Door Crew Cab/Utility	53 - Extended Cab
Class D: 5,001-6,000	Hyd.	G	H
Class E: 6,001-7,000	Hyd.	P	R

5~6: CHASSIS/SERIES

Book 52

S	A:	Chevrolet Colorado, Base 2WD
S	B:	Chevrolet Colorado, Work Truck 2WD
S	C:	Chevrolet Colorado, LT 2WD
S	D:	Chevrolet Colorado, Z71 2WD
S	9:	Chevrolet Colorado 2WD, (Non-US, Non-Canada)
T	B:	Chevrolet Colorado, Work Truck 4WD
T	C:	Chevrolet Colorado, LT 4WD
T	D:	Chevrolet Colorado, Z71 4WD
T	E:	Chevrolet Colorado ZR2 4WD
T	9:	Chevrolet Colorado 4WD, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

E:	AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
----	--

8: ENGINE TYPE

A:	LCV - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85 MAX, E0-E100, ALUM
N:	LGZ - ENGINE GAS, 6CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, VAR2, GEN 2
1:	LWN - ENGINE DIESEL, 2.8L, DI, L4, DOHC, TURBO, XLDE

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020


11: PLANT LOCATION

When VIN position 1 is "1" (USA):
1: Wentzville

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Equinox



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
2: Canada	2GN
3: Mexico	3GN
2: Manufacturer	
G: General Motors	
3: Vehicle Brand/Type	
N: Chevrolet MPV	

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System	Body Style
Class C: 4,001-5,000	Hyd.
	26- Four (4) Door Cab/Utility
	A

5~6: CHASSIS/SERIES

Book X

X	F:	Chevrolet Equinox FWD (1FL)
X	G:	Chevrolet Equinox L FWD
X	H:	Chevrolet Equinox LS FWD
X	J:	Chevrolet Equinox LT FWD (2FL)
X	K:	Chevrolet Equinox LT FWD (1LT)
X	L:	Chevrolet Equinox LT FWD (2LT)
X	M:	Chevrolet Equinox LT FWD (3LT)
X	N:	Chevrolet Equinox Premier FWD (1LZ)
X	P:	Chevrolet Equinox Premier FWD (2LZ)
X	R:	Chevrolet Equinox Premier FWD (3LZ)
X	5:	Chevrolet Equinox AWD (1FL)
X	S:	Chevrolet Equinox LS AWD
X	T:	Chevrolet Equinox LT AWD (2FL)
X	U:	Chevrolet Equinox LT AWD (1LT)
X	V:	Chevrolet Equinox LT AWD (2LT)
X	W:	Chevrolet Equinox LT AWD (3LT)
X	X:	Chevrolet Equinox Premier AWD (1LZ)
X	Y:	Chevrolet Equinox Premier AWD (2LZ)
X	Z:	Chevrolet Equinox Premier AWD (3LZ)
X	9:	Chevrolet Equinox (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

D:	AJG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), & Front Seat Side (1st row)
E:	AY0/AYC - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

U:	LH7 - ENGINE DIESEL, UREA, 4 CYL, 1.6L, L4, CRI, DOHC, VGT, ALUM
V:	LYX - ENGINE GAS, 4 CYL, L4, 1.5L, DI, DOHC, VVT, FGT, TURBO, ALUM, GEN 1
X:	LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM
8:	LVL - ENGINE DIESEL, 4 CYL, 1.6L, CRI, DOHC, VGT, 103KW
9:	LWW - ENGINE DIESEL, 4 CYL, 1.6L, L4, VGT, DOHC, ALUM, A16DTH GEN 1

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020

11: PLANT LOCATION

When VIN position 1 is "2" (Canada):

6: CAMI

When VIN position 1 is "3" (Mexico):


L: San Luis Potosi

S: Ramos Arizpe

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Express



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GA
2: Manufacturer	1GB
G: General Motors	1GC
H: Navistar Inc.	1HA (Navistar Only)
3: Vehicle Brand/Type	
A: Chevrolet Bus (Non School Bus)	
B: Chevrolet Incomplete	
C: Chevrolet Truck	
A: Chevrolet Incomplete (Navistar Only)	

7: RESTRAINT SYSTEM

B:	AJ3 - Active Manual Belts, Airbag - Driver only - Front
C:	AK5 - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)
F:	(AK5&ASF) - Active Manual Belts, Airbags-Driver & Passenger - Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)
H:	(AJ3&ASF) -Active Manual Belts, Airbag - Driver only - Front, Front Seat Side (1st row), Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style	
		05/06 - Cargo Van/Four (4) Door Cab/Utility, Passenger Van	03 - Commercial Special Cutaway, Two (2) Door Cab pick-up, Motor Home Chassis
Class G: 8,001-9,000	Hyd.	W	Y
Class H: 9,001-10,000	Hyd.	Z	0
Class 3: 10,001-14,000	Hyd.		3
Class 4: 14,001-16,000	Hyd.		6

8: ENGINE TYPE

B:	LC8 - ENGINE FLEXIBLE FUEL, (CNG/LPG), 8 CYL, V8, 6.0L, SFI, GEN 1, GMNA
G:	L96 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 6.0L, SFI E85 MAX, IRON, GM
P:	LV1 - ENGINE GAS, 6 CYL, 4.3L, GEN 5, SIDI, V6, VVT, OHV, ALUM
1:	LWN - ENGINE DIESEL, 2.8L, DI, L4, DOHC, TURBO, XLDE

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

1: Wentzville

When VIN position 1 is "7" (USA):

N: Springfield (Navistar)

12~17: SEQUENCE NUMBER


Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

5~6: CHASSIS/SERIES

Book 8

G	A:	Chevrolet Express, 2500 Cargo
G	B:	Chevrolet Express, 2500 Cargo Ext
G	E:	Chevrolet Express, 2500 Passenger LS
G	F:	Chevrolet Express, 2500 Passenger LT
G	G:	Chevrolet Express, 3500 Cargo
G	H:	Chevrolet Express, 3500 Cargo Ext
G	L:	Chevrolet Express, 3500 Passenger LS
G	M:	Chevrolet Express, 3500 Passenger LT
G	N:	Chevrolet Express, 3500 Passenger LS Ext
G	P:	Chevrolet Express, 3500 Passenger LT Ext
G	R:	Chevrolet Express, 3500 Cutaway 139" Wheelbase
G	S:	Chevrolet Express, 3500 Cutaway 159" Wheelbase
G	T:	Chevrolet Express, 3500 Cutaway 177" Wheelbase
G	U:	Chevrolet Express, 4500 Cutaway 159" Wheelbase
G	V:	Chevrolet Express, 4500 Cutaway 177" Wheelbase
G	9:	Chevrolet Express, (Non-US, Non-Canada)

Chevrolet Silverado



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GB
3: Mexico	1GC
2: Manufacturer	3GB
G: General Motors	3GC
3: Vehicle Brand/Type	
B: Chevrolet Incomplete	
C: Chevrolet Truck	

5~6: CHASSIS/SERIES

Y	N:	4x4, 2500 Chevrolet Silverado LT 4WD
Y	P:	4x4, 2500 Chevrolet Silverado LTZ 4WD
Y	R:	4x4, 2500 Chevrolet Silverado High Country 4WD
Y	S:	4x4, 3500 Chevrolet Silverado Work Truck 4WD
Y	T:	4x4, 3500 Chevrolet Silverado LT 4WD
Y	U:	4x4, 3500 Chevrolet Silverado LTZ 4WD
Y	V:	4x4, 3500 Chevrolet Silverado High Country 4WD
Y	9:	4x4, Chevrolet Silverado (Non-US, Non-Canada)

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style		
		03 - Commercial Special Cutaway, Two (2) Door Cab pick-up, Motor Home Chassis	43 - Four (4) Door Crew Cab/Utility	53 - Extended Cab
Class E: 6,001-7,000	Hyd.	N	P	R
Class F: 7,001-8,000	Hyd.		U	V
Class H: 9,001-10,000	Hyd.	0	1	2
Class 3: 10,001-14,000	Hyd.	3	4	5

7: RESTRAINT SYSTEM

E:	AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
----	--

8: ENGINE TYPE

D:	L84 - ENGINE GAS, 8 CYL, 5.3L, DI, DFM, ALUM, GEN 5, VAR 2
F:	L82 - ENGINE GAS, 8 CYL, 5.3L, DI, AFM, ALUM, GEN 5, VAR 1
H:	LV3 - ENGINE GAS, 6 CYL, 4.3L, GEN 5, SIDI, V6, VVT, OHV, E85 MAX ALUM
K:	L3B - ENGINE GAS, 4 CYL, L4, 2.7L, SIDI, VVT, TURBO, DOHC, ALUM
L:	L87 - ENGINE GAS, 8 CYL, V8, 6.2L, DI DFM, ALUM, GEN 5
T:	LM2 - ENGINE DIESEL, 6 CYL, 3.0L, CRI, L6, DOHC, TURBO, VGT, ALUM
Y:	L5P - ENGINE DIESEL, 8 CYL, 6.6L, DI, V8, TURBO, DURAMAX, GEN 5 VAR. 1
7:	L8T - ENGINE GAS, 8 CYL, 6.6L, SIDI, VVT, CAST IRON

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

F:	Flint
Z:	Fort Wayne

When VIN position 1 is "3" (Mexico):

G:	Silao
----	-------

12~17: SEQUENCE NUMBER


Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

5~6: CHASSIS/SERIES

Book 1

W	A:	4x2, 1500 Chevrolet Silverado Work Truck
W	B:	4x2, 1500 Chevrolet Silverado Custom
W	C:	4x2, 1500 Chevrolet Silverado LT
W	D:	4x2, 1500 Chevrolet Silverado RST
W	E:	4x2, 1500 Chevrolet Silverado LTZ
W	F:	4x2, 1500 Chevrolet Silverado High Country
W	L:	4x2, 2500 Chevrolet Silverado Work Truck
W	M:	4x2, 2500 Chevrolet Silverado Custom
W	N:	4x2, 2500 Chevrolet Silverado LT
W	P:	4x2, 2500 Chevrolet Silverado LTZ
W	R:	4x2, 3500 Chevrolet Silverado Work Truck
W	S:	4x2, 3500 Chevrolet Silverado LT
W	T:	4x2, 3500 Chevrolet Silverado LTZ
W	9:	4x2, Chevrolet Silverado (Non-US, Non-Canada)
Y	A:	4x4, 1500 Chevrolet Silverado Work Truck
Y	B:	4x4, 1500 Chevrolet Silverado Custom
Y	C:	4x4, 1500 Chevrolet Silverado Trail Boss Custom
Y	D:	4x4, 1500 Chevrolet Silverado LT
Y	E:	4x4, 1500 Chevrolet Silverado RST
Y	F:	4x4, 1500 Chevrolet Silverado Trail Boss - LT
Y	G:	4x4, 1500 Chevrolet Silverado LTZ
Y	H:	4x4, 1500 Chevrolet Silverado High Country
Y	L:	4x4, 2500 Chevrolet Silverado Work Truck 4WD
Y	M:	4x4, 2500 Chevrolet Silverado Custom 4WD

Chevrolet Suburban



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
N: Chevrolet MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		05/06 - Cargo Van/Four (4) Door Cab/Utility, Passenger Van
Class F: 7,001-8,000	Hyd.	S

5~6: CHASSIS/SERIES

Book 6

- C G:** 4x2, Chevrolet Suburban LS
- C H:** 4x2, Chevrolet Suburban LT
- C J:** 4x2, Chevrolet Suburban Premier
- C K:** 4x2, Chevrolet Suburban FL
- C 8:** 4x2, Chevrolet Suburban, (Non-US, Non-Canada)
- K G:** 4x4, Chevrolet Suburban LS
- K H:** 4x4, Chevrolet Suburban LT
- K J:** 4x4, Chevrolet Suburban Premier
- K K:** 4x4, Chevrolet Suburban FL
- K 8:** 4x4, Chevrolet Suburban, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- E:** AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
- K:** AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row) , Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- C:** L83 - ENGINE GAS, 8 CYL, 5.3L, SIDI VVT, AFM, E85 MAX, ALUM, GM
- J:** L86 - ENGINE GAS, 8 CYL, 6.2L, SIDI VVT, AFM, E85 MAX, ALUM, GM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020


11: PLANT LOCATION

When VIN position 1 is "1" (USA):
R: Arlington

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Tahoe



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
N: Chevrolet MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		05/06 - Cargo Van/Four (4) Door Cab/Utility, Passenger Van
Class E: 6,001-7,000	Hyd.	L
Class F: 7,001-8,000	Hyd.	S

5~6: CHASSIS/SERIES

Book 6

- C A:** 4x2, Chevrolet Tahoe, LS
C B: 4x2, Chevrolet Tahoe, LT
C C: 4x2, Chevrolet Tahoe, Premier
C D: 4x2, Chevrolet Tahoe, Police Vehicle
C E: 4x2, Chevrolet Tahoe, FL
C 7: 4x2, Chevrolet Tahoe, (Non-US, Non-Canada)
K A: 4x4, Chevrolet Tahoe, LS
K B: 4x4, Chevrolet Tahoe, LT
K C: 4x4, Chevrolet Tahoe, Premier
K D: 4x4, Chevrolet Tahoe, Police Vehicle
K E: 4x4, Chevrolet Tahoe, FL
K F: 4x4, Chevrolet Tahoe, Special Services Vehicle
K 7: 4x4, Chevrolet Tahoe, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- E:** AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
K: AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row) , Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- C:** L83 - ENGINE GAS, 8 CYL, 5.3L, SIDI VVT, AFM, E85 MAX, ALUM, GM
J: L86 - ENGINE GAS, 8 CYL, 6.2L, SIDI VVT, AFM, E85 MAX, ALUM, GM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020


11: PLANT LOCATION

When VIN position 1 is "1" (USA):
R: Arlington

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Traverse



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
N: Chevrolet MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
Class E: 6,001-7,000		Hyd.
		56 - Four (4) Door Cab/Utility Extended
		E

5~6: CHASSIS/SERIES

Book N

- R E: Chevrolet Traverse L FWD
- R F: Chevrolet Traverse LS FWD
- R G: Chevrolet Traverse LT Cloth FWD
- R H: Chevrolet Traverse LT Leather FWD
- R J: Chevrolet Traverse RS FWD
- R K: Chevrolet Traverse Premier FWD
- R L: Chevrolet Traverse LS FL FWD
- R M: Chevrolet Traverse LT FL FWD
- R N: Chevrolet Traverse High Country FWD
- R 8: Chevrolet Traverse FWD (Non-US, Non-Canada)
- V F: Chevrolet Traverse LS AWD
- V G: Chevrolet Traverse LT Cloth AWD
- V H: Chevrolet Traverse LT Leather AWD
- V J: Chevrolet Traverse RS AWD
- V K: Chevrolet Traverse Premier AWD
- V L: Chevrolet Traverse LS FL AWD
- V M: Chevrolet Traverse LT FL AWD
- V N: Chevrolet Traverse High Country AWD
- V 9: Chevrolet Traverse AWD (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- K: AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row), Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- W: LFY - ENGINE GAS, 6CYL, V6, 3.6L, SIDI, DOHC, ATSS, GEN 1

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- L: 2020

11: PLANT LOCATION


When VIN position 1 is "1" (USA):

- J: Lansing - Delta Township

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

Chevrolet Trax/Tracker



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
3: Mexico	3GN
K: South Korea	KL7
2: Manufacturer	
G: General Motors	
L: GM Korea	
3: Vehicle Brand/Type	
N: Chevrolet MPV	
7: Chevrolet MPV (Korea)	

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs) / Brake System	Body Style	
	76 - Four (4) Door Utility	
Class B: 3,001-4,000 Hyd.	D	
Class C: 4,001-5,000 Hyd.	C	

5~6: CHASSIS/SERIES

Book I

J	K:	Chevrolet Trax LS FWD
J	L:	Chevrolet Trax 1LT FWD
J	M:	Chevrolet Trax Premier FWD
J	N:	Chevrolet Trax LS AWD
J	P:	Chevrolet Trax 1LT AWD
J	R:	Chevrolet Trax Premier AWD
J	7:	Chevrolet Trax Export (Mexico)
J	8:	Chevrolet Tracker Export (Non US, Canada, or Mexico)

7: RESTRAINT SYSTEM

C:	ADL - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)
E:	AYC/AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
S:	AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

B:	LUV - ENGINE GAS, 4 CYL, 1.4L, MFI, DOHC, TURBO, VVT, ALUM, GME E85 MAX
E:	2H0 - ENGINE GAS, 4 CYL, 1.8L, MFI, 103KW, DOHC
M:	LE2 - ENGINE GAS, 4 CYL, L4, 1.4L, DI, DOHC, VVT, TURBO, ALUM GEN 1, GMNA
Z:	LEX - ENGINE GAS, 4 CYL, L4, 1.4L, DI, DOHC, VVT, ALUM, TURBO GEN 1, VAR 1

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020

11: PLANT LOCATION

When VIN position 1 is "3" (Mexico):

L: San Luis Potosi

When VIN position 1 is "K" (S. Korea):


B: Bupyeong

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



GMC Acadia



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

G: General Motors

3: Vehicle Brand/Type

K: GMC MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class D: 5,001-6,000	Hyd.	F
Class E: 6,001-7,000	Hyd.	K

5~6: CHASSIS/SERIES

Book N

N	J:	GMC Acadia SL FWD
N	K:	GMC Acadia SLE FWD
N	L:	GMC Acadia AT4 AWD
N	M:	GMC Acadia SLT FWD
N	P:	GMC Acadia Denali FWD
N	R:	GMC Acadia SLE AWD
N	U:	GMC Acadia SLT AWD
N	X:	GMC Acadia Denali AWD
N	8:	GMC Acadia, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

L: AYY - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row), Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows), Driver Knee

8: ENGINE TYPE

A: LCV - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85 MAX, E0-E100, ALUM
S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN 2
4: LSY - ENGINE GAS, 4 CYL, L4, 2.0L, SIDI, DOHC, VVT, ALUM, TURBO, VAR 3

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


Z: Springhill

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



GMC Canyon



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GD
2: Manufacturer	1GT
G: General Motors	
3: Vehicle Brand/Type	
D: GMC Incomplete	
T: GMC Truck	

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style	
		43 - Four (4) Door Crew Cab/Utility	53 - Extended Cab
Class D: 5,001-6,000	Hyd.	G	H
Class E: 6,001-7,000	Hyd.	P	R

5~6: CHASSIS/SERIES

Book 52

5	A:	GMC Canyon, Base 2WD
5	B:	GMC Canyon, Work Truck 2WD
5	C:	GMC Canyon, SLE 2WD
5	D:	GMC Canyon, SLT 2WD
5	E:	GMC Canyon, Denali 2WD
6	B:	GMC Canyon, Work Truck 4WD
6	C:	GMC Canyon, SLE 4WD
6	D:	GMC Canyon, SLT 4WD
6	E:	GMC Canyon, Denali 4WD
6	F:	GMC Canyon, All Terrain 4WD

7: RESTRAINT SYSTEM

E:	AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
----	--

8: ENGINE TYPE

A:	LCV - ENGINE GAS, 4 CYL, 2.5L, L4, SIDI, DOHC, DCVCP, VVT, E85 MAX, E0-E100, ALUM
N:	LGZ - ENGINE GAS, 6CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, VAR2, GEN 2
1:	LWN - ENGINE DIESEL, 2.8L, DI, L4, DOHC, TURBO, XLDE

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020

11: PLANT LOCATION


When VIN position 1 is "1" (USA):

1: Wentzville

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

GMC Savana



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GD
7: United States	1GJ
2: Manufacturer	
G: General Motors	1GT
G: Navistar Inc.	7GZ (Navistar Only)
3: Vehicle Brand/Type	
D: GMC Incomplete	
J: GMC Bus (Non School Bus)	
T: GMC Truck	
Z: GMC Incomplete (Navistar Only)	

7: RESTRAINT SYSTEM

B:	AJ3 - Active Manual Belts, Airbag - Driver only - Front
C:	AK5 - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)
F:	(AK5&ASF) - Active Manual Belts, Airbags-Driver & Passenger - Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)
H:	(AJ3&ASF) -Active Manual Belts, Airbag - Driver only - Front, Front Seat Side (1st row), Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style	
		05/06 - Cargo Van/Four (4) Door Cab/Utility, Passenger Van	03 - Commercial Special Cutaway, Two (2) Door Cab pick-up, Motor Home Chassis
Class G: 8,001-9,000	Hyd.	W	Y
Class H: 9,001-10,000	Hyd.	Z	0
Class 3: 10,001-14,000	Hyd.		3
Class 4: 14,001-16,000	Hyd.		6

8: ENGINE TYPE

B:	LC8 - ENGINE FLEXIBLE FUEL, (CNG/LPG), 8 CYL, V8, 6.0L, SFI, GEN 1, GMNA
G:	L96 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 6.0L, SFI E85 MAX, IRON, GM
P:	LV1 - ENGINE GAS, 6 CYL, 4.3L, GEN 5, SIDI, V6, VVT, OHV, ALUM
1:	LWN - ENGINE DIESEL, 2.8L, DI, L4, DOHC, TURBO, XLDE

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020

11: PLANT LOCATION

When VIN position 1 is "1" (USA):

1: Wentzville

When VIN position 1 is "7" (USA):

N: Springfield (Navistar)

12~17: SEQUENCE NUMBER


Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

5~6: CHASSIS/SERIES

Book 8

7	A:	GMC Savana 2500 Cargo
7	B:	GMC Savana 2500 Cargo Ext
7	E:	GMC Savana 2500 Passenger LS
7	F:	GMC Savana 2500 Passenger LT
7	G:	GMC Savana 3500 Cargo
7	H:	GMC Savana 3500 Cargo Ext
7	L:	GMC Savana 3500 Passenger LS
7	M:	GMC Savana 3500 Passenger LT
7	N:	GMC Savana 3500 Passenger LS Ext
7	P:	GMC Savana 3500 Passenger LT Ext
7	R:	GMC Savana 3500 Cutaway 139" Wheelbase
7	S:	GMC Savana 3500 Cutaway 159" Wheelbase
7	T:	GMC Savana 3500 Cutaway 177" Wheelbase
7	U:	GMC Savana 4500 Cutaway 159" Wheelbase
7	V:	GMC Savana 4500 Cutaway 177" Wheelbase
7	9:	GMC Savana, (Non-US, Non-Canada)

GMC Sierra



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
1: United States	1GT
3: Mexico	1GD
2: Manufacturer	
G: General Motors	3GT
	3GD
3: Vehicle Brand/Type	
T: GMC Truck	
D: GMC Incomplete	

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style		
		03 - Commercial Special Cutaway, Two (2) Door Cab pick-up, Motor Home Chassis	43 - Four (4) Door Crew Cab/Utility	53 - Extended Cab
Class E: 6,001-7,000	Hyd.	N	P	R
Class F: 7,001-8,000	Hyd.		U	V
Class H: 9,001-10,000	Hyd.	0	1	2
Class 3: 10,001-14,000	Hyd.	3	4	5

5~6: CHASSIS/SERIES

8	A:	GMC Sierra 1500 Fleet/Base 2WD
8	B:	GMC Sierra 1500 SLE 2WD
8	C:	GMC Sierra 1500 Elevation 2WD
8	D:	GMC Sierra 1500 SLT 2WD
8	F:	GMC Sierra 1500 Denali 2WD
8	L:	GMC Sierra 2500 Fleet/Base 2WD
8	M:	GMC Sierra 2500 SLE 2WD
8	N:	GMC Sierra 2500 SLT 2WD
8	P:	GMC Sierra 3500 Fleet/Base 2WD
8	R:	GMC Sierra 3500 SLE 2WD
8	S:	GMC Sierra 3500 SLT 2WD
8	9:	GMC Sierra 2WD, (Non-US, Non-Canada)
9	A:	GMC Sierra 1500 Fleet/Base 4WD
9	B:	GMC Sierra 1500 SLE 4WD
9	C:	GMC Sierra 1500 Elevation 4WD
9	D:	GMC Sierra 1500 SLT 4WD
9	E:	GMC Sierra 1500 AT4 4WD
9	F:	GMC Sierra 1500 Denali 4WD
9	L:	GMC Sierra 2500 Fleet/Base 4WD
9	M:	GMC Sierra 2500 SLE 4WD
9	N:	GMC Sierra 2500 SLT 4WD
9	P:	GMC Sierra 2500 AT4 4WD
9	R:	GMC Sierra 2500 Denali 4WD

5~6: CHASSIS/SERIES

9	S:	GMC Sierra 3500 Fleet/Base 4WD
9	T:	GMC Sierra 3500 SLE 4WD
9	U:	GMC Sierra 3500 SLT 4WD
9	V:	GMC Sierra 3500 AT4 4WD
9	W:	GMC Sierra 3500 Denali 4WD
9	9:	GMC Sierra 4WD, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

E:	AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
----	--

8: ENGINE TYPE

D:	L84 - ENGINE GAS, 8 CYL, 5.3L, DI, DFM, ALUM, GEN 5, VAR 2
F:	L82 - ENGINE GAS, 8 CYL, 5.3L, DI, AFM, ALUM, GEN 5, VAR 1
H:	LV3 - ENGINE GAS, 6 CYL, 4.3L, GEN 5, SIDI, V6, VVT, OHV, E85 MAX ALUM
K:	L3B - ENGINE GAS, 4 CYL, L4, 2.7L, SIDI, VVT, TURBO, DOHC, ALUM
L:	L87 - ENGINE GAS, 8 CYL, V8, 6.2L, DI DFM, ALUM, GEN 5
T:	LM2 - ENGINE DIESEL, 6 CYL, 3.0L, CRI, L6, DOHC, TURBO, VGT, ALUM
Y:	L5P - ENGINE DIESEL, 8 CYL, 6.6L, DI, V8, TURBO, DURAMAX, GEN 5 VAR. 1
7:	L8T - ENGINE GAS, 8 CYL, 6.6L, SIDI, VVT, CAST IRON

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020


11: PLANT LOCATION

When VIN position 1 is "1" (USA):
F: Flint
Z: Fort Wayne
When VIN position 1 is "3" (Mexico):
G: Silao

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

GMC Terrain



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
3: Mexico
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
K: GMC MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
Class C: 4,001-5,000		26- Four (4) Door Cab/Utility
Hyd.		A

5~6: CHASSIS/SERIES

Book X

- L L: GMC Terrain SL FWD
L M: GMC Terrain SLE FWD
L N: GMC Terrain SLE FWD Diesel
L P: GMC Terrain SLT FWD
L R: GMC Terrain SLT FWD Diesel
L S: GMC Terrain Denali FWD
L T: GMC Terrain SLE AWD
L U: GMC Terrain SLE AWD Diesel
L V: GMC Terrain SLT AWD
L W: GMC Terrain SLT AWD Diesel
L X: GMC Terrain Denali AWD
L 8: GMC Terrain, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- E: AY0/AYC - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- U: LH7 - ENGINE DIESEL, UREA, 4 CYL, 1.6L, L4, CRI, DOHC, VGT, ALUM
V: LYX - ENGINE GAS, 4 CYL, L4, 1.5L, DI, DOHC, VVT, FGT, TURBO, ALUM, GEN 1
X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- L: 2020


11: PLANT LOCATION

- When VIN position 1 is "2" (Canada):
L: San Luis Potosi

12~17: SEQUENCE NUMBER

- Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.

GMC Yukon



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
K: GMC MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
Class F: 7,001-8,000		Hyd.
		S

5~6: CHASSIS/SERIES

Book 6

- 1 A: 4x2, GMC Yukon SLE
1 B: 4x2, GMC Yukon SLT
1 C: 4x2, GMC Yukon Denali
1 D: 4x2, GMC Yukon SLT Standard Edition
1 7: 4x2, GMC Yukon, (Non-US, Non-Canada)
1 F: 4x2, GMC Yukon XL SLE
1 G: 4x2, GMC Yukon XL SLT
1 H: 4x2, GMC Yukon XL Denali
1 J: 4x2, GMC Yukon XL SLT Standard Edition
1 8: 4x2, GMC Yukon XL, (Non-US, Non-Canada)
2 A: 4x4, GMC Yukon SLE
2 B: 4x4, GMC Yukon SLT
2 C: 4x4, GMC Yukon Denali
2 D: 4x4, GMC Yukon SLT Standard Edition
2 7: 4x4, GMC Yukon, (Non-US, Non-Canada)
2 F: 4x4, GMC Yukon XL SLE
2 G: 4x4, GMC Yukon XL SLT
2 H: 4x4, GMC Yukon XL Denali
2 J: 4x4, GMC Yukon XL SLT Standard Edition
2 8: 4x4, GMC Yukon XL, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- E: AY0 - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
K: AYQ - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row), Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- C: L83 - ENGINE GAS, 8 CYL, 5.3L, SIDI VVT, AFM, E85 MAX, ALUM, GM
J: L86 - ENGINE GAS, 8 CYL, 6.2L, SIDI VVT, AFM, E85 MAX, ALUM

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


R: Arlington

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Holden Acadia



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
1: United States
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
H: Holden MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class D: 5,001-6,000	Hyd.	F

5~6: CHASSIS/SERIES

Book N

- N 1: Holden Acadia LT FWD, (Non-US, Non-Canada)
- N 2: Holden Acadia LTZ FWD, (Non-US, Non-Canada)
- N 3: Holden Acadia LTZ-V FWD, (Non-US, Non-Canada)
- N 4: Holden Acadia LT AWD, (Non-US, Non-Canada)
- N 5: Holden Acadia LTZ AWD, (Non-US, Non-Canada)
- N 6: Holden Acadia LTZ-V AWD, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- R: AYG - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows), Knee(s) (1st row)

8: ENGINE TYPE

- S: LGX - ENGINE GAS, 6 CYL, 3.6L, V6, DI, DOHC, VVT, ALUM, GEN 2

9: CHECK DIGIT

- 0~9, X - Calculated by POMS

10: MODEL YEAR

- L: 2020

11: PLANT LOCATION

When VIN position 1 is "3" (Mexico):


- Z: Springhill

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.



Holden Equinox



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

- 1: Region of Build**
3: Mexico
- 2: Manufacturer**
G: General Motors
- 3: Vehicle Brand/Type**
0: Holden MPV

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs)/ Brake System		Body Style
		26- Four (4) Door Cab/Utility
Class C: 4,001-5,000	Hyd.	A

5~6: CHASSIS/SERIES

- Book X**
- X 7: Holden Equinox, (Non-US, Non-Canada)

7: RESTRAINT SYSTEM

- E: AYC - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

8: ENGINE TYPE

- V: LYX - ENGINE GAS, 4 CYL, L4, 1.5L, DI, DOHC, VVT, FGT, TURBO, ALUM, GEN 1
- X: LTG - ENGINE GAS, 4 CYL, 2.0L, SIDI, L4, ALUM DOHC, VVT, DCVCP TURBO, E0-E100, ALUM
- 8: LVL - ENGINE DIESEL, 4 CYL, 1.6L, CRI, DOHC, VGT, 103KW

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020

11: PLANT LOCATION



- When VIN position 1 is "3" (Mexico):
- S: Ramos Arizpe

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.




Medium Duty Trucks & Incomplete Vehicle Identification Numbering System





Chevrolet Low Cab Forward



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build	Valid Combinations
J: Japan	JAL
5: United States	54D

2: Manufacturer
A: Isuzu Motors Ltd.
4: Spartan Motors Chassis Inc.

3: Vehicle Brand/Type
L: Incomplete Vehicle
D: Incomplete Vehicle

8: ENGINE TYPE

B:	L96 - ENGINE GAS, 8 CYL, 6.0L, SFI, E85 MAX, IRON, GM
C:	LC8 - ENGINE LPG/CNG, 8 CYL, V8, 6.0L, SFI, GEN 1, GMNA
6:	I1B - ENGINE DIESEL, 4 CYL, 5.2L, 4HK1TC 215HP

9: CHECK DIGIT

0~9, X - Calculated by Manufacturer

10: MODEL YEAR

L: 2020

11: PLANT LOCATION

S:	Charlotte, Michigan
7:	Fujisawa, Japan

12: MODEL COMBINATION

G:	6500XD/4HK1 Diesel/25,950lbs
K:	4500XD/4HK1 Diesel/16,000lbs
0:	4500HD/4HK1 Diesel/14,500lbs
3:	5500XD/4HK1 Diesel/19,500lbs
8:	3500 & 4500/Gas
9:	5500HD/4HK1 Diesel/17,950lbs

13~17: SEQUENCE NUMBER

Positions 13 through 17 represent the number sequentially assigned by the manufacturer in the production process.

4: GVWR/BRAKE SYSTEM/BODY STYLE

GVW (Lbs) / Brake System		Body Style	
		03 - Commercial Special Cutaway, Two (2) Door Cab pick-up, Motor Home Chassis	43 - Four (4) Door Crew Cab/Utility
Class 3: 10,001-14,000	Hyd.	B	B
Class 4: 14,001-16,000	Hyd.	C	C
Class 5: 16,001 - 19,500	Hyd.	E	E
Class 6: 19,501 - 26,000	Air	K	

5: MAKE/SERIES

D:	GM Chevrolet 3500 / 3500HD / 4500 / 4500HD / 4500XD
E:	GM Chevrolet 5500HD/5500XD
F:	GM Chevrolet 6500XD


6: LINE/CAB TYPE

J:	Non-Tilt Cab, BBC = 110 Inches
S:	Tilt Cab, BBC = 81 Inches
W:	Tilt Cab, BBC = 71 Inches

7: CHASSIS TYPE

1:	4x2, 2 Axles, 1 Driving
----	-------------------------

Chevrolet Silverado Medium Duty



1~3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)

1: Region of Build

1: United States

2: Manufacturer

H: Navistar, Inc.

3: Vehicle Brand/Type

T: Chevrolet Incomplete

4~5: MAKE / MODEL / SERIES / TYPE

Book 29	Make	Model	Series	Chassis, Cab Type, Body Style
K H:	GM	GM515	GM	Conventional SFA 4x2
K J:	GM	GM515	GM	Conventional SFA 4x4
K K:	GM	GM51P	GM	Bus - Commercial (Incomplete) 4x2
K L:	GM	GM51P	GM	Bus - Commercial (Incomplete) 4x4

6~7: ENGINE TYPE

P V: L5D - ENGINE DIESEL, 8 CYL, 6.6L, DI, V8, TURBO, DURAMAX, GEN 5, VAR. 3

8: GVWR/BRAKE SYSTEM

GVW (Lbs)/ Brake System		
Class 4: 14,001-16,000	Hyd.	H
Class 5: 16,001-19,500	Hyd.	K
Class 6: 19,501-26,000	Hyd.	M

9: CHECK DIGIT

0~9, X - Calculated by POMS

10: MODEL YEAR

L: 2020

11: PLANT LOCATION

H: Springfield, OH

12~17: SEQUENCE NUMBER

Positions 12 through 17 represent the number sequentially assigned by the manufacturer in the production process.